

## HIMACHAL PRADESH PUBLIC WORKS DEPARTMENT

Office of the Executive Engineer National Highway Division HPPWD Theog.

Email: [eenh-theog-hp@gov.in](mailto:eenh-theog-hp@gov.in) Phone/ Fax No.: 01783-238900

NO.PW.THD/CB/TENDER/Tender Notice/2020-21-

*29/7-19*

Dated:- *28/8/2021*

To

The Executive Engineer,  
Nigam Vihar Shimla 2

**Subject:-**

Publication of tender Notice.

Enclose please find herewith the Tender Notice of the works as given in the Notice inviting Tender for uploading on department website as per Notification Pr. Secy. (PW) to the Govt. of HP letter No PBW(B)A(3)1/2020 dated 19 June 2021 as the work mentioned in the tender notice are urgent in nature and in public interest.

Encl:- Schedule of Quantity.

*M. L.*  
Executive Engineer,  
NH Division,  
H.P.P.W.D., Theog

Copy forwarded to the Superintending Engineer NH Circle Shimla HP PWD for information please.

Copy forwarded to the Computer Cell O/O Executive Engineer(IT) Cell), Nigam Vihar Shimla-2 for information and further necessary action please.

*M. L.*  
Executive Engineer,  
NH Division,  
H.P.P.W.D., Theog

**Himachal Pradesh  
Public Works Department**

**Notice Inviting Tender**

Sealed item rate s tender form No 6 &8 are hereby invited by the Executive Engineer NH Division HP PWD Theog for the following works on behalf of the Governor of Himachal Pradesh from the eligible contractors enlisted in HP PWD so as to reach in this office as per time schedule Given below:-

1	Date of receipt of Applications for tender forms:	6.9.2021 upto 2:00 PM
2	Date of issue/sale of Tender forms:-	7.9.2021 upto 4:00 PM
3	Date of receipt of Tender:-	8.09.2021 upto 10:30 AM
4	Date of opening of Tender	8.09.2021 upto 11:00 AM

Sr. N o	Name of Works	Estimated Cost	Earnest Money	Cost of form	Time Period for completion	Form No	Eligibility of Contractors
1	Restoration of rain damages on Kalka Shimla Wangtoo Road NH 05 KM 155/0 to 236/0(SH: C/o R/wall from Km 204/365 to 204/375)	451130/-	9000/-	350/-	Two Months	6&8	Class C & D enlisted in HP PWD
2	A/R & M/o Kalka Shimla Wangtoo road NH 22(New NH 05) Km 155/0 to 236/0(SH: Supplying and fixing of cat eyes in between Km 224/00 to 236/0)	157500/-	3200/-	350/-	One Months	6&8	Class C & D enlisted in HP PWD
3	Restoration of rain damage on Kalka Shimla wangtoo road NH 05 Km 155/0 to 236/0(SH: C/o R/wall from Km 173/108.60 to 173/126.60).	486301/-	9750/-	350/-	Two Months	6&8	Class C & D enlisted in HP PWD
4	A/R & M/o On Kalka Shimla Wangtoo road NH 22(New NH 05) Km 155/0 to 236/0(SH: Supplying and installation of delineators from RD 176/00 to 177/00)	199500/-	4000/-	350/-	One Month	6&8	Class C & D enlisted in HP PWD

**Terms & Conditions:-** The tender documents shall be issued to those contractors/firms who fulfill the following documents with the application:

- 1 The valid enlistment/ registration of contractor in appropriate class.
- 2 Permanent Account Number(PAN)
- 3 GST Number and EPF No.
- 4 Earnest Money in the shape of National saving certificate/Time deposit account in any of the Post office in HP FDR from any Nationalized Bank duly pledged in favour of the executive Engineer.

- 5 The earnest Money & Cost of Tender form for the above works should be submitted with the application for the purchase of the tender forms. The application received without earnest money & Cost tender form shall summarily be rejected.
- 6 Ambiguous/telegraphic/Conditional tender of tender by fax/ E-mail shall not be entertained/considered and will summarily be rejected.
- 7 Executive Engineer reserves the right to reject or cancel any or all the tenders without assigning any reasons.
- 8 The offer of the tender shall remain valid upto 120 days after the opening of tender.
- 9 If the date given above happens to be a holiday, the same shall be processed on next working days.
- 10 The Contractors/firm must quote their rates in words as well as in figures failing which Xen reserves the right to accept/reject any or all tenders.
- 11 The Tender form will not be issued to those contractors/firms whose previous performance is not found satisfactory and who have not executed/completed the previous awarded works within the stipulated period of completion.
- 12 One Contractor should not have more than two works in hand at a time.
- 13 Works should be completed by the contractor within the stipulated period.

  
Executive Engineer,  
NH Division,  
H.P.P.W.D., Theog  
Dated 28-8-2021

No/PW/NH/CB/Tender/2021 2921 - 2960

Copy forwarded for information and necessary actions to:

- 1 The Engineer-in Chief HP PWD Nigam Vihar Shimla
- 2 The Chief Engineer, NH HP PWD Shimla 2
- 3 The Deputy Commissioner, Shimla . It is requested to display the notice on Notice Board
- 4 The Superintending Engineer, NH Circle HP PWD Shimla . It is requested to display the notice on the Notice Board please.
- 5 All the Superintending Engineer/Executive Engineers in HP PWD.
- 6 The Tehsildar Theog. It is requested to display the notice on Notice Board.
- 7 The BDO Theog . It is requested to display the notice on Notice Board.
- 8 All the Assistant Engineer working under this Division . It is requested to display the notice on Notice Board.
- 9 Correspondence Branch/Drawing Branch/Account Branch /Notice Board.

  
Executive Engineer,  
NH Division,  
H.P.P.W.D., Theog

**SCHEDULE OF QUANTITY**

**Name of Work:-Restoration of rain damages on kalka-shimla-wangtoo-Road on NH-05 KM 155/00 TO 236/00.(SH:- C/o R/Wall from km 204/365 to 2-4/375).**


**Estimated Cost:-451130.00  
Earnest Money :-9000.00  
Two Months.**

**Time :-**

Sr. No	Description of Work / Item (S)	Qty.	Rate		Amount
			In figures	In words	
1	Excavation in soil by Manual Mean Excavation ordinary soil using mechanically/ manual means including loading in truck and carrying out earth to embankment site as per drawings and technical specifications clause 304, with all lifts and leads , stacking the useful materials and disposal of unserviceable materials in all leads & lifts . Any loss to public /private property during course of excavation shall be the whole responsibility of the contractor including carriage of materials by all modes of transportation as per the direction by the Engineer-in-charge.	7.90	Cum		
2	Excavation for Structures Earth work in excavation of foundation of structures as per drawings and technical specifications clause 304, including setting out, construction of shoring and bracing ,removal of slumps and other deleterious matter ,dressing of sides and bottom , back filling the excavation earth to the extent required and utilising the remaining earth locally for road work Ordinary Soil Manual Means , stacking the useful materials and disposal of unserviceable materials in all leads & lifts Any loss to public /private property during course of excavation shall be the whole responsibility of the contractor including carriage of materials and equipment in all leads and lifts by all modes of transportation as per the direction by the Engineer-in-charge.	29.30	Cum		
3	Providing and laying Plain cement concrete M15 Grade with crushed stone aggregate . mechanically mixed vibrated placed in position & curing complete including cost of form work as per the Drawing and MoRT&H specifications No. 1500, 1700 & 2100 with in all leads and lifts including all material, labour, machinery/ equipments and any other incidentals required to complete the job as per direction of Engineer-in-Charge.	66.23	Cum		
4	Providing and laying of Filter media with granular materials/stone crushed aggregates satisfying the requirements laid down in clause 2504.2.2 of MoRTH specifications to a thickness of not less than 600 mm with smaller size towards the soil and bigger size towards the wall and provided over the entire surface behind abutment, wing wall and return wall to the full height compacted to a firm condition complete as per drawing and Technical Specification.	12.60	Cum		
5	Providing weep holes in Brick masonry/plain /reinforced concrete abutment,wing wall/return wall with 100 mm dia.PVC pipe extending through the full width of the structure with slop of IV :20 H towards drawing face.complete as per drawing and Technical Specifications.	15.00	Rmt		
<b>Total</b>					

**Condition**

- 1 Rates Should be quoted for all heights includings all leads and lifts.
- 2 The contractor shall procure all the materials conforming to the specifications of MORT&H at his own risk and cost.
- 3 Cement should be procured from HP State Civil Supply Corporation only.

  
**Executive Engineer,  
NH Division,  
H.P.P.W.D., Theog**

**Schedule of Quantity**

**Name of Work:- A/R & M/O Kalka-Shimla-Wangtoo road NH-22(New NH-05) Km. 155/00 to 236/00 (SH:- Supplying and fixing of cat-eyes in between km 224/00 to 236/00).**

**Estimated Cost:-157500.00  
Earnest Money :-3200.00  
Time :- 15 days.**

Sr. No	Description of Work / Item (S)	Qty.	Rate		Amount
			In figures	In words	
1	Supplying and fixing Cat-eyes studs 100x100mm diameter cast in aluminium resistant to corrosive effect of salt and grit fitted with lens reflectors. Installed in concrete or asphalitic 30 mm upto a depth of 60mm and bedded in suitable bituminous grout or epoxy mortar all as per BS :873(Part(4) 1973 including carriage of material by mechanical means with in all leads and lifts as per MORTH specification and as per direction of Engineer-in-charge.	350.00	Nos.		

**Condition**

- 1 Rates Should be quoted for all heights includings all leads and lifts.
- 2 The contractor shall procure all the materials conforming to the specifications of MORT&H at his own risk and cost.

  
**Executive Engineer,  
NH Division,  
H.P.P.W.D., Theog**

**SCHEDULE OF QUANTITY**

Name of Work:-Restoration of rain damages on Salka-shimla-wangtoo-Road on NH-05 KM 155/0. TO 236/00.(SH:- C/o R/Wall from km 173/108.6 to 173/126.60).

Estimated Cost:-486301.00

Earnest Money :-9750.00

Time :- Two Months.

Sr. No	Description of Work / Item (S)	Qty.	Rate		Amount
			In figures	In words	
1	Excavation in soil by Manual Mean.Excavation ordinary soil using mechanically/ manual means including loading in truck and carrying out earth to embankment site as per drawings and technical specifications clause 304, with all lifts and leads , stacking the useful materials and disposal of unserviceable materials in all leads & lifts . Any loss to public /private property during course of excavation shall be the whole responsibility of the contractor including carriage of materials by all modes of transportation as per the direction by the Engineer-in-charge.	10.55	Cum		
2	Excavation for Structures .Earth work in excavation of foundation of structures as per drawings and technical specifications clause 304, including setting out, construction of shoring and bracing ,removal of slumps and other deleterious matter ,dressing of sides and bottom , back filling the excavation earth to the extent required and utilising the remaining earth locally for road work Ordinary Soil Manual Means , stacking the useful materials and disposal of unserviceable materials in all leads & lifts . Any loss to public /private property during course of excavation shall be the whole responsibility of the contractor including carriage of materials and equipment in all leads and lifts by all modes of transportation as per the direction by the Engineer-in-charge.	27.54	Cum		
3	Providing and laying Plain cement concrete M15 Grade with crushed stone aggregate . mechanically mixed vibrated placed in position & curing complete including cost of form work as per the Drawing and MoRT&H specifications No. 1500, 1700 & 2100 with in all leads and lifts including all material, labour, machinery/ equipments and any other incidentals required to complete the job as per direction of Engineer-in-Charge.	75.67	Cum		
4	Providing and laying of Filter media with granular materials/stone crushed aggregates satisfying the requirements laid down in clause 2504.2.2. of MORTH specifications to a thickness of not less than 600 mm with smaller size towards the soil and bigger size towards the wall and provided over the entire surface behind abutment, wing wall and return wall to the full height compacted to a firm condition complete as per drawing and Technical Specification.	12.42	Cum		
5	Providing weep holes in Brick masonry/plain /reinforced concrete abutment,wing wall/return wall with 100 mm dia.PVC pipe extending through the full width of the structure with slop of IV : 20 H towards drawing face.complete as per drawing and Technical Specifications.	40.00	Rmt		
<b>Total</b>					

**Condition**

- 1 Rates Should be quoted for all heights includings all leads and lifts.
- 2 The contractor shall procure all the materials conforming to the specifications of MORT&H at his own risk and cost.
- 3 Cement should be procured from H.P State Civil Supply Corporation only.

  
**Executive Engineer,  
NH Division,  
H.P.P.W.D., Theog**

**Schedule of Quantity**

**Name of Work:- A/R & M/O on Kalka-Shimla-Wangtoo road NH-22(New NH-05) Km. 155/00 to 236/00 (SH:- Supplying and installation of delineators from RD 176/00 to 177/00).**

**Estimated Cost:-199500**

**Exact Money :-4000.00**

**Time :-**

**One months.**

Sr. No	Description of Work / Item (S)	Qty.	Rate		Amount
			In figures	In words	
1	Supplying and installation of delineators (road way indicators, hazard markers, object markers), 1200 mm height, 75 mm dia circular reflectorised panels at the top and conforming to IRC-79 and the drawings.	150	each		

**Condition**

- 1 Rates Should be quoted for all heights includings all leads and lifts.
- 2 The contractor shall procure all the materials conforming to the specifications of MORT&H at his own risk and cost.

  
**Executive Engineer,  
NH Division,  
H.P.P.W.D., Theog**