

Himachal Pradesh
Public Works Department

NO/PW/PNH/AB/Tender/2021-
To

3004-06

Dated:- 7.9.2021


The Executive Engineer (IT cell),
Nigam Vihar, Shimla-2.

Subject:-

Publication of tender Notice.


Enclosed please find herewith the Tender Notice of the works as given in the Notice Inviting Tender for uploading on department website as per notification Pr. Secy (PW) to the Govt. of HP letter No. PBW (B) A (3) 1/2020 dated Shimla-2 the 16th July 2021 as the work mentioned in the tender notice are urgent in nature and in public interest.

DA:- NIT & Schedule of quantity and Certificate.


Executive Engineer,
National Highway Division,
HPPWD Pandoh.

Copy forwarded to the Superintending Engineer, NH Circle, HPPWD Shahpur for information please.

Copy forwarded to the Computer Cell O/O Executive Engineer (IT Cell), Nigam vihar, Shimla-2 for information and further necessary action please.


Executive Engineer,
National Highway Division,
HPPWD Pandoh.

**HIMACHAL PRADESH
PUBLIC WORKS DEPARTMENT
"NOTICE INVITING TENDER"**

Sealed item rate tenders on form No. 6&8 are hereby invited by the Executive Engineer, NH Division, HPPWD, Pandoh for the following works on behalf of the Governor of Himachal Pradesh from the eligible contractors enlisted in HPPWD so as to reach in this office as per time schedule given below:-


1. Date of receipt of Applications for tender forms: - 13.09.2021 upto 3.00 PM
2. Date of issue/sale of Tender forms: - 14.09.2021 upto 5.00 PM
3. Date of receipt of Tender: - 15.09.2021 upto 10.30 AM
4. Date of opening of Tender: - 15.09.2021 at 11.00AM

Sr. No.	Name of work	Estimated cost	Earnest money	Cost of form	Time Period for completion	Form No.	Eligibility of Contractors
1	A/R & M/O of Sainj-Luhari-Anni-Jalori-Banjar-Aut road NH 305 Km. 53/0 to 97/0 (SH: - Construction of PCC R/Wall at Km. 64/930 to 64/940).	Rs. 3,26,862/-	Rs. 6600/-	Rs. 350/-	Two Months	6&8	Class C & D enlisted in HPPWD
2	A/R & M/O of Sainj-Luhari-Anni-Jalori-Banjar-Aut road NH 305 Km. 53/0 to 97/0 (SH: - Construction of PCC R/Wall at Km. 65/220 to 65/225.50).	Rs. 4,02,381/-	Rs. 8100/-	Rs. 350/-	Two Months	6&8	-do-
3	Annual repair and maintenance of Attari-Leh- via Hamirpur-Tauni Devi-Awah Devi-Sarkaghat- Kotli-Manali road NH-70 New No.03) Km. 196/495 to 264/960 (SH- Repair of pot holes in RD at km. 213/0 to 230/0).	Rs. 3,61,368/-	Rs. 7200/-	Rs. 350/-	Two Months	6&8	-do-
4	Annual repair and maintenance of Attari-Leh- via Hamirpur-Tauni Devi-Awah Devi-Sarkaghat- Kotli-Manali road NH-70 New No.03) Km. 196/495 to 264/960 (SH- Repair of pot holes in RD at km. 230/0 to 247/0).	Rs. 4,39,674/-	Rs. 8800/-	Rs. 350/-	Two Months	6&8	-do-
5	A/R & M/O on Attari-Leh- via Hamirpur-Tauni Devi-Awah Devi-Sarkaghat- Kotli-Manali road NH-70 New No.03) Km. 196/495 to 264/960 (SH- Hiring of JCB/Excavator-cum-loader for removal of slips & debries and cleaning of drain etc. in between km. 242/0 to 264/960).	Rs. 1,18,050/-	Rs. 2400/-	Rs. 350/-	One Month	6&8	-do-
6	Restoration of damage caused due to digging of road for laying of sewerage line on Attari-Leh- via Hamirpur-Tauni Devi-Awah Devi-Sarkaghat- Kotli-Manali road NH-70 (New No.03) Km. 196/495 to 264/960 by IPH Department (SH- Providing and laying patch work in km. 264/0 to 264/960) (Deposit work).	Rs. 85,619/-	Rs. 1800/-	Rs. 350/-	One Month	6&8	-do-

TERMS & CONDITIONS: - The tender documents shall be issued to those contractors/firms who fulfil the following documents with the application:-

1. The valid enlistment/registration of contractor in appropriate class.
2. Permanent Account Number (PAN).
3. GST Number.
4. Earnest money in the shape of National saving certificate/Time deposit Account in any of the Post office in HP. FDR from any Nationalized Bank (i/c Kangar Central Cooperative Bank and CD Cooperative Society) duly pledged in favour of the Executive Engineer.

5. The earnest money & cost of tender form for the above works should be submitted with the application for the purchase of the tender forms. The application received without earnest money & cost of tender form shall summarily be rejected.
6. Tax Clearance Certificate (T.C.C.) issued from the concern
7. ed Exercise and Taxation department.
8. Ambiguous/telegraphic/conditional tenders or tender by fax/E-mail shall not be entertained/considered and will summarily be rejected.
9. Executive Engineer reserves the right to reject or cancel any or all the tenders without assigning any reasons.
10. The offer of the tender shall remain valid upto 120 days after the opening of tender.
11. If the date given above happens to be a holiday, the same shall be processed on next working days.
12. The contractors/firm must quote their rates in words as well as in figures failing which Xen reserves the right to accept/reject any or all tenders.
13. The Tender form will not be issued to those contractors/firms whose previous performance is not found satisfactory and who have not executed/completed the previous awarded works within the stipulated period of completion.
14. One contractor should not have more than two major works in hand at a time.
15. Work should be completed by the contractor within the stipulated period.
16. Works completion and work in hand certificate issued by the concerned Executive Engineer must be attached with the application for issue of tender form.


Executive Engineer,
National Highway Division,
HP.PWD Pandoh

For and on behalf of the Governor of HP.


NO/PW/PNH/AB/Tender/2021-

2943-3003

Dated:- 7.8.2021

Copy forwarded for information and necessary actions to:-

1. The Engineer-in-Chief, HP.PWD, Nigam Vihar, Shimla.
2. The Chief Engineer, NH HP.PWD Shimla-2.
3. The Superintending Engineer, NH Circle, HPPWD Shahpur. It is requested to display the notice on the Notice Board please.
4. All the Superintending Engineers/Executive Engineers in HP.PWD.
5. The Deputy Commissioner, Mandi and Kullu. It is requested to display the notice on Notice Board.
6. The Tehsildar, Sadar, Kotli, Dharmpur, Balichowki and Banjar. It is requested to display the notice on Notice Board
7. The B.D.O Sadar, Dharmpur, Balichowki and Banjar. It is requested to display the notice on Notice Board.
8. All Assistant Engineers working under this Division. It is requested to display the notice on Notice Board.
9. Correspondence Branch/Drawing Branch/Notice board.
10. Lok Mitra, Pandoh.
11. Various Contractors/Firms.


Executive Engineer,
National Highway Division,
HP.PWD Pandoh

1

Schedule of quantity

Name of Work:-A/R & M/O onSainj-Luhari- Anni-Jalori-Banjar-Aut Road NH-305 Km 53/000 to 97/000.(Sub-Head:-Construction of P.C.C.Retaining wall at R.D.64/930 to 64/940)

Estimated Cost:- Rs.3,26,862/-
Earnest money:- Rs.6600/-
Time allowed:- Two month.

Sr. No.	Description of item	Quantity	Rate		Unit	Amount
			In Figure	In words		
1	Earth work in excavation for all kinds of soil by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains (not exceeding 1.5 m(one point five metre) in width or 10 sqm(ten squaremetre) on plan), including dressing of sides and ramming of bottoms, lift upto 1.5 m(one point five metre) including getting out the excavated soil and disposal of surplus excavated soil , within all leads, lifts, carriage of material and other incidental complete in all respect as per direction of Engineer-in-Charge.	30.91 Cubic metre			Per cubic metre	
2	Centering and shuttering including strutting, propping etc. and removal of form work for : Retaining walls, return walls, walls (any thickness) including attached pilasters, buttresses, plinth and string courses filets, kerbs and steps etc. within all leads, lifts, carriage of material and other incidental.	95.53 Square metre			Per square metre	
3	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level : 1:3:6 (One Cement : Three coarse sand): Six graded stone aggregate 40 mm(forty millimetre nominal size)within all leads, lifts, carriage of material and other incidental.	65.19 Cubic metre			Per cubic metre	
4	Providing and laying weep holes in stone, brick masonry, plain/reinforced concrete abutments/wing walls/return walls, breast walls and retaining walls with 100 mm (one hundred millimetre) diameter PVC pipe, extended through the full width of the structure with slope of 1V:20 H(One vertical isto twenty horizontal) towards drawing face complete as per drawing and MORT&H technical specification No.2706 and 2200 (5th revision- 2013) including head load or mechanical means including haulage of materials in all leads and lifts with all modes of transportation and as per the direction and entire satisfaction of Engineer-in-Charge.	20.00 Nos			Each	
5	Providing and laying back filling with granular material behind abutment, wing wall, return wall, retaining wall and breast wall including compaction complete as per drawings & MORT&H technical specification No. 710.1.4 of IRC:78 and 2200 (5th revision- 2013) including head load or mechanical means including haulage of materials in all leads and lifts with all modes of transportation and as per the direction and entire satisfaction of Engineer-in-Charge.	5.80 Cubic metre			Per cubic metre	
					Total:-	


Executive Engineer,
National Highway Division,
HP PWD, Pandoh.

2

Schedule of quantity

Estimated Cost:- Rs.4,02,381/-

Earnest money:- Rs.8100/-

Time allowed:- Two month.

Name of Work:-A/R & M/O onSainj-Luhari- Anni-Jalori-Banjar-Aut Road NH-305 (Km 53/000 to 97/000,(Sub-Head:-Construction of P.C.C.Retaining wall at R.D.65/220 to 65/225.50)

Sr. No.	Description of item	Quantity	Rate		Unit	Amount
			In Figure	In words		
1	Earth work in excavation for all kinds of soil by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains (not exceeding 1.5 m(one point five metre) in width or 10 sqm(ten squaremetre) on plan), including dressing of sides and ramming of bottoms, lift upto 1.5 m(one point five metre) including getting out the excavated soil and disposal of surplus excavated soil , within all leads, lifts, carriage of material and other incidental complete in all respect as per direction of Engineer-in-Charge.	30.91 Cubic metre			Per cubic metre	
2	Centering and shuttering including strutting, propping etc. and removal of form work for :Retaining walls, return walls, walls (any thickness) including attached pilasters, buttresses, plinth and string courses fillets, kerbs and steps etc .within all leads, lifts, carriage of material and other incidental.	95.53 Square metre			Per square metre	
3	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level : 1:3:6 (One Cement : Three coarse sand): Six graded stone aggregate 40 mm(forty millimetre nominal size)within all leads, lifts, carriage of material and other incidental.	65.19 Cubic metre			Per cubic metre	
4	Providing and laying weep holes in stone, brick masonry, plain/reinforced concrete abutments/wing walls/return walls, breast walls and retaining walls with 100 mm (one hundred millimetre) diameter PVC pipe, extended through the full width of the structure with slope of IV:20 H(One vertical isto twenty horizontal) towards drawing face complete as per drawing and MORT&H technical specification No.2706 and 2200 (5th revision- 2013) including head load or mechanical means including haulage of materials in all leads and lifts with all modes of transportation and as per the direction and entire satisfaction of Engineer-in-Charge.	20.00 Nos			Each	
5	Providing and laying back filling with granular material behind abutment, wing wall, return wall, retaining wall and breast wall including compaction complete as per drawings & MORT&H technical specification No. 710.1.4 of IRC:78 and 2200 (5th revision- 2013) including head load or mechanical means including haulage of materials in all leads and lifts with all modes of transportation and as per the direction and entire satisfaction of Engineer-in-Charge.	5.80 Cubic metre			Per cubic metre	
					Total:-	

Executive Engineer,
National Highway Division,
HP PWD, Pandoh.

3

Schedule of Quantity

Estimated Cost:- 3,61,368/-
Earnest Money:- 7200/-
Time:- Two Months

Name of work:- Attari- Leh via Hamirpur -Tauni Devi-Awah devi- Sarkaghat- Kotli- Manali road NH-70 (New No-03) at Km. 194/495 to 264/960. (SH:- Repair of Pot Holes in RD at Km. 213/000 to 230/000).

Sr. No.	Description of item	Qty.	Rate		Unit	Amount
			In Figure	In Words		
1	Providing laying spreading and stone aggregate of specific size to water bound macadam specification including spreading in uniform thickness hand packing rolling with smooth wheel roller 80-100 KN static roller in stages to proper grade and camber, applying and brooming stone screening/binding materials to fillup the interstices of coarse aggregate, watering and compacting to the required density grading III as per technical specification clause 405 by mechanical means including haulage of materials and equipments in all leads, lifts with all modes of transportation and as per the entire satisfaction and direction of Engineer-in-charge.	12.71	Per cubic metre		Per cubic metre	
2	Repair of pot holes and removal of loose material trimming of side cleaning of the surface by providing tack coat 20 mm thick premixed carpet and seal coat B specification clause 1904, 2503, 508.1 including haulage of materials and equipments in all leads, lifts with all modes of transportation and as per the entire satisfaction and direction of Engineer-in-charge.	498.63	Per square metre		Per square metre	
Total:-						

Q&A
Executive Engineer,
National Highway Division,
H.P.W.D. Pandoh.

4

Schedule of Quantity

Name of work:- Attari- Leh via Hamirpur -Tauni Devi-Awah devi- Sarkaghat- Kotli- Manali road NH-70 (New No-03) at Km. 194/495 to 264/960. (SH:- Repair of Pot Holes in RD at Km. 230/000 to 247/000).

Estimated Cost:- 4,39,673/-
Earnest Money:- 8800/-
Time:- Two Months

Sr. No.	Description of item	Qty.	Rate		Unit	Amount
			In Figure	In Words		
1	Providing laying spreading and stone aggregate of specific size to water bound macadam specification including spreading in uniform thickness hand packing rolling with smooth wheel roller 80-100 KN static roller in stages to proper grade and camber, applying and brooming stone screening/binding materials to fillup the interstices of coarse aggregate, watering and compacting to the required density grading III as per technical specification clause 405 by mechanical means including haulage of materials and equipments in all leads, lifts with all modes of transportation and as per the entire satisfaction and direction of Engineer-in-charge.	39.45 Per cubic metre			Per cubic metre	
2	Repair of pot holes and removal of loose material trimming of side cleaning of the surface by providing tack coat 20 mm thick premixed carpet and seal coat B specification clause 1904, 2503, 508.1 including haulage of materials and equipments in all leads, lifts with all modes of transportation and as per the entire satisfaction and direction of Engineer-in-charge.	2360.25 Per square metre			Per square metre	
Total:-						

Executive Engineer,
National Highway Division,
H.P.W.D. Pandoh.

5

Schedule of quantity

Name of work:- A/R & M/O on Attari - Leh via Hamipur -Awah Devi - Tauri Devi -Sarkaghat-Kotli-Mandi Manali road NH-70(New NH- 03)
 Km 196/495 to 264/960 (Sub Head:- Hiring of J.C.B./Excavator-cum-loader for removal of slips & debris and cleaning of drain etc. in between Km 242/000 to 264/960.

Estimated Cost:- Rs. 1,18,050.
 Earnest money:- Rs. 2,400.00
 Time allowed:- One Month

Sr. No.	Description of item	Quantity		Unit	
1	Hiring of J.C.B./ Excavator-cum- loader for removal of slips , debris , dressing of berm, cleaning of choked drains, catch pits etc. and disposing of all materials from the road surface up to any leads and lifts in emergent cases as and when required or as per direction of Engineer -in Charge. The machine/JCB should work six hours daily and removed twenty five cubic metre quantity of soil per hour and any loss of public property and accident etc. the contractor is fully responsible during the execution of work. The fuel/POL charges and operational staff for the machine will be provided by the owner. The repair & other incidental charges of machinery during the execution of work will be borne by the contractor. The useful material shall be stacked along the road side as per direction of Engineer-in-charge.	150.00	Hour	Per Hour	
				Total:-	

Handwritten Signature
 Executive Engineer,
 National Highway Division,
 HP PWD, Pandoh.

6

Schedule of quantity

Estimated Cost:- Rs.85619 /-
Earnest money:- Rs. 1800/-
Time allowed:- one Months.

Name of work:-Restoration of damage caused due to digging of road for laying of sewerage line on Attari - Leh via Hamirpur -Awah Devi -Tauri Devi -Sarkaghat-Kotli-Mandi- Manali road NH-70(New NH- 03) Km 196/495 to 264/960 by IPH Deptt. (SH:-Providing and laying patch work in k.m.264/000 to 264/960)(Deposit work)

Sr. No.	Description of item	Quantity	Rate		Unit	Amount
			In Figure	In words		
1	Providing and applying tack coat with bitumen emulsion(RS-1)using emulsion distributor at the rate of 0.25(zero point two five) to 0.30(zero point three zero) kilogram per squaremetre on the prepared dry and hungry bituminous surface cleaned with hydraulic broom as per technical specification clause 503 including all leads lifts and carriage of material.	427.35	Square metre		Per Squaremetre	
2	Providing,laying and rolling of open-graded premix carpet of 20mm(twenty millimetre) thickness composed of 13.2 mm(Thirteen point two millimetre) to 5.6mm(five point six millimetre) aggregates either using penetration grade bitumen or emulsion to required line ,grade and level to serve as wearing course on a previously prepared base,including mixing in suitable plant ,laying and rolling with a three wheel 80-100KN static roller capacity ,finished to required level and grades to be followed by seal coat of either Type A or Type B or Type C as per technical specification clause 508 by manual means ,bitumen(S-90) including all leads lifts and carriage of material.	427.35	Square metre		Per Squaremetre	
3	Providing and laying seal coat sealing the voids in a bituminous surface laid to the specified levels ,grade and cross fall using Type A,Type B and Type Cas per technical specification clause 510 by manual means, bitumen(S-90)including all leads lifts and carriage of material.	427.35	Square metre		Per Squaremetre	
					Total:-	

0184
Executive Engineer,
National Highway Division,
H.P. PWD, Pandoh.