

Himachal Pradesh
Public Works Department

Registered

NO:- PW-DKD-N.I.T/2021-22-

1417

Dated:-

20/07/2021

To

The Executive Engineer (IT Cell)
Nigam Vihar Shimla.


Subject:- Publication of Tender notice.

Jai Haind

Enclosed please find herewith the tender Notice of work as given in the Notice Inviting tender for uploading on department website as per notification Pr. Secy. (PW) to the Govt. Of Himachal Pradesh letter No. PBW (B) A (3) 1/2020 dated Shimla-2 the 16th. July 2021.

1. Certified that the tender mentioned in the notice is exigencies/emergency are urgent nature and in public interest.

DA:- Notice inviting tender & Sechedule of Quantity.


Executive Engineer,
B&R Division HP.PWD,
Dodra Kawar.

HIMACHAL PRADESH
PUBLIC WORKS DEPARTMENT
NOTICE INVITING TENDERS

Sealed item rate tenders on form No. 6 & 8 are hereby invited by the Executive Engineer B&R Division HP.PWD, Dodra kawar for the following works on behalf of the Government of Himachal Pradesh from the eligible contractors enlisted in HP.PWD, so as to reach in the office as per time Schedule given below:-


5. Date of receipt of application for tenders forms:-	29.11.2021
6. Dated of Issue /sale of tender forms:-	29.11.2021
7. Date of receipt of tender:-	30.11.2021 up to 10:30 AM
8. Date of opening of tender:-	30.11.2021 at 11 AM

Sr. No.	Name of Work	Estimated Cost	EMD (Rs.)	Cost of Tender (Rs.)	Time Limit	Eligible class of Contractor
1.	C/O link road Khopatwari to Jarkot km 0/00 to 1/00. (SH:- C/O Hume pipe culvert 900 mm dia at Rd 0/705).	2,91,418/-	5900/-	350/-	Three months	Calss "C&D"
2.	C/O link road Kimti to Nalvi Jarkot km 0/00 to 2/500. (SH:- C/O Hume pipe culvert 900 mm dia at Rd 0/450).	2,77,183/-	5650/-	350/-	Three months	Calss "C&D"
3.	C/O Link road village Kiterwari km 0/00 to 2/900. (SH:- C/O missing hume pipe culvert 900 mm dia at Rd 0/100).	3,17,858/-	6400/-	350/-	Three months	Calss "C&D"
4.	C/O link road Bakora to Gharatkadd Dogri Rajpat Jarkot km 0/00 to 3/00. (SH:- C/O Hume Pipe culvert 900 mm dia at Rd 0/405).	3,58,541/-	7200/-	350/-	Three months	Calss "C&D"
5.	C/O link road Khopatwari To Jarkot km 0/00 to 1/00. (SH:- C/O hume pipe culvert 900 mm dia at TD 0/090).	3,24,953/-	6500/-	350/-	Three months	Calss "C&D"

Certified that the tender mentioned in the notice is exigencies/emergency are urgent nature and in public interest.

TERMS AND CONDITIONS:-

1. The Earnest money for the above works should be submitted with the application for the application for the purchase of the tender-documents.
2. The Contractors should quote the rates of the items in the tenders both in figures and words.
3. Income tax &G.S.T. No. Latest clearance certificate.
4. The contractor/firms shall accompany his enlistment/renewal & EPF submit before the award of tender.
5. The Contractors should apply for two works only at a time for tenders.
6. Work should be completed by the contractor within stipulated period.
7. The Executive Engineer reserves the right to accept/rejected any tender/application or all tenders without assigning any reason.



Executive Engineer
B&R Division HP.PWD,
Dodra Kawar HP

NO:- PW-DKD-CB-Tender/2021-22 :- 1418-27
Copy forwarded for information and wide publicity to:-

Dated 20/11/21

1. The Chief Engineer (S) HPPWD Shimla-2
2. The S.E 14th Circle HPPWD Rohru
3. All the EE's under 14th Circle HPPWD Rohru
4. All the A.E's working under this Division (B&R)
5. The Sub Divisional Magistrate Dodra Kawar
6. The BDO Dodra Kawar.
7. The Naib tehsildhar Dodra Kawar
8. A/B and D/B in this office
9. Notice Board



Executive Engineer
B&R Division HP.PWD,
Dodra Kawar HP

SCHEDULE OF QUANTITY		Estimate Cost	291418
		Earned Money	5900
		Time	Three Month

Name of work:- C/o Link road Khoptwari to jarkot km 0/00 to 1/00 (SH:- C/o Pipe Culvert 900mm dia at RD 0/705)

Sr.No.	Sub-head and Item of works.	Quantity.	Rate in figures.	Rate in words.	Unit.	Amount.
1	Excavation in soil in Hilly Area in all kind of sand by mechanical/manual means including cutting and trimming of side slopes and disposing of excavated earth with a lift upto any lead and lift as per Technical Specification Clause 1603.1 and as per HPPWD, specification of 1990 Volume-1, or as directed by the Engineer-in-Charge	9.66			Per cubic meter	
2	Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 including setting out, construction of shoring and bracing, removal of stumps and other deleterious material and disposal upto a any lead and lift, dressing of sides and bottom and backfilling in trenches with excavated suitable material useful material available from excavation to be properly stacked and handed over to the department free of cost including all leads and lifts, as per HPPWD, specification of 1990 volume-1 or as directed by the Engineer-in-Charge	43.82			Per cubic meter	
3	Providing and Laying concrete concrete 1:6:12 (cement 6 sand 12 graded stone aggregate 40mm nominal size) for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802, 803, 1202 and 1203 including all leads and lifts, as per HPPWD, specification of 1990 volume-1 or as directed by the Engineer-in-Charge	7.89			Per cubic meter	
4	Providing and Laying concrete concrete 1:4:8 (cement 4 sand 8 graded stone aggregate 40mm nominal size) in open foundations complete as per drawing and technical specification clauses 802, 803, 1202 and 1203 including all leads and lifts, as per HPPWD, specification of 1990 volume-1 or as directed by the Engineer-in-Charge	28.13			Per cubic meter	
5	Backfilling behind abutment, wing wall and return wall complete as per drawings & technical specification Clause 1204.3.8 including all leads and lifts, as per HPPWD, specification of 1990 volume-1 as directed by the Engineer-in-Charge	8.82			Per cubic meter	
6	Providing and laying reinforced cement concrete pipe NP2 for culverts on first class bedding of granular material in single row including fixing collar with cement mortar 1:2 but excluding excavation, protection works, backfilling, concrete and masonry works in head walls and parapets Clause 1106.	7.50			mt	
7	Providing weepholes in brick masonry/ Stone masonry/ plain/reinforced concrete abutment, wing wall, return wall with 100 mm dia AC pipe extending though the full width of the structures with slope of 1(V):20(H) towards drawing face complete as per drawing and technical specification clause 614,709,1204.3.7	22.00			Each	
	Total					


 Executive Engineer,
 BGR Division, HPPWD
 Datta Kawa

SCHEDULE OF QUANTITY		Estimate Cost	277183
		Ernest Money	5000
		Time	Three Month

Name of work:- C/o Link road Kimti to Nalvali Jarkot km 0/00 to 2/500 (SH:- C/o Pipe Culvert 900mm dia at RD 0/450)

Sr No	Sub-head and Item of works	Quantity.	Rate in figures.	Rate in words.	Unit.	Amount.
1	Excavation in soil in Hilly Area in all kind of sand by mechanical/manual means including cutting and trimming of side slopes and disposing of excavated earth with a lift upto any lead and lift as per Technical Specification Clause 1603.1 and as per HPPWD, specification of 1990 Volume-1, or as directed by the Engineer-in-Charge	9.08			Per cubic meter	
2	Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 including setting out, construction of shoring and bracing, removal of stumps and other deteriorous material and disposal upto any lead and lift, dressing of sides and bottom and backfilling in trenches with excavated suitable material useful material available from excavation to be properly stacked and handed over to the department free of cost including all leads and lifts, as per HPPWD, specification of 1990 volume-1 or as directed by the Engineer-in-Charge	43.18			Per cubic meter	
3	Providing and Laying concrete concrete 16.12 (cement 6 sand 12 graded stone aggregate 40mm nominal size) for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802, 803, 1202 and 1203 including all leads and lifts, as per HPPWD, specification of 1990 volume-1 or as directed by the Engineer-in-Charge	7.69			Per cubic meter	
4	Providing and Laying concrete concrete 1.4.8 (cement 4 sand 8 graded stone aggregate 40mm nominal size) in open foundations complete as per drawing and technical specification clauses 802, 803, 1202 and 1203 including all leads and lifts, as per HPPWD, specification of 1990 volume-1 or as directed by the Engineer-in-Charge	27.15			Per cubic meter	
5	Backfilling behind abutment wing wall and return wall complete as per drawings & technical specification Clause 1204.3.8 including all leads and lifts as per HPPWD, specification of 1990 volume-1 as directed by the Engineer-in-Charge	8.23			Per cubic meter	
6	Providing and laying reinforced cement concrete pipe NP2 for culverts on first class bedding of granular material in single row including fixing collar with cement mortar 1.2 but excluding excavation, protection works, backfilling, concrete and masonry works in head walls and parapets Clause 1106.	7.50			mm	
7	Providing weepholes in brick masonry/ Stone masonry/ plain/unreinforced concrete abutment wing wall, return wall with 100 mm dia AC pipe extending through the full width of the structures with slope of 1(V),2(H) towards drawing face complete as per drawing and technical specification clause 614.709.1204.3.7	22.00			Each	
	Total					


 Executive Engineer
 B&R Division
 HPPWD
 Dadra & Dang

PUBLIC WORKS DEPARTMENT

18

SCHEDULE OF QUANTITY		Estimate Cost	317858
		Earned Money	6400
		Time	Three Month


Name of work:- C/o Link road village Kitervari km 0/00 to 2/900 (SH:- C/o Missing Hume Pipe Culvert 900mm dia at RD 0/100)

Sr No	Sub-head and Item of works.	Quantity.	Rate in figures.	Rate in words.	Unit.	Amount.
1	Excavation in soil in Hilly Area in all kind of sand by mechanical/manual means including cutting and trimming of side slopes and disposing of excavated earth with a lift upto any lead and lift as per Technical Specification Clause 16031 and as per HPPWD, specification of 1990 Volume-1, or as directed by the Engineer-In-Charge.	9.66			Per cubic meter	
2	Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 including setting out, construction of shoring and bracing, removal of stumps and other deleterious material and disposal upto any lead and lift, dressing of sides and bottom and backfilling in trenches with excavated suitable material available from excavation to be properly stacked and handed over to the department free of cost including all leads and lifts, as per HPPWD, specification of 1990 volume-1 as directed by the Engineer-In-Charge	43.82			Per cubic meter	
3	Providing and Laying concrete concrete 16.12 (cement 6 sand 12 graded stone aggregate 40mm nominal size) for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802, 803, 1202 and 1203 including all leads and lifts, as per HPPWD, specification of 1990 volume-1 or as directed by the Engineer-In-Charge	7.89			Per cubic meter	
4	Providing and Laying concrete concrete 1.4.8 (cement 4 sand 8 graded stone aggregate 40mm nominal size) in open foundations complete as per drawing and technical specification clauses 802, 803, 1202 and 1203 including all leads and lifts, as per HPPWD, specification of 1990 volume-1 or as directed by the Engineer-In-Charge	29.13			Per cubic meter	
5	Backfilling behind abutment wing wall and return wall complete as per drawings & technical specification Clause 1204.3.8 including all leads and lifts, as per HPPWD, specification of 1990 volume-1 as directed by the Engineer-In-Charge	8.82			Per cubic meter	
6	Providing and laying reinforced cement concrete pipe NP2 for culverts on first class bedding of granular material in single row including fixing collar with cement mortar 1:2, but excluding excavation, protection works, backfilling concrete and masonry works in head walls and parapets Clause 1106	7.50			Unit	
7	Providing weepholes in brick masonry/ Stone masonry/plain/reinforced concrete abutment wing wall return wall with 100 mm dia AC pipe extending through the full width of the structures with slope of 1:V1.2(H) towards drawing face complete as per drawing and technical specification clause 614.7079/1204.3.7	22.00			Each	
Total						

W.S.
Executive Engineer,
B&R Division HPPWD
Dedha Kawa

Name of work:- C/o Link road Bakora to Gharatkhad Dogri Rajpat Jarkot km 0/00 to 3/00 (SH:- C/o Hume Pipe Culvert 900mm dia at RD 0/405)


Sr.No	Sub-head and Item of works.	Quantity	Rate in figures	Rate in words	1 mtr.	Amount
1	Excavation in soil in Hills Area in all kind of sand by mechanical/manual means including cutting and trimming of side slopes and disposing of excavated earth with a lift upto any lead and lift as per Technical Specification Clause 116(3)1 and as per HPPWD, specification of 1990 Volume-1, or as directed by the Engineer-In-Charge	12.52			Per cubic meter	
2	Earthwork in excavation for structures as per drawing and technical specifications Clause 315.1 including setting out, construction of shoring and bracing, removal of stumps and other deleterious material and disposal upto a any lead and lift, dressing of sides and bottom and backfilling in trenches with excavated suitable material useful material available from excavation to be properly stacked and handed over to the department free of cost including all leads and lifts, as per HPPWD, specification of 1990 volume-1 or as directed by the Engineer-In-Charge	47.00			Per cubic meter	
3	Providing and Laying concrete concrete 16.12 (cement 6 sand 12 graded stone aggregate 40mm nominal size) for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802, 803, 1202 and 1203 including all leads and lifts, as per HPPWD, specification of 1990 volume-1 or as directed by the Engineer-In-Charge	8.90			Per cubic meter	
4	Providing and Laying concrete concrete 14.8 (cement 4 sand 8 graded stone aggregate 40mm nominal size) in open foundations complete as per drawing and technical specification clauses 802, 803, 1202 and 1203 including all leads and lifts, as per HPPWD, specification of 1990 volume-1 or as directed by the Engineer-In-Charge	39.05			Per cubic meter	
5	Backfilling behind abutment wing wall and return wall complete as per drawings & technical specification Clause 1204.3.8 including all leads and lifts, as per HPPWD, specification of 1990 volume-1 as directed by the Engineer-In-Charge	11.76			Per cubic meter	
6	Providing and laying reinforced cement concrete pipe N12 for culverts on first class bedding of granular material in single row including fixing collar with cement mortar 1:2 but excluding excavation, protection works, backfilling, concrete and masonry works in head walls and parapets Clause 1106	7.50			mt	
7	Providing weepholes in brick masonry/ Stone masonry/ plain/reinforced concrete abutment wing wall, return wall with 150 mm dia AC pipe extending though the full width of the structures with slope of (V) 20(H) towards drawing face complete as per drawing and technical specification clause 614, 709, 1204.3.7	22.00			Each	
	Total					


 Executive Engineer,
 B&R Division HPPWD,
 Dodra Kawar

SCHEME OF PAYMENT	Estimate Cost	32456.5
Estimated Money	6546	1 Year Month

Name of work:- C/o Link road Khoptwari to jarkot km 0/00 to 1/00 (SH:- C/o Pipe Culvert 900mm dia at RD 0/090)

Sr No	Sub-head and Item of works.	Quantity	Rate in figures.	Rate in words.	1 mtr.	Amount.
1	Excavation in soil in Hilly Area in all kind of sand by mechanical/manual means including cutting and trimming of site slopes and disposing of excavated earth with a lift upto any lead and lift as per Technical Specification Clause 1603.1 and as per HPPWD specification of 1990 Volume-I or as directed by the Engineer-In-Charge	11.09			Per cubic meter	
2	Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 including setting out, construction of shoring and bracing, removal of stumps and other deleterious material and disposal upto a any lead and lift, dressing of sides and bottom and backfilling in trenches with excavated suitable material useful material from excavation to be properly stacked and handed over to the department free of cost including all leads and lifts, as per HPPWD, specification of 1990 volume-I or as directed by the Engineer-in-Charge	45.41			Per cubic meter	
3	Providing and laying concrete concrete 16.12.1(cement 6 sand 12 graded stone aggregate 40mm nominal size)for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802, 803, 1202 and 1203 including all leads and lifts, as per HPPWD, specification of 1990 volume-I or as directed by the Engineer-In-Charge	8.39			Per cubic meter	
4	Providing and laying concrete concrete 14.8.1(cement 4 sand 8 graded stone aggregate 40mm nominal size) in open foundations complete as per drawing and technical specification clauses 802, 803, 1202 and 1203 including all leads and lifts, as per HPPWD, specification of 1990 volume-I or as directed by the Engineer-In-Charge	34.09			Per cubic meter	
5	Backfilling behind abutment wing wall and return wall complete as per drawings & technical specification Clause 1204.3.6 including all leads and lifts, as per HPPWD specification of 1990 volume-I as directed by the Engineer-In-Charge	10.29			Per cubic meter	
6	Providing and laying reinforced cement concrete pipe NP2 for culverts on first class bedding of granular material in single row including fixing collar with cement mortar 1-2 but excluding excavation, protection works, backfilling, concrete and masonry works in head walls and parapets Clause 1106	7.50			Per cubic meter	
7	Providing weepholes in brick masonry/ Stone masonry, plain/reinforced concrete abutment, wing wall return wall with 100 mm dia AC pipe extending through the full width of the structures with slope of 1(V) 2(H) towards drawing face complete as per drawing and technical specification clause 614,709.1204.3.7	22.00			Each	
	Total					


 Executive Engineer
 B&R Division HPPWD
 Dodra Kawar