OFFICE OF THE EXECUTIVE ENGINEER,
HIMACHAL PRADESH PUBLIC WORKS DEPARTMENT KARSOG
PH: 01907-222229 Fax: 222229 , e-mail : ee-kar-hp@nic.in

No.PW-KSG-E-Tenders/2023-2879 Dated:- 22-8-2024

To

The Executive Engineer (IT) Cell,
HPPWD, Nirman Bhawan, Nigam Vihar,
Shimla-2.

Subject :- Regarding publication of Tender on departmental site.

Enclosed please find herewith the copies of Notice Inviting Tender for the loading on departmental web-site before 22.08.2024 per notification issued by the Pr. Secy.(PW) to the Govt. of HP vide letter No. PBW(B)A(3)1/2020 dated 16th July, 2021. As the works mentioned in the Tender Notice are urgent in nature.

Encl:- As above.

Executive Engineer,
B&R Division,
HP PWD Karsog

OFFICE OF THE EXECUTIVE ENGINEER,
HIMACHAL PRADESH PUBLIC WORKS DEPARTMENT KARSOG
PH: 01907-222229 Fax: 222229 , E-mail : ee-kar-hp@nic.in

Notice inviting tender

Sealed item rates tender on form 6 & 8 are hereby invited by the Executive Engineer, B&R Division HPPWD Karsog on behalf of Governor of Himachal Pradesh from the approved/eligible contractors enlisted in HP,PWD for the following works so as to reach in this office on or before **03.09.2024 upto 11.00** AM and shall be opened on the same day at **12.00 AM** in presence of the contractor or their authorized representatives who may like to be present. The tender form can be obtained from this office against cash payment (Non refundable) **upto 4.00 PM on 02.09.2024** for which the application should reach in this office **upto 1.00 PM 02.09.2024.**

The earnest money in shape of National saving certificate/time deposit account/saving account in any Nationalized Bank in H.P duly pledged in favour of the Executive Engineer Karsog Division HPPWD Karsog will be received alongwith application for obtaining tenders form. The conditional tenders will summarily be rejected. The offer of the tenders shall be kept open for 51 days from the date of opening o f tender. The Executive Engineer, HP PWD, Karsog reserves the right to reject any or all tenders without assigning any reason. The contractors should append their enlistment/renewed certificates/sale Tax registration Numbers with the application for issue of tender form. If any of the date mentioned above happens to be holiday the same shall be processed on next working day.

Sr. No.	Name of work	Estimated cost	Earnest money	Time allowed	Cost of Form
1	Construction of Primary Health Centre at Mahog Tehsil Karsog Distt. Ma H.P. (SH:- Site development at PHC Mahog) Deposit & Medical Fund	4,58,735/-	9,200/-	One month	350/-
2	R/R damages on Bag to Pokhi road Km.(SH:-Hiring of JCB/Excavator cu loader on daily wages basis for removal of slips at various road at various	98,900/-	2,000/-	One month	350/-
3	Construction of Jingal Mod to Ghanufri via Kotla link road Km. 0/00 to 1 (SH:- F/C 5/7 mtr wide road in Km. 0/720 to 1/060)	4,08,597	8,200/-	One month	350/-
4	R/R damages on Makneri to Tharli road Km. 0/00 to 5/00 (SH:- Removal slips at various RDs) NDF/2023/1703	1,98,882/-	4,000/-	One month	350/-
5	Construction of road Chamanpur to Sihni road Km. 0/000 to 2/000 (SH:- P/L granular sub-base(GSB) in Km. 0/00 to 0/285)	3,73,700/-	7,500/-	One month	350/-
6	A/R & M/O various road under Churag Sub-Division (SH:- Supplying and stacking dual directional delineator for road side)	94,960/-	1,900/-	One month	350/-
7	A/R & M/O various road under Churag Sub-Division (SH:- Supplying and stacking of directional retro reflective cat eyes ABS plastic sutds)	94,900/-	1,900/-	One month	350/-
8	R/R damages on damages on Karsog to Kunhu road Km. 0/00 to 10/00, Bakhedi Mandap road & Bakhedi to Mahunag road (SH:- Hiring of JCB/Excavator cum loader on daily wage basis for removal of slips at various RDs)	68,900/-	2,000/-	One month	350/-
9	Construction of link road from Navidhar to Mahog via Thach (SH:- F/C 5/7 mtr wide road in Km. 0/135 to 0/240)	78,608/-	1,600/-	One month	350/-
10	C/o Paralakshot to Sahal village (HarizanBasti) G.P. Pangna Km. 0/00 to 1/600(SH:_ C/o 900mm dia NP2 Hume pipe culvert at Rd 0/460)	3,24,350/-	6,500/-	One month	350/-

11	C/o Sainj Nang via Sainjeli Shout road Km. 0/00 to 8/500 (SH:- C/o 900mm dia Hume pipe culvert at RD 4/840)	3,09,223/-	6,200/-	One month	350/-
12	R/R damages on Dawaru Talehan road km. 0/00 to 5/00 (SH:- Hiring JCB/Excavator cum loader on daily wages basis for removal of slips at K 0/00 to 2/500)	98,900/-	2,000/-	One month	350/-
13	R/R damages on Dawaru Talehan road km. 0/00 to 5/00 (SH:- Hiring of JCB/Excavator cum loader on daily wages basis for removal of slips at Km. 2/500 to 5/00)	98,900/-	2,000/-	One month	350/-
14	R/R damages on Tattapani Shakra road km. 0/00 to 10/00 & Shakra to village Bindla road Km. 0/00 to 6/500 (SH:- Hiring of JCB/Excavator cum loader on daily wages basis for removal of slips)	98,900/-	2,000/-	One month	350/-
15	R/R damages on Shimla Mandi road km. 55/00 to 65/00 & Ropru Padli road Km. 0/00 to 6/500 (SH:- Hiring of JCB/Excavator cum loader on daily wages basis for removal of slips)	98,900/-	2,000/-	One month	350/-
16	Construction of Community Bhawan at Dawahli Temple in GP Shout (SH:- P/L tile under floor) Deposit work SDP/2023/1120	2,48,900/-	2,000/-	One month	350/-
17	C/o Paralakshot to Sahal village (Harizan Basti) GP Pangna Km. 0/00 to 1/600(SH:- C/o 900mm dia NP2 Hume pipe culvert at RD 1/135)	3,25,843/-	6,600/-	One month	350/-
18	Restoration of rain damages on Nehal to Shaloa Km. 0/00 to 6/00 (SH:- C/o Retaining wall at RD 0/090 to 0/094)	1,98,649/-	4,000/-	Two months	350/-
19	R/R damages on Lower Karsog to Takrol road km. 0/00 to 10/00 (SH:- C/o R/wall at RD 0/615 to 0/635)	3,92,374/-	7,900/-	Two months	350/-
20	R/R damages on Chindi to Pangna road km. 0/00 to 12/480 (SH:- Hiring of JCB/Excavator cum loader on daily wages basis for removal of slips at various RDs)	98,800/-	2,000/-	One month	350/-
21	C/o Karsog to Shopa via Nali road km. 0/00 to 2/500 (SH:- P/L cement concrete and P/L paver block in Km. 0/315 to 0/420)	4,92,248/-	9850/-	One month	350/-
22	R/R damages on various road under Katanda Section(SH:- Hiring of JCB/Excavator cum loader on daily wages basis for removal of slips at various road at various RDs)	98,900/-	2,000/-	One month	350/-
23	Construction of road from Shill to Nehra in GP Kelodahr Km. 0/00 to 2/00 (SH:-P/L kharanja stone soling in Km. 0/600 to 0/800)	1,85,832/-	3,300/-	One month	350/-

TERMS & CONDITIONS:-

1. No tender form will be issued to those contractors who are not registered under HPGST Act.
2. The Contractor/firm should be registered as or dealer GST NO.
3. If any of the date mentioned above happened to be Gazetted holidays the same shall be processed on next working day.
4. The Executive Engineer reserves the right to accept/reject any tender/ application or all tenders without assigning any reason.
5. No tender form will be issued to those contractors who are not registered under EPF Act
6. The tender forms will not be issued to those contractors whose performance is not found satisfactory.
7. The earnest money for the above work should be attached with the application.
8. The intending contractors/firms shall have to produce the copy of latest enlistment and renewal enlisted in HP,PWD.
9. As per Govt. Notification **PW/CTR/32-20Genl Inst-CPWD/2020-37996-38095 dated 13-03-2023 the tenders above 5% will be summarily rejected and tenders amounts below 30% of amount put to tender will also be accepted.**

Executive Engineer
B&R Division
HPPWD Karsog,

No. PW-E-Tender-NIT/23 2871-78 Dated:- 22-8-2024

1. Copy to the Superintending Engineer,1st Circle, HP,PWD, Mandi for information please.
2. The Sub-Divisional Officer (Civil) Karsog, tehsil Karsog Distt. Mandi HP.
3. The Block Development Officer Karsog , Tehsil Karsog Distt. Mandi HP.
4. All the Assistant Engineers, working under this Division.
5. Copy to Drawing & Account Branch.
6. Notice board of this office.

Executive Engineer,
B&R Division,
HP PWD Karsog

Percentage Schedule of Quantity

Estimated Cost 458735
Earnest Money 9200
Time One month

Name of Work:-Construction of Primary Health Centre at Mahog Tehsil Karsog Distt. Mandi H.P (SH:- Site development at PHC Mahog) Deposit & Medical Fund

Sr.No.	Sub-Head and items of works.	No. Or Qty.	Unit	Estimated Rate (In Rs.)	Toatal Amount with all taxes including GST In Rs. P	Toatal Amount with all taxes including GST In Words
1	Excavation in earth work in hilly area by mechanical means all heights and depths, in all kind of soil including saturated soil comprising of mixed soil, ordinary rock and hard rock. All work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion, damage to hill side, water pollution, etc. and to protect stability of hill side. Rock shall be excavated with chiseling and wedging out rock (where blasting is prohibited). All earth work in cutting/excavation, including rock excavation shall be carried out true to lines, grades, side slopes, width, camber, super-elevation and level as shown on the drawings or as directed by the Engineer-in-charge, in conformity with the requirement of technical specification for Rural Roads August 2004 and Clause 16.2 of general condition for contract to achieve designed formation width including hauling and stacking of material useful for construction at suitable sites and safe disposal of unsuitable cut materials in specified manner, trimming, filling of unevenness, blindage and finishing of the road to specified dimensions or as directed by the Engineer-in charge for smooth riding. The recovery of 130.03 cubic metre @ Rs. 300/- per cubic metre amounting to Rs. 39009/- only, shall be done on prorata basis for the quantity of cutting in earth work effected. Any loss to the public and private property during the course of excavation shall be the absolute responsibility of the contractor, which shall have to be duly compensated by him in all cases. as per direction of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals.	2203.34	Per Cubic Metre	208.20	458735.00	Rupees Four Lakhs Fifty Eight Thousand Seven Hundred Thirty Five and Paise Zero Only
Total in Figures					458735.00	
Quoted Rate in Figures			Select		0.00	
Quoted Rate in Words						

Executive Engineer,
Karsog Division,
HPPWD, Karsog.

Percentage Schedule of Quantity

Estimated Cost	98900
Earnest Money	2000
Time	One Month

Name of Work:- R/R Damages on Bag to Pokhi road (SH:- Hiring of JCB/Excavator cum loader on daily wages basis for removal of slips at various road at various RD's)

Sr.No.	Sub-Head and items of works.	Qty	Unit.	Estimated Rate (In Rs.)	Toatal Amount with all taxes including GST In Rs. P	Toatal Amount with all taxes including GST In Words
1	Hiring of JCB /excavator for removal of slips and boulder in all kinds of soil including rocky potion and saturated and disposing of all excavated earth or un- serviceable materials from the road surface up to any leads and lifts as per direction and entire satisfaction of Engineer- in charge. The machine/JCB should work minimum 8.00 hours from 9.00 A.M to 5.00 P.M. daily and remove at least 10.00 cum. Quantity of slips per hour. Any loss to the public/private property of any accident etc. happened during the course of hiring period execution shall be absolute responsibility of the JCB/ excavator owner which shall have to be fully compensated by him in all cases the fuel and operational staff for excavator will be provided by the owner, the repair and spare watch and ward of excavator also be borne by the contractor /owner. The daily log book will be maintained at site which should be dully verified by the Engineer-in charge.	86.00	Per Hours	1150.00	98900.00	Rupees Ninety eight thosuand nine hundred and paise zero only.
Total in Figures					**98900.00**	
Quoted Rate in Figures			Select		**0.00**	
Quoted Rate in Words				**#NAME?**		

Executive Engineer,
Karsog Division,
HPPWD, Karsog.

Percentage Schedule Of Quantity

Estimated Cost	408597
Earnest Money	8200
Time	One month

Name of Work:-Construction of Jingal Mod to Ghanufri via Kotla Katachi link road km 0/00 to 1/300 (SH:- F/C 5/7 mtr wide road in Km 0/720 to 1/060).

Sr.No.	Sub-Head and items of works.	No. Or Qty.	Unit.	Estimated Rate (In	Toatal Amount with all taxes	Toatal Amount with all taxes including GST
1	Excavation in earth work in hilly area by mechanical means all heights and depths, in all kind of soil including saturated soil comprising of mixed soil, ordinary rock and hard rock. All work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion, damage to hill side, water pollution, etc. and to protect stability of hill side. Rock shall be excavated with chiseling and wedging out rock (where blasting is prohibited). All earth work in cutting/excavation, including rock excavation shall be carried out true to lines, grades, side slopes, width, camber, super-elevation and level as shown on the drawings or as directed by the Engineer-in-charge, in conformity with the requirement of technical specification for Rural Roads August 2004 and Clause 16.2 of general condition for contract to achieve designed formation width including hauling and stacking of material useful for construction at suitable sites and safe disposal of unsuitable cut materials in specified manner, trimming, filling of unevenness, blindage and finishing of the road to specified dimensions or as directed by the Engineer-in charge for smooth riding. The recovery of 70.84 cubic metre @ Rs. 300/- per cubic metre amounting to Rs. 21252/- only, shall be done on prorata basis for the quantity of cutting in earth work effected. Any loss to the public and private property during the course of excavation shall be the absolute responsibility of the contractor, which shall have to be duly compensated by him in all cases. as per direction of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals.	2059.98	Per Cubic Metre	198.35	408597.00	Rupees Four Lakhs Eight Thousand Five Hundred Ninety Seven and Paise Zero Only
Total in Figures					408597.00	
Quoted Rate in Figures			Select		0.00	
Quoted Rate in Words						

Executive Engineer,
Karsog Division,
HPPWD, Karsog.

Percentage Schedule Of Quantity

Estimated Cost	198882
Earnest Money	4000
Time	One Month

Name of Work:- R/R Damages on Makneri to Tharli road km. 0/00 to 5/00 (SH:- Removal of slips at various RD) NDF/2023/1703

Sr.No.	Sub-Head and items of works.	No. Or Qty.	Unit.	Estimated Rate (In	Toatal Amount with all taxes	Toatal Amount with all taxes including GST
1	Removal of land slide slip clearance:-Removal of land slide in hilly area in ordinary rock not requiring blasting by mechanical means including cutting and trimming of slops and disposal of cut materiaL with in all leads and lifts stacking the serviceable material and disposal of unserviceable material as per technical specification clause 302.3.5 and 1611 as per direction of Engineer-in-Charge with in all leads and lifts and other incidentals.	1657.35	Per Cubic Metre	120.00	198882.00	Rupees One Lakh Ninety Eight Thousand Eight Hundred Eighty Two and Paise Zero Only
Total in Figures					198882.00	
Quoted Rate in Figures			Select		0.00	
Quoted Rate in Words		#VALUE!				

Executive Engineer,
Karsog Division,
HPPWD, Karsog.

Percentage Schedule Of Quantity

Estimated Cost	373700
Earnest Money	7500
Time	One Month

Name of Work:- Construction of road Chamanpur to Sihni Km 0/000 to 2/000 (SH:- P/L granular sub-base (GSB) in Km 0/00 to 0/285).

Sr.No.	Sub-Head and items of works.	No. Or Qty.	Unit.	Estimated Rate (In	Toatal Amount with all taxes	Toatal Amount with all taxes including GST
1	Preparation of sub grade by dressing to camber (earth work for cutting involved for sub grade to be paid for separately) depending upon the classification of soil completed as per HPPWD specifications as per direction of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals.	912.71	Per Square Meter	2.30	2099.00	Rupees Two Thousand Ninety Nine and Paise Zero Only
2	Condolidation of sub grade with road roller including making good the undulations etc. with earth or quarry soil etc. and refilling the sub gfrade comlected as per HPPWD specifidations as per direction of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals.	912.71	Per Square Meter	1.50	1369.00	Rupees One Thousand Three Hundred Sixty Nine and Paise Zero Only
3	Construction of granular sub-base by providing well graded material, spreading in uniform layers with motor grader on prepared surface, mixing by mix in place method with rotavator at OMC, and compacting with smooth wheel roller to achieve the desired density, complete as per Technical Specification Clause 401. as per direction of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals.	136.91	Per Cubic Metre	2704.20	370232.00	Rupees Three Lakhs Seventy Thousand Two Hundred Thirty Two and Paise Zero Only
Total in Figures					373700.00	
Quoted Rate in Figures			Select		0.00	
Quoted Rate in Words		#VALUE!				

Executive Engineer,
Karsog Division,
HPPWD, Karsog.

Percentage Schedule of Quantity

Estimated Cost	94960
Earnest Money	1900
Time	One Month

Name of Work:- A/R & M/O various road under Churag Sub Division (SH:- Supplying and stacking dual directional Delinerator for road side)

Sr.No.	Sub-Head and items of works.	No. Or Qty.	Unit.	Estimated Rate (In Rs.)	Toatal Amount with all taxes including GST In Rs. P	Toatal Amount with all taxes including GST In Words
1	Supplying and stacking Dual-directional delineator made ot of 18 guage M S rectangular pipe of size 25*68 mm and of length 600mm.Pipe powder coated.Head made ot of impact resistant plastic rectangular moulded with flat face provided with High intensity Prismatic Reflectors on colour (white/yellow/red) of size 100*125 mm with additional 2 reflective strips of 25 mm wide.CAT PART No.GPL-UBPH-11-56 including as per direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and litfs and propper stacking in all respect.	119.00	Each	797.98	94960.00	Rupees Ninety Four Thousand Nine Hundred Sixty and Paise Zero Only
Total in Figures					94960.00	
Quoted Rate in Figures			Select		**0.00**	
Quoted Rate in Words						

Executive Engineer,
Karsog Division,
HPPWD, Karsog.

Percentage Schedule of Quantity

Estimated Cost	94900
Earnest Money	1900
Time	One Month

Name of Work:- A/R & M/O various road under Churag Sub Division (SH:-Supplying and stacking of directional retro reflective cat- eyes ABS plastic studs).

Sr.No.	Sub-Head and items of works.	No. Or Qty.	Unit.	Estimated Rate (In Rs.)	Toatal Amount with all taxes including GST In Rs. P	Toatal Amount with all taxes including GST In Words
1	Supplying and stacking of dual directional retro refective cat eyes studs made from hingh quantity ABS plastic studs of 102 *90*16 mm (one hundred two into ninety into sixteen millimeter)size in yellow and red colour two way Acrylic prismatic refectores provinding with fixing to roads by hammering made of gree lite as per direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and litfs and propper stacking in all respect.	224.00	Each	423.66	94900.00	Rupees Ninety Four Thousand Nine Hundred and Paise Zero Only
Total in Figures					94900.00	
Quoted Rate in Figures			Select		0.00	
Quoted Rate in Words						

Executive Engineer,
Karsog Division,
HPPWD, Karsog.

Percentage Schedule Of Quantity

Estimated Cost	98900
Earnest Money	2000
Time	One Month

Name of Work:- R/R Damaes on Damages on Karsog to Kuhnu road Km. 0/00 to 10/00, Bakhedi Mandap road & Bakhedi to Mahunag road (SH:- Hiring of JCB/Excavator cum loader on daily wages basis for removal of slips at various RD's)

Sr.No.	Sub-Head and items of works.	No. Or Qty.	Unit.	Estimated Rate (In Rs.)	Toatal Amount with all taxes	Toatal Amount with all taxes including GST In Words
1	Hiring of JB/Excavator cum Loader for cutting in earth work/removal of snow/slips from road surface in all kind of soil such as pick work, jumper work, blasting work in soft and hard rock saturated soil and disposing of all excavated earth or un-serviceable materials from the road surface up to any leads and lifts and as per direction of Engineer-in-Charge. The machine/JCB should work 7 Hour daily. Any loss of public property and accident etc. the contractor is fully responsible during the execution of work. The POL and operation staff for the machine will be provided b y the owner the repair charges of machinery will be provided by the owner. The repair charges of machinery during the excution of work will be borne by the contractor. The useful material shall be stacked along the road side as epr direction of Engineer-in-Charge.	86.00	Per Hours	1150.00	98900.00	Rupees Ninety Eight Thousand Nine Hundred and Paise Zero Only
Quoted Rate in Figures			Select		98900.00	
Quoted Rate in Words		#VALUE!				

Executive Engineer,
Karsog Division,
HPPWD, Karsog.

Percentage Schedule Of Quantity

Estimated Cost 78608
Earnest Money 1600
Time One month

Name of Work:-Construction of link road from Navidhar to Mahog via Thach (SH:- F/C 5/7 mtr wide road in Km. 0/135 to 0/240)

Sr.No.	Sub-Head and items of works.	No. Or Qty.	Unit.	Estimated Rate (In Rs.)	Toatal Amount with all taxes including GST In	Toatal Amount with all taxes including GST In Words
1	Excavation in earth work in hilly area by mechanical means all heights and depths, in all kind of soil including saturated soil comprising of mixed soil, ordinary rock and hard rock. All work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion, damage to hill side, water pollution, etc. and to protect stability of hill side. Rock shall be excavated with chiseling and wedging out rock (where blasting is prohibited). All earth work in cutting/excavation, including rock excavation shall be carried out true to lines, grades, side slopes, width, camber, super-elevation and level as shown on the drawings or as directed by the Engineer-in-charge, in conformity with the requirement of technical specification for Rural Roads August 2004 and Clause 16.2 of general condition for contract to achieve designed formation width including hauling and stacking of material useful for construction at suitable sites and safe disposal of unsuitable cut materials in specified manner, trimming, filling of unevenness, blindage and finishing of the road to specified dimensions or as directed by the Engineer-in charge for smooth riding. The recovery of **22.25** cubic metre @ Rs. 300/- per cubic metre amounting to Rs. **6675/-** only, shall be done on prorata basis for the quantity of cutting in earth work effected. Any loss to the public and private property during the course of excavation shall be the absolute responsibility of the contractor, which shall have to be duly compensated by him in all cases. as per direction of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals.	351.15	Per Cubic Metre	223.86	78608.00	Rupees Seventy Eight Thousand Six Hundred Eight and Paise Zero Only
Total in Figures					78608.00	
Quoted Rate in Figures			Select		0.00	
Quoted Rate in Words						

Executive Engineer,
Karsog Division,
HPPWD, Karsog.

Schedule of Quantity

Estimated Cost 324350
Earnest Money 6500
Time One Month

Name of work :- C/O Paralakshot to Sahal village (Harizan Basti) G.P. Pangna Km 0/00 to 1/600 (SH:- C/O 900 mm dia NP2 Hume pipe culvert at RD 0/460)

Sr.No.	Sub-Head and items of works.	No. Or Qty.	Unit.	Estimated Rate (In	Toatal Amount with all taxes	Toatal Amount with all taxes including GST In
1	Earth work in excavation for structure as per drawing and technical specification clause 305.1 including setting out construction for shoring and bracing removal of stamps and other deleterious materials and desposal up to a lead of 50 mtrs dressing of side and bottom and back filling in trenches with excavated suitable materials ordinary soil upto 3mtrs depth as per direction of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals.	43.11	Per Cubic Metre	559.05	24101.00	Rupees Twenty Four Thousand One Hundred One and Paise Zero Only
2	Providing and laying concrete for pain/reinforced concrete 1:3:6 (one cement : three sand : six graded stone aggregte) in open foundations complete as per drawing and technical specification clauses 802,803.1202 and 1203 as per direction of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals.	10.04	Per Cubic Metre	6306.30	63315.00	Rupees Sixty Three Thousand Three Hundred Fifteen and Paise Zero Only
3	Providing and laying reinforced cement concrete pipe NP2 for culverts on first class beeding of granular material in double row including fixing collar with cement morter 1:2 but excluding excavation, protection works, backfilling, concrete and masonary works in head walls and parapets as per clause 1106 as per direction of Engineer-in-Charge with in all leads and lifts and other incidentals.	7.50	Per Running Metre	5445.95	40845.00	Rupees Forty Thousand Eight Hundred Forty Five and Paise Zero Only
4	Providing and laying concrete for pain/reinforced concrete 1:4:8 (one cement : four sand : eight graded stone aggregte) in open foundations complete as per drawing and technical specification clauses 802,803.1202 and 1203 as per direction of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals.	31.94	Per Cubic Metre	5546.80	177165.00	Rupees One Lakh Seventy Seven Thousand One Hundred Sixty Five and Paise Zero Only
5	Back filling behind abutment wing wall and retaining wall complete as per drawing & technical specification clause 1204.3.8 as per direction of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals.	10.36	Per Cubic Metre	1322.40	13700.00	Rupees Thirteen Thousand Seven Hundred and Paise Zero Only
6	Providing weepholes in bricks masonry/stone masonry plain /reinforced concrete abutment wing wall,return wall with 100mm dia PVC pipe extending through the full with the structure with slope of 1(V): 20(H) towards drewing face complete as per drawing and technical specification clause 614,709,1204.3.7 As per direction of Engineer-in-Charge including carriage of materials within all leads and lifts and other incidentals.	14.00	Each	373.15	5224.00	Rupees Five Thousand Two Hundred Twenty Four and Paise Zero Only
Total in Figures					324350.00	
Quoted Rate in Figures			Select		0.00	
Quoted Rate in Words						

Executive Engineer,
Karsog Division,
HPPWD, Karsog.

Percentage Schedule of Quantity

Estimated Cost 309223
Earnest Money 6200
Time One Month

Name of Work:- C/O Sainj Nanj via Sainjly Shout road Km. 0/00 to 8/500(SH:- C/O 900 mm dia Hume Pipe culvert at RD 4/840)

Sr.No.	Sub-Head and items of works.	No. Or Qty.	Unit.	Estimated Rate (In Rs.)	Toatal Amount with all taxes Including GST In Rs. P	Toatal Amount with all taxes Including GST In Words
1	Earth work in excavation for structure as per drawing and technical specification clause 305.1 including setting out construction for shoring and bracing removal of stamps and other deleterious materials and desposal up to a lead of 50 mtrs dressing of side and bottom and back filling in trenches with excavated suitable materials ordinary soil upto 3mtrs depth as per direction of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals	42.15	Per Cubic Metre	390.20	16447.00	Rupees Sixteen Thousand Four Hundred Forty Seven and Paise Zero Only
2	Providing and laying concrete for plain /reinforced concrete in open foundation complete as per drawing and technical specification clause 802,803 1202 and 1203 Nominal mix 1:4:8 (one cement four sand eight graded stone aggregate as per direction of Engineer in charge including carriage of materials with in all lead and lifts and other incidentals As per direction of Engineer-in- Charge including carriage of materials within all leads and lifts and other incidentals	29.43	Per Cubic Metre	5500.00	161865.00	Rupees One Lakh Sixty One Thousand Eight Hundred Sixty Five and Paise Zero Only
3	Providing and laying concrete for pain/reinforced concrete 1:3:6 (one cement : three sand : six graded stone aggregte) in open foundations complete as per drawing and technical specification clauses 802,803 1202 and 1203 as per direction of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals.	14.04	Per Cubic Metre	5700.00	80028.00	Rupees Eighty Thousand Twenty Eight and Paise Zero Only
4	Providing and laying reinforced cement concrete pipe NP2 for culverts on first class beeding of granular material in double row including fixing collar with cement morter 1:2 but excluding excavation, protection works, backfilling, concrete and masonary works in head walls and parapets as per clause 1106 as per direction of Engineer-in-Charge with in all leads and lifts and other incidentals	7.50	Per Running Metre	5100.00	38250.00	Rupees Thirty Eight Thousand Two Hundred Fifty and Paise Zero Only
5	Back filling behind abutment wing wall and retaining wall complete as per drawing & technical specification clause 1204 3 8 as per direction of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals.	8.04	Per Cubic Metre	1200.00	9648.00	Rupees Nine Thousand Six Hundred Forty Eight and Paise Zero Only
6	Providing weepholes in bricks masonry/stone masonry plain /reinforced concrete abutment wing wall,return wall with 100mm dia PVC pipe extending through the full with the structure with slope of 1(V) 20(H) towards drewing face complete as per drawing and technical specification clause 614,709,1204 3 7 As per direction of Engineer-in- Charge including carriage of materials within all leads and lifts and other incidentals.	8.00	Each	373.15	2985.00	Rupees Two Thousand Nine Hundred Eighty Five and Paise Zero Only
Total in Figures					309223.00	
Quoted Rate in Figures			Select		0.00	
Quoted Rate in Words		#VALUE!				

Executive Engineer,
Karsog Division,
HPPWD, Karsog.

Percentage Schedule of Quantity

Estimated Cost 98900
Earnest Money 2000
Time One Month

Name of Work:- R/R Damages on Dawaru Talehan road Km. 0/00 to 5/00 (SH:- Hiring of JCB/Excavator cum o loader on daily wages basis for removal of slips at Km. 0/00 to 2/500)

Sr.No.	Sub-Head and items of works.	Qty	Unit.	Estimated Rate (In Rs.)	Toatal Amount with all taxes including GST In Rs. P	Toatal Amount with all taxes including GST In Words
1	Hiring of JCB /excavator for removal of slips and boulder in all kinds of soil including rocky potion and saturated and disposing of all excavated earth or un- serviceable materials from the road surface up to any leads and lifts as per direction and entire satisfaction of Engineer- in charge. The machine/JCB should work minimum 8.00 hours from 9.00 A.M to 5.00 P.M. daily and remove at least 10.00 cum. Quantity of slips per hour. Any loss to the public/private property of any accident etc. happened during the course of hiring period execution shall be absolute responsibility of the JCB/ excavator owner which shall have to be fully compensated by him in all cases the fuel and operational staff for excavator will be provided by the owner, the repair and spare watch and ward of excavator also be borne by the contractor /owner. The daily log book will be maintained at site which should be dully verified by the Engineer-in charge.	86.00	Per Hours	1150.00	98900.00	Rupees Ninety eight thosuand nine hundred and paise zero only.
Total in Figures					**98900.00**	
Quoted Rate in Figures			Select		**0.00**	
Quoted Rate in Words				**#NAME?**		

Executive Engineer,
Karsog Division,
HPPWD, Karsog.

Percentage Schedule of Quantity

Estimated Cost	98900
Earnest Money	2000
Time	One Month

Name of Work:- R/R Damages on Dawaru Talehan road Km. 0/00 to 5/00 (SH:- Hiring of JCB/Excavator cum o loader on daily wages basis for removal of slips at Km. 0/500 to 5/00)

Sr.No.	Sub-Head and items of works.	Qty	Unit.	Estimated Rate (In Rs.)	Toatal Amount with all taxes including GST In Rs. P	Toatal Amount with all taxes including GST In Words
1	Hiring of JCB /excavator for removal of slips and boulder in all kinds of soil including rocky potion and saturated and disposing of all excavated earth or un- serviceable materials from the road surface up to any leads and lifts as per direction and entire satisfaction of Engineer- in charge. The machine/JCB should work minimum 8.00 hours from 9.00 A.M to 5.00 P.M. daily and remove at least 10.00 cum. Quantity of slips per hour. Any loss to the public/private property of any accident etc. happened during the course of hiring period execution shall be absolute responsibility of the JCB/ excavator owner which shall have to be fully compensated by him in all cases the fuel and operational staff for excavator will be provided by the owner, the repair and spare watch and ward of excavator also be borne by the contractor /owner. The daily log book will be maintained at site which should be dully verified by the Engineer-in charge.	86.00	Per Hours	1150.00	98900.00	Rupees Ninety eight thosuand nine hundred and paise zero only.
Total in Figures					**98900.00**	
Quoted Rate in Figures			Select		**0.00**	
Quoted Rate in Words				**#NAME?**		

Executive Engineer,
Karsog Division,
HPPWD, Karsog.

Percentage Schedule of Quantity

Estimated Cost	98900
Earnest Money	2000
Time	One Month

Name of Work:- R/R Damages on Tattapani Shakra Km. 0/00 to 10/00 & Shakra to village Binda road Km. 0/00 to 6/500 (SH:- Hiring of JCB/Excavator cum o loader on daily wages basis for removal of slips)

Sr.No.	Sub-Head and items of works.	Qty	Unit.	Estimated Rate (In Rs.)	Toatal Amount with all taxes including GST In Rs. P	Toatal Amount with all taxes including GST In Words
1	Hiring of JCB /excavator for removal of slips and boulder in all kinds of soil including rocky potion and saturated and disposing of all excavated earth or un- serviceable materials from the road surface up to any leads and lifts as per direction and entire satisfaction of Engineer- in charge. The machine/JCB should work minimum 8.00 hours from 9.00 A.M to 5.00 P.M. daily and remove at least 10.00 cum. Quantity of slips per hour. Any loss to the public/private property of any accident etc. happened during the course of hiring period execution shall be absolute responsibility of the JCB/ excavator owner which shall have to be fully compensated by him in all cases the fuel and operational staff for excavator will be provided by the owner, the repair and spare watch and ward of excavator also be borne by the contractor /owner. The daily log book will be maintained at site which should be dully verified by the Engineer-in charge.	86.00	Per Hours	1150.00	98900.00	Rupees Ninety eight thosuand nine hundred and paise zero only.
Total in Figures					**98900.00**	
Quoted Rate in Figures			Select		**0.00**	
Quoted Rate in Words				**#NAME?**		

Executive Engineer,
Karsog Division,
HPPWD, Karsog.

Percentage Schedule of Quantity

Estimated Cost	98900
Earnest Money	2000
Time	One Month

Name of Work:- R/R Damages on Shimla Mandi road Km. 55/00 to 65/00 & Rupru Padli road Km. 0/00 to 9/500 (SH:- Hiring of JCB/Excavator cum loader on daily wages basis for removal of slips)

Sr.No.	Sub-Head and items of works.	Qty	Unit.	Estimated Rate (In Rs.)	Toatal Amount with all taxes including GST In Rs. P	Toatal Amount with all taxes including GST In Words
1	Hiring of JCB /excavator for removal of slips and boulder in all kinds of soil including rocky potion and saturated and disposing of all excavated earth or un- serviceable materials from the road surface up to any leads and lifts as per direction and entire satisfaction of Engineer- in charge. The machine/JCB should work minimum 8.00 hours from 9.00 A.M to 5.00 P.M. daily and remove at least 10.00 cum. Quantity of slips per hour. Any loss to the public/private property of any accident etc. happened during the course of hiring period execution shall be absolute responsibility of the JCB/ excavator owner which shall have to be fully compensated by him in all cases the fuel and operational staff for excavator will be provided by the owner, the repair and spare watch and ward of excavator also be borne by the contractor /owner. The daily log book will be maintained at site which should be dully verified by the Engineer-in charge.	86.00	Per Hours	1150.00	98900.00	Rupees Ninety eight thosuand nine hundred and paise zero only.
Total in Figures					**98900.00**	
Quoted Rate in Figures			Select		**0.00**	
Quoted Rate in Words				**#NAME?**		

Executive Engineer,
Karsog Division,
HPPWD, Karsog.

Percentage Schedule Of Quantity

Estimated Cost 248900
Earnest Money 5000
Time One Month

Name of Work:- Construction of Community Bhawan at Dwahali Temple in G.P Shout (SH:- P/L tile under floor) Deposit Work SDP/2023/1120

Sr.No.	Sub-Head and items of works.	No. Or Qty.	Unit.	Estimated Rate (In Rs.)	Toatal Amount with all taxes including GST In Rs. P	Toatal Amount with all taxes including GST In Words
1	Providing and fixing 1st quality ceramic glazed floor tiles of size 300*300 mm conforming to IS : 15622 (thickness to be specified by the manufacturer) of approved make in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-Charge in skirting, risers of steps and dados over 20 mm (twenty millimeter) thick bed of cement Mortar 1:3 (one cement: three coarse sand) and jointing with grey cement slurry @ 3.3kg/sqm (three point three kilogram per square meter) including pointing in white cement mixed with pigment of matching shade complete as per direction of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals.	262.40	Per Square Meter	948.55	248900	Rupees Two Lakhs Forty Eight Thousand Eight Hundred Ninety Nine and Paise Fifty Two Only
Total in Figures					248900	
Quoted Rate in Figures			Select		0.00	
Quoted Rate in Words						

Executive Engineer,
Karsog Division,
HPPWD, Karsog.

Schedule of Quantity

Estimated Cost 325843
Earnest Money 6600
Time One Month

Name of work :- C/O Paralakshot to Sahal village (Harizan Basti) G.P. Pangna Km 0/00 to 1/600 (SH:- C/O 900 mm dia NP2 Hume pipe culvert at RD 1/135)

Sr.No.	Sub-Head and items of works.	No. Or Qty.	Unit.	Estimated Rate (In	Toatal Amount with all taxes	Toatal Amount with all taxes including GST In
1	Earth work in excavation for structure as per drawing and technical specification clause 305.1 including setting out construction for shoring and bracing removal of stamps and other deleterious materials and desposal up to a lead of 50 mtrs dressing of side and bottom and back filling in trenches with excavated suitable materials ordinary soil upto 3mtrs depth as per direction of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals.	43.11	Per Cubic Metre	559.05	24101.00	Rupees Twenty Four Thousand One Hundred One and Paise Zero Only
2	Providing and laying concrete for pain/reinforced concrete 1:3:6 (one cement : three sand : six graded stone aggregte) in open foundations complete as per drawing and technical specification clauses 802,803.1202 and 1203 as per direction of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals.	10.04	Per Cubic Metre	6306.30	63315.00	Rupees Sixty Three Thousand Three Hundred Fifteen and Paise Zero Only
3	Providing and laying reinforced cement concrete pipe NP2 for culverts on first class beeding of granular material in double row including fixing collar with cement morter 1:2 but excluding excavation, protection works, backfilling, concrete and masonary works in head walls and parapets as per clause 1106 as per direction of Engineer-in-Charge with in all leads and lifts and other incidentals.	7.50	Per Running Metre	5445.95	40845.00	Rupees Forty Thousand Eight Hundred Forty Five and Paise Zero Only
4	Providing and laying concrete for pain/reinforced concrete 1:4:8 (one cement : four sand : eight graded stone aggregte) in open foundations complete as per drawing and technical specification clauses 802,803.1202 and 1203 as per direction of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals.	31.94	Per Cubic Metre	5546.80	177165.00	Rupees One Lakh Seventy Seven Thousand One Hundred Sixty Five and Paise Zero Only
5	Back filling behind abutment wing wall and retaining wall complete as per drawing & technical specification clause 1204.3.8 as per direction of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals.	10.36	Per Cubic Metre	1322.40	13700.00	Rupees Thirteen Thousand Seven Hundred and Paise Zero Only
6	Providing weepholes in bricks masonry/stone masonry plain /reinforced concrete abutment wing wall,return wall with 100mm dia PVC pipe extending through the full with the structure with slope of 1(V): 20(H) towards drewing face complete as per drawing and technical specification clause 614,709,1204.3.7 As per direction of Engineer-in-Charge including carriage of materials within all leads and lifts and other incidentals.	18.00	Each	373.15	6717.00	Rupees Six Thousand Seven Hundred Seventeen and Paise Zero Only
Total in Figures					325843.00	
Quoted Rate in Figures			Select		**0.00**	
Quoted Rate in Words						

Executive Engineer,
Karsog Division,
HPPWD, Karsog.

Percentage Schedule Of Quantity

Estimated Cost	198649
Earnest Money	4000
Time	Two Months

094

Name of Work:- Restoration of rain damages on Nehal to Shaloa Km 0/00 to 6/00 (SH:- C/O Retaining Wall at RD 00/090 to 00/94) NDF 2023/1702

Sr.No.	Sub-Head and items of works.	No. Or Qty.	Unit.	Estimated Rate (In	Toatal Amount with all taxes	Toatal Amount with all taxes including GST
1	Earth work in excavation for structure as per drawing and technical specification clause 305.1 including setting out construction for shoring and bracing removal of stamps and other deleterious materials and desposal up to a lead of 50 mtrs dressing of side and bottom and back filling in trenches with excavated suitable materials ordinary soil upto 3mtrs depth as per direction of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals.	7.92	Per Cubic Metre	390.20	3090.00	Rupees Three Thousand Ninety and Paise Zero Only
2	Providing and laying concrete for plain /reinforced concrete in open foundation complete as per drawing and technical specification clause 802,803 1202 and 1203 Noiminal mix 1:4:8 (one cement: four sand: eight graded stone aggregate 40mm (forty milimetre) nominal size as per direction of Engineer in charge including carriage of materials with in all lead and lifts and other incidentals As per direction of Engineer-in- Charge including carriage of materials within all leads and lifts and other incidentals.	32.02	Per Cubic Metre	5546.80	177608.00	Rupees One Lakh Seventy Seven Thousand Six Hundred Eight and Paise Zero Only
3	Back filling behind abutment wing wall and retaining wall complete as per drawing & technical specification clause 1204.3.8 as per direction of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals.	6.52	Per Cubic Metre	1322.40	8622.00	Rupees Eight Thousand Six Hundred Twenty Two and Paise Zero Only
4	Providing weepholes in bricks masonry/stone masonry plain /reinforced concrete abutment wing wall,return wall with 100mm dia PVC pipe extending through the full with the structure with slope of 1(V): 20(H) towards drewing face complete as per drawing and technical specification clause 614,709,1204.3.7 As per direction of Engineer-in- Charge including carriage of materials within all leads and lifts and other incidentals.	25.00	Each	373.15	9329.00	Rupees Nine Thousand Three Hundred Twenty Nine and Paise Zero Only
Total in Figures					198649.00	
Quoted Rate in Figures			Select		0.00	
Quoted Rate in Words						

Executive Engineer,
Karsog Division,
HPPWD, Karsog.

Percentage Schedule of Quantity

Estimated Cost	392374
Earnest Money	7900
Time	Two Months

Name of Work:- R/R Damages on Lower Karsog to Takrol road Km. 0/00 to 10/00 (SH:- C/O R/Wall at RD 0/615 to 0/635)

Sr.No.	Sub-Head and items of works.	No. Or Qty.	Unit.	Estimated Rate (In	Toatal Amount with all taxes	Toatal Amount with all taxes including GST In
1	Earth work in excavation for structure as per drawing and technical specification clause 305.1 including setting out construction for shoring and bracing removal of stamps and other deleterious materials and desposal up to a lead of 50 mtrs dressing of side and bottom and back filling in trenches with excavated suitable materials ordinary soil upto 3mtrs depth as per direction of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals.	34.40	Per Cubic Metre	379.90	13069.00	Rupees Thirteen Thousand Sixty Nine and Paise Zero Only
2	Providing and laying concrete for plain /reinforced concrete in open foundation complete as per drawing and technical specification clause 802,803 1202 and 1203 Noiminal mix 1:4:8 (one cement: four sand: eight graded stone aggregate 40mm (forty milimetre) nominal size as per direction of Engineer in charge including carriage of materials with in all lead and lifts and other incidentals As per direction of Engineer-in- Charge including carriage of materials within all leads and lifts and other incidentals.	66.50	Per Cubic Metre	5457.80	362944.00	Rupees Three Lakhs Sixty Two Thousand Nine Hundred Forty Four and Paise Zero Only
3	Providing weepholes in bricks masonry/stone masonry plain /reinforced concrete abutment wing wall,return wall with 100mm dia PVC pipe extending through the full with the structure with slope of 1(V): 20(H) towards drewing face complete as per drawing and technical specification clause 614,709,1204.3.7 As per direction of Engineer-in-Charge including carriage of materials within all leads and lifts and other incidentals.	18.00	Each	371.75	6692.00	Rupees Six Thousand Six Hundred Ninety Two and Paise Zero Only
4	Providing and Laying filter media with granular crushed aggregate as per specification to a thickness of not less than 600mm(six hundred millimetre) with smaller size towards the soil and bigger size towards the wall and providing over the entire surface behind abutment, wing wall, return wall to the full height, compacted to firm condition complete as per drawing and technical specifications clause 1204.3.8 or as per direction of engineer in charge including carriage of materials with in all lead and lifts and other incidentals.	7.00	Per Cubic Metre	1381.34	9669.00	Rupees Nine Thousand Six Hundred Sixty Nine and Paise Zero Only
					392374.00	
Total in Figures			Select		0.00	
Quoted Rate in Figures						
Quoted Rate in Words						

Executive Engineer,
Karsog Division,
HPPWD, Karsog.

Percentage Schedule of Quantity

Estimated Cost	98900
Earnest Money	2000
Time	One Month

Name of Work:- R/R Damages on Chindi to Pangna road Km. 0/00 to 12/480 (SH:- Hiring of JCB/Excavator cum o loader on daily wages basis for removal of slips at various RD's)

Sr.No.	Sub-Head and items of works.	Qty	Unit.	Estimated Rate (In Rs.)	Toatal Amount with all taxes including GST In Rs. P	Toatal Amount with all taxes including GST In Words
1	Hiring of JCB /excavator for removal of slips and boulder in all kinds of soil including rocky potion and saturated and disposing of all excavated earth or un- serviceable materials from the road surface up to any leads and lifts as per direction and entire satisfaction of Engineer- in charge. The machine/JCB should work minimum 8.00 hours from 9.00 A.M to 5.00 P.M. daily and remove at least 25.00 cum. Quantity of slips per hour. Any loss to the public/private property of any accident etc. happened during the course of hiring period execution shall be absolute responsibility of the JCB/ excavator owner which shall have to be fully compensated by him in all cases the fuel and operational staff for excavator will be provided by the owner, the repair and spare watch and ward of excavator also be borne by the contractor /owner. The daily log book will be maintained at site which should be dully verified by the Engineer-in charge.	86.00	Per Hours	1150.00	98900.00	Rupees Ninety eight thosuand nine hundred and paise zero only.
					98900.00	
Total in Figures			Select		0.00	
Quoted Rate in Figures				#NAME?		
Quoted Rate in Words						

Executive Engineer,
Karsog Division,
HPPWD, Karsog.

Percentage Schedule Of Quantity

Estimated Cost	492248
Earnest Money	9850
Time	One Month

Name of Work:- C/O Karsog to Shopa via Nali road km 0/00 to 2/500 (SH:-P/L Cement Concrete and P/L Paver Block in km 0/315 to 0/420)

Sr.No.	Sub-Head and items of works.	Qty	Unit.	Estimated Rate (In Rs.)	Toatal Amount with all taxes including GST In Rs. P	Toatal Amount with all taxes including GST In Words
1	Providing concrete for plain/rainforced concrete in open foundation complete as per drawings and techical specification clause 802,803,1202 & 1203 as per direction of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals.	1.84	Per Cubic Meter	7476.60	13757	Rupees Thirteen Thousand Seven Hundred Fifty Six and Paise Ninety Four Only
2	Providing and laying inter locking concrete block pavment having thickness 80 mm (mili meter) as per drawings and techical specification clause 1504. as per direction of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals.	373.50	Per Cubic Meter	1281.10	478491	Rupees Four Lakhs Seventy Eight Thousand Four Hundred Ninety and Paise Eighty Five Only
Total in Figures					492248	
Quoted Rate in Figures			Select		0.00	
Quoted Rate in Words		Zero and Paise Zero Only				

Executive Engineer,
Karsog Division,
HPPWD, Karsog.

Percentage Schedule of Quantity

Estimated Cost	98900
Earnest Money	2000
Time	One Month

Name of Work:- R/R Damages on various road under Katanda Section (SH:- Hiring of JCB/Excavator cum loader on daily wages basis for removal of slips at various road at various RD's)

Sr.No.	Sub-Head and items of works.	Qty	Unit.	Estimated Rate (In Rs.)	Toatal Amount with all taxes including GST In Rs. P	Toatal Amount with all taxes including GST In Words
1	Hiring of JCB /excavator for removal of slips and boulder in all kinds of soil including rocky potion and saturated and disposing of all excavated earth or un- serviceable materials from the road surface up to any leads and lifts as per direction and entire satisfaction of Engineer- in charge. The machine/JCB should work minimum 8.00 hours from 9.00 A.M to 5.00 P.M. daily and remove at least 10.00 cum. Quantity of slips per hour. Any loss to the public/private property of any accident etc. happened during the course of hiring period execution shall be absolute responsibility of the JCB/ excavator owner which shall have to be fully compensated by him in all cases the fuel and operational staff for excavator will be provided by the owner, the repair and spare watch and ward of excavator also be borne by the contractor /owner. The daily log book will be maintained at site which should be dully verified by the Engineer-in charge.	86.00	Per Hours	1150.00	98900.00	Rupees Ninety eight thosuand nine hundred and paise zero only.
					98900.00	
Total in Figures			Select		0.00	
Quoted Rate in Figures				#NAME?		
Quoted Rate in Words						

Executive Engineer,
Karsog Division,
HPPWD, Karsog.

Percentage Schedule Of Quantity

Estimated Cost 185832
Earnest Money 3300
Time One Month

Name of Work:- Construction of road from Shill to Nehra in G.P Kelodhar km 0/00 to 2/00 (SH:- P/L Kharanja Stone Soling in km 0/600 to 0/800) MPS/2023/508

Sr.No.	Sub-Head and items of works.	No. Or Qty.	Unit.	Estimated Rate (In Rs.)	Toatal Amount with all taxes including GST In Rs. P	Toatal Amount with all taxes including GST In Words
1	Stone soling properly hand-packed filling interstices with Kharanja stone and consolidationg with power road roller to the requested gradient and comber including spreading watering and rolling of binding materials moorum or earth etc. complete as per HPPWD specification. 100 mm (one hundred millimetre) spread thickness (finished work including materials and labour) within all leads and lifts and other incidentals as per direction of Engineer-in Charge with in all leads and lifts and other incidentals.	90.00	Per Cubic Meter	2064.80	185832	Rupees One Lakh Eighty Five Thousand Eight Hundred Thirty Two and Paise Zero Only
Total in Figures					185832	
Quoted Rate in Figures			Select		0.00	
Quoted Rate in Words						

Executive Engineer,
Karsog Division,
HPPWD, Karsog.