




Office of
Executive Engineer Baijnath Division HP.PWD, Baijnath
Himachal Pradesh Public works Department Baijnath-176125
Phone No. 01894-263035 Fax 262704 e-mail:- ee-baij-hp@nic.in

CERTIFICATE

CERTIFIED THAT THE TENDERS OF WORKS,
AS CALLED VIDE THIS OFFICE LETTER NO.PWD/BD/TA/NIT/2023-
24/- 13936-44 DATED 03-12-24 ARE URGENT
NATURE AND PUBLIC INTEREST.


Executive Engineer,
Baijnath Division,
HP.PWD, Baijnath.



Office of
Executive Engineer Baijnath Division HP.PWD, Baijnath
Himachal Pradesh Public works Department Baijnath-176125
Phone No. 01894-263035 Fax 262704 e-mail:- ce-baij-hp@nic.in

"NOTICE INVITING TENDER"

Sealed item rate on tender form No. 6 & 8 are hereby invited by the Executive Engineer, Baijnath Division H.P.PWD., Baijnath on behalf of the Governor of HP for the following work from the approved and eligible contractors enlisted in HPPWD (B&R) whose registration stood renewed as per revised rule and also registered under the HP General Sales Tax act 1968 so as to reach in this office on or before **19.12.2024** up to **11.30 A.M** and will be opened on the same day at **12.00 Noon** in the presence of intending contractors or their authorized representatives. The tender forms can be had from his office against cash payment (Non refundable) on **18.12.2024 between 2.00 PM up to 4.30 P.M** and the application for issue of tender forms shall be received on **17.12.2024 up to 12.00 Noon**.


The earnest money in the shape of National Saving Certificate/Time Deposit accounts/Saving Accounts in any Post Office/Bank in H.P. duly pledged in favour of the XEN H.P.PWD., Baijnath must be accompanied with the each tender. Conditional/incomplete tenders and the tenders received without earnest money as mentioned above will be similarly rejected, the offer of the tender shall be kept open for 75 days. The XEN reserves the right to accept or reject any or all tenders or to drop the proposal of the tender without assigning any reasons.

| Sr. No. | Name of Works | Amount put to tender/Estimated cost. | Earnest Money | Cost of tender form | Time limit |
|---------|---|--------------------------------------|---------------|---------------------|------------|
| 1 | C/O Baijnath Chobin Balander Road km 0/00 to 14/200 (SH: Strengthening of berms both sides of road at RD 2/210 to 2/356) with cement concrete pavement. | Rs.4,99,798/- | Rs.10,000/- | Rs.350/- | Two Months |
| 2 | C/O Boundary wall Divisional Store Baijnath (SH: C/O Boundary wall) | Rs.4,47,869/- | Rs.9,000/- | Rs.350/- | Two Months |
| 3 | A/R & M/O Barot Nalohta road Km 0/00 to 15/225 (SH: C/O B/Wall at RD 0/065 to 0/100) | Rs.4,27,841/- | Rs.8,600/- | Rs.350/- | Two Months |
| 4 | C/O Bhullana to Simbal Road km 0/00 to 6/220 (SH: C/O E/wall at RD 0/00 to 0/023) | Rs.1,28,755/- | Rs.2,600/- | Rs.350/- | Two Months |
| 5 | C/O Link road Chobin Bus Stand to Lower Chobin (SH: C/O B/wall) for protection of house and land of Sh. Kushal Kumar at RD 0/180 to 0/192) | Rs.1,36,167/- | Rs.2,800/- | Rs.350/- | Two Months |
| 6 | Construction of Maghlota Pantehar Road (SCSP) (SH: Construction of 1.00 mtr. span RCC Slab Culvert at RD 2/045, U-Shape drain at RD 2/045 to 2/090 & P/L Stone Soling and C.C. Pavement at RD 2/045 to 2/075) | Rs.3,37,503/- | Rs.6,800/- | Rs.350/- | Two Months |
| 7 | C/O Link road from Doli Khurad Chordu Dangore km 0/00 to 4/900 (SH: C/O 900 mm Dia H/pipe culvert at RD 3/420 and U-shape drain at RD 3/200 to 3/350 & 3/420 to 3/560) | Rs.4,93,964/- | Rs.9,900/- | Rs.350/- | Two Months |
| 8 | C/O Dharamshala Dadh Palampur Holta Chadhiar Sandhole road km 56/0 to 75/00 (SH: C/O B/wall at RD 58/630 to 58/645) | Rs.1,70,020/- | Rs.3,400/- | Rs.350/- | Two Months |
| 9 | C/O Jeepable Road along with Paver Block Post Office to Deep Raj/Tilak House ward No. 3 (SH: P/L 60mm thick Paver Block) Deposit Work SDP/2024/811 | Rs.98,957/- | Rs.2,000/- | Rs.350/- | Two Months |
| 10 | C/O ambulance Road from Chaniyara to Mehta Basti Mohal (SDP/2024/832) (Under Deposit) (SH: P/L C.C. Pavement & Kharnja Soling) | Rs.99,001/- | Rs.2,000/- | Rs.350/- | One Month |
| 11 | C/O Pucca Path from Joginder Kumar House to Darku Nallah Nohra road (VKVNY/2023/1185) Deposit Work (SH: P/L G-II and C.C. Pavement at km 0/060 to 0/170 & C/O Edge wall at km 0/060 to 0/116) | Rs.1,48,087/- | Rs.3,000/- | Rs.350/- | Two Months |
| 12 | Construction of Majherna to Sagoor via Chakol Behru Road (MNP) km 0/00 to 2/695 (SH: Construction of 1.00 mtr span RCC slab culvert | Rs.1,98,675/- | Rs.4,000/- | Rs.350/- | Two Months |

E.E.

| | | | | | |
|----|--|---------------|------------|----------|------------|
| | at RD 2/660, U-Shape drain at RD 2/660 to 2/695) | | | | |
| 13 | Construction of Draman Sungal Jadiyahala Jandpur Majherna Chattarghar Sagoor road km 0/00 to 5/830 (SH: Construction of 1.00 mtr span RCC slab culvert at RD 5/540) (SCSP) | Rs.1,37,418/- | Rs.2,800/- | Rs.350/- | Two Months |

1. The contractor should be registered as dealer under H.P. GST Tax Act. 2018 and also produce the Tin number, H.P. sales Tax clearance certificate from the Excise and Taxation Department.
2. The Pan Number, latest Income Tax clearance certificate and EPF No (Where applicable) duly attached with the application.
3. The contractor will have to produce the attested copy of his/their enlistment/renewal at the time of submitting application for issue of tender form failing which their application will not be entertained.
4. In case of holiday on the day of opening of tenders, the same will be opened on the next working day on the same time and venue.
5. Only two tenders form will be issued to the contractor/firm which may be noted.
6. The contractor will also have to attach the labour employer license from the labour office with the application.
7. Tender not received on prescribed form and manner shall not be considered and will be liable for rejection straightway.
8. The contractor shall be responsible for rectifying defects noticed within One year from the date of completion of the work and the portion of security deposit relating to as phallic Work shall be refunded after the expiry of this period.
9. The contractor shall have all required machinery such as Truck/Tipper, Mixture, water tanker Vibrator etc or should submit the undertaking/affidavit regarding providing to him such machinery of owner's having such machinery.
10. The Contractor shall not have more than Two works in hand and in this regard along with application shall submit an under taking viz he will get complete the works in hand before award of work with in schedule time.
11. All kind of material shall be arranged by the contractor by itself from the authorized firms/dealers as per clause No-10A.
12. The Cement shall be procured by the contractor at his own from the nearby godowns of Civil Supply against the approved/ permit.



 Executive Engineer,
 Baijnath Division.,
 H.P.PWD..Baijnath.
 For & On behalf of the governor of H.P.

NO:-PWD/BD/TA/NIT/2024-25/-

13936-44

Dated:-03.12.2024

- 1 Copy to the F.C.Cum Principal Secretary (PW) to the Govt. of Himachal Pradesh Shimla-2 for favour of information please.
- 2 The Engineer-in-chief, HPPWD, Shimla.
- 3 The Chief Engineer (MZ), HPPWD, Mandi.
- 4 The Superintending Engineer, JNR. Circle HPPWD, Joginder Nagar.
- 5 All the Assistant Engineer working under this Division.
- 6 Drawing Branch in this office.
- 7 Notice Board.
- 8 The Computer Cell office of the Engineer-in-Chief, HPPWD, Shimla for uploading the NIT on the Departmental website.


 Executive Engineer,
 Baijnath Division.,
 H.P.PWD..Baijnath.

DNIT/DRAFT SCHEDULE OF QUANTITY

Name of Work : C/O Bajinath Chobin Balander Road km 0/00 to 14/200 .

(SH:- Strengthening of berms both side of road at RD 2/210 to 2/356) with cement concrete pavement

Estimate Cost: 4,99,798.00/-

Earnest Money: 10,000.00/-

Time Limit : Two Months

① (A)

SCHEDULE OF WORKS

| Sr. No. | Description of work | No. or Qty. | Unit | Rate | | AMOUNT | |
|---------|--|-------------|-----------------|------|-------|--------|---|
| | | | | | Words | Rs. | P |
| 1 | Earth work in excavation for all type of road structure and in all type of classification of soil comprising of ordinary soil, ordinary rock, hard rock chiseling /wedging out rocks (Where blasting is prohibited) for retaining walls, breast walls, culverts, bridges, drains and parapets etcetera as per drawings and M.O.R.D. technical specification clause 305.1 and as per direction of the Engineer- In - Charge, including setting out, construction of shoring and bracing , removal of stumps and other deleterious materials and disposal of materials upto any lead and upto any lift including dressing of sides and bottom and back filling in trenches with excavated suitable approved material to the original surface in layers not exceeding 150mm (one hundred fifty millimeters) compacted thickness including shoring and strutting and pumping and bailing out water (surface and sub soil water) upto any depth and any quantum of water including cleaning of slush which may arise out during dewatering as per direction of Engineer-in-Charge. Including carriage of materials within all leads and lifts and other incidental. | 105.12 | Per cubic metre | | | | |
| 2 | Providing and laying Granular sub-base/base/surface course with local materials (Table 400.13) by mix in place method normal Construction of granular sub-base by providing local material spreading in uniform layers with motor grader on prepared surface, mixing by mix in place method with rotavator at once and compacting with smooth wheel roller to achieve the desired density complete as per Clause 401.4 as per Technical Specification Clause 408.as per direction of Engineer with in all leads and lifts and other incidental.the entire satisfaction and direction of Engineer - in- Charge including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government. | 41.39 | Per Cubic metre | | | | |
| 3 | Providing laying spreading and compacting stone aggregate of size 63mm to 45mm (sixty three millimetre to forty five millimetre) Grading-II to water bound Macadam specification including spreading in uniform thickness using template, hand packing, rolling with three wheel 80-100 K.N. static roller in stages to proper grade and camber, applying and brooming, stone screening type-B of size 11.2mm (eleven decimal point two millimetre) nominal size at the rate of 0.20 cubic metre (zero point two zero cubic metre) per ten square metre and binding material at the rate of 0.06 cubic metre (zero decimal zero six) cubic metre per ten square metre to fill up the intersitices of coarse aggregate, watering and compacting to the required density as per M.O.R.D. technical specifications clause No. 405 and to the entire satisfaction and direction of Engineer - in- Charge including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government. | 20.70 | Per Cubic Metre | | | | |

| | | | | | | |
|-------|---|-------|-----------------|--|--|--|
| 4 | Providing and laying mechanically mixed and vibrated reinforced cement concrete in open foundation of plain cement concrete of Grade M-20 (M-Twenty) designed mix with minimum cement contents of 350 kgs (Three hundred fifty kilograms) per cubic meter with 20 mm (Twenty Millimeters) nominal size graded crushed/ broken stone aggregate and curing complete including the cost of form work complete as per drawings and MORD technical specifications Clause 802, 803, 1202 & 1203 and as per the direction of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals. The rate including of octroi, royalty, Malkana, tolltax, Sale Tax or other taxes imposed by the government. | 44.15 | Per Cubic metre | | | |
| Total | | | | | | |

Exec ^{dy} Engineer
 Baijn. Division
 H.P.P. D. Baijn. (H.P.)

DNIT/DRAFT SCHEDULE OF QUANTITY

② a'

| | |
|---|---|
| Name of Work: - C/O Boundary wall Divisional store Baijnath . (SH:C/O Boundary wall .) | Estimate Cost: 4,47,869.00 Earnest Money: 9,000 .00 Time Limit :Two Months |
|---|---|

SCHEDULE OF WORKS

| Sl. No. | Description of work | No.or Qty. | Unit | Rate to be entered by the Bidder in | | AMOUNT Rs. P |
|---------|---|------------|------|-------------------------------------|-------|-----------------|
| | | | | Figures | Words | |
| 1 | Earth work in excavation by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains (not exceeding 1.5 m (one point five metre) in width or 10 sqm (ten square metre) on plan), including dressing of sides and ramming of bottoms, lift upto 1.5 m,(one point five metre) including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m (fifty metre).All kinds of soil.The rate is including octroi, royalty, GST, toll tax, or other taxes imposed by the government. | 48.06 | cum | | | |
| 2 | Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level :1:6:12 (one cement : six coarse twelve sand): ten graded stone aggregate 40 mm (forty millimeter) nominal size The rate is including octroi, royalty, GST, toll tax, or other taxes imposed by the government. | 5.34 | cum | | | |
| 3 | Random rubble masonry with hard stone in foundation and plinth including levelling up with cement concrete 1:6:12 (one cement : six coarse sand : twelve graded stone aggregate 20 mm (twenty millimeter) nominal size upto plinth level with :Cement mortar 1:6 (one cement : six coarse sand) The rate is including octroi, royalty, GST, toll tax, or other taxes imposed by the government. | 33.82 | cum | | | |
| 4 | Second class Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 (Seven Point Five) in superstructure above plinth level up to floor all level in all shapes and sizes in :Cement mortar 1:6 (one cement : six coarse sand) The rate is including octroi, royalty, GST, toll tax, or other taxes imposed by the government. | 27.95 | cum | | | |
| 5 | Second class Half brick masonry with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 (Seven Point Five) in foundations and plinth in :cement mortar 1:4 (one cement : four coarse sand) The rate is including octroi, royalty, GST, toll tax, or other taxes imposed by the government. | 9.76 | sqm | | | |

261

| | | | | | | |
|---|---|--------|-----|--|--|--|
| 6 | 20 mm (twenty millimeter) cement plaster of mix :1:6 (one cement: six coarse sand) The rate is including octroi, royalty, GST, toll tax, or other taxes imposed by the government. | 132.00 | sqm | | | |
| 7 | Applying one coat of water thinnable cement primer of approved brand and manufacture on wall surface Water thinnable cement primer The rate including of octroi, royalty, Malkana, tolltax, Sale Tax or other taxes imposed by the government | 263.13 | Sqm | | | |
| | | | | | | |

Executive Engineer
Bajnath Division,
H.P.P.W.D. Bajnath (H.P.)

DNIT/DRAFT SCHEDULE OF QUANTITY

| Name of work:A/R & M/O Barot Nalohta Road km0/00 to 15/225 . (Sh:- C/O B/wall at RD 0/065 to 0/100). | | | | Estimate Cost: 4,27,841.00/- Earnest Money: 8,600.00/- Time Limit :Two Months | | |
|--|--|-------------|---------|---|-------|-----------------|
| Sr. No. | Description of work | No. or Qty. | Unit | Rate | | AMOUNT Rs. P |
| | | | | Figures | Words | |
| 1 | Earth work in excavation for all type of road structure and in all type of classification of soil comprising of ordinary soil, ordinary rock, hard rock chiseling /wedging out rocks (Where blasting is prohibited) for retaining walls, breast walls, culverts, bridges, drains and parapets etcetera as per drawings and M.O.R.D. technical specification clause 305.1 and as per direction of the Engineer- In - Charge, including setting out, construction of shoring and bracing , removal of stumps and other deleterious materials and disposal of materials upto any lead and upto any lift including dressing of sides and bottom and back filling in trenches with excavated suitable approved material to the original surface in layers not exceeding 150mm (one hundred fifty millimeters) compacted thickness including shoring and strutting and pumping and bailing out water (surface and sub soil water) upto any depth and any quantum of water including cleaning of slush which may arise out during dewatering as per direction of Engineer-in-Charge. Including carriage of materials within all leads and lifts and other incidental.the rate including of octroi, royalty, Malkana, tolltax, or other taxes imposed by the government. | 100.45 | Per Cum | | | |
| 2 | Providing and laying mechanically mixed and vibrated plain cement concrete in foundation and plinth, as per drawing and Morth technical specification section 800, 900 &1200 for nominal mix 1:5:10 (one cement : five sand : ten graded stone agg. 40mm (forty millimeter) nominal size) and curing complete as per direction of Engineer-in-Charge and as per the drawing and hauling carriage of labour, equipments and materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect the rate including of octroi, royalty, Malkana, tolltax, or other taxes imposed by the government. | 77.00 | Per Cum | | | |
| 3 | Providing weep holes in brick masonry/stone masonry, plain/reinforced concrete abutment, wing wall, return wall with 100mm dia PVC pipe extending through the full width of the structures with slope of 1(V):20(H) towards drawing face complete as per drawing and technical specification clause 614, 709, 1204.3.7. including entire carriage of materials within all leads and lifts and other incidentals.the rate including of octroi, royalty, Malkana, tolltax, or other taxes imposed by the government. | 34.00 | Each | | | |
| Total | | | | | | |

Executive Engineer
Bajjnath Division,
H.P.P.W.D. Bajjnath (H.P.)

DNIT/DRAFT SCHEDULE OF QUANTITY

4/01

Name of work: C/O Bhullana to Simbal Road km 0/00 to 6/220 .
(Sh:- C/O E/wall at RD 0/00 TO 0/023).

Estimate Cost: 1,28,755.00/-
Earnest Money: 2,600.00/-
Time Limit : Two Months

| Sr. No. | Description of work | No. or Qty. | Unit | Rate | | AMOUNT Rs. P |
|---------|---|-------------|-----------------|---------|-------|-----------------|
| | | | | Figures | Words | |
| 1 | Earth work in excavation for all type of road structure and in all type of classification of soil comprising of ordinary soil, ordinary rock, hard rock chiseling /wedging out rocks (Where blasting is prohibited) for retaining walls, breast walls, culverts, bridges, drains and parapets etcetera as per drawings and M.O.R.D. technical specification clause 305.1 and as per direction of the Engineer- In – Charge, including setting out, construction of shoring and bracing , removal of stumps and other deleterious materials and disposal of materials upto any lead and upto any lift including dressing of sides and bottom and back filling in trenches with excavated suitable approved material to the original surface in layers not exceeding 150mm (one hundred fifty millimeters) compacted thickness including shoring and strutting and pumping and bailing out water (surface and sub soil water) upto any depth and any quantum of water including cleaning of slush which may arise out during dewatering as per direction of Engineer-in-Charge. Including carriage of materials within all leads and lifts and other incidental the rate including of octroi, royalty, Malkana, tolltax, or other taxes imposed by the government. | 6.83 | Per Cum | | | |
| 2 | Providing and laying mechanically mixed and vibrated plain cement concrete in foundation and plinth, as per drawing and Morth technical specification section 800, 900 &1200 for nominal mix 1:5:10 (one cement : five sand : ten graded stone agg. 40mm (forty millimeter) nominal size) and curing complete as per direction of Engineer-in-Charge and as per the drawing and hauling carriage of labour, equipments and materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect the rate including of octroi, royalty, Malkana, tolltax, or other taxes imposed by the government. | 23.23 | Per cubic metre | | | |
| 3 | Excavation in soil in hilly area in all heights and depths and in all kind of soil by all means including saturated soil comprising of ordinary soil, soft rocks, hard rocks, chiseling/ wedging out of rock (where blasting is prohibited) and their intermediate classification of soil, setting out true to the required line, grades, width cutting and trimming of side slopes and level as shown on the drawing and as directed by the Engineer-in- Charge at site according to the M.O.R.D. technical specification section 1000 & 300 and sorting out useful materials and stacking the same in all leads and lifts in acquired width of the road and transportation of useful material for filling in road ways, camber, embankments for grade improvements and disposal of all surplus material at approved dumping sites through all modes of transportation including head load or animals transport or mechanical means along with its leveling fine dressing and hauling carriage of machineries, materials, tools equipments and safety measures. shall be effected from the contractor bill on pro-rata basis for the quality of cutting in earth work executed. Any loss to the public / private property during the course of execution shall be the absolute responsibility of the contractor which shall have to be duly compensated by him at his own cost. The rate including of octroi, royalty, Malkana, tolltax, Sale Tax or other taxes imposed by the government. | 21.00 | Per cubic metre | | | |

461


| | | | | | | |
|---|---|-------|------|--|--|--|
| 4 | Providing weep holes in brick masonry/stone masonry, plain/reinforced concrete abutment, wing wall, return wall with 100mm dia PVC pipe extending through the full width of the structures with slope of 1(V):20(H) towards drawing face complete as per drawing and technical specification clause 614, 709, 1204.3.7. including entire carriage of materials within all leads and lifts and other incidentals the rate including of octroi, royalty, Malkana, tolltax, or other taxes imposed by the government | 20.00 | Each | | | |
| | Total | | | | | |

Executive Engineer
Bajnath Division,
H.P.P.W.D. Bajjnath (H.P.)

2

DNIT/DRAFT SCHEDULE OF QUANTITY

| Name of work: C/O Link Road Chobin Bus Stand to lower Chobin (Sh:- C/O B/wall for protection of house and land of sh. Kushal Kumar at RD 0/180 to 0/192). | | | | Estimate Cost: 1,36,167.00/- Earnest Money: 2,800.00/- Time Limit :Two Months | | |
|--|--|-------------|---------|---|-------|-----------------|
| Sr. No. | Description of work | No. or Qty. | Unit | Rate | | AMOUNT Rs. P |
| | | | | Figures | Words | |
| 1 | Earth work in excavation for all type of road structure and in all type of classification of soil comprising of ordinary soil, ordinary rock, hard rock chiseling /wedging out rocks (Where blasting is prohibited) for retaining walls, breast walls, culverts, bridges, drains and parapets etcetera as per drawings and M.O.R.D. technical specification clause 305.1 and as per direction of the Engineer- In – Charge, including setting out, construction of shoring and bracing , removal of stumps and other deleterious materials and disposal of materials upto any lead and upto any lift including dressing of sides and bottom and back filling in trenches with excavated suitable approved material to the original surface in layers not exceeding 150mm (one hundred fifty millimeters) compacted thickness including shoring and strutting and pumping and bailing out water (surface and sub soil water) upto any depth and any quantum of water including cleaning of slush which may arise out during dewatering as per direction of Engineer-in-Charge. Including carriage of materials within all leads and lifts and other incidental the rate including of octroi, royalty, Malkana, tolltax, or other taxes imposed by the government. | 7.92 | Per Cum | | | |
| 2 | Providing and laying mechanically mixed and vibrated plain cement concrete in foundation and plinth, as per drawing and Morth technical specification section 800, 900 &1200 for nominal mix 1:5:10 (one cement : five sand : ten graded stone agg. 40mm (forty millimeter) nominal size) and curing complete as per direction of Engineer-in-Charge and as per the drawing and hauling carriage of labour, equipments and materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect the rate including of octroi, royalty, Malkana, tolltax, or other taxes imposed by the government. | 26.40 | Per Cum | | | |
| 3 | Providing weep holes in brick masonry/stone masonry, plain/reinforced concrete abutment, wing wall, return wall with 100mm dia PVC pipe extending through the full width of the structures with slope of 1(V):20(H) towards drawing face complete as per drawing and technical specification clause 614, 709, 1204.3.7. including entire carriage of materials within all leads and lifts and other incidentals the rate including of octroi, royalty, Malkana, tolltax, or other taxes imposed by the government. | 11.00 | Each | | | |
| Total | | | | | | |


 Executive Engineer
 Bajjnath Division,
 H.P.P.W.D. Bajjnath (H.P.)

6 9

DNIT/DRAFT SCHEDULE OF QUANTITY

| Name of Work: - Construction of Maghlota Pantehar Road (SCSP) (SH:- Construction of 1.00 mtr span RCC slab culvert at RD 2/045 , U shape drain at rd 2/045 to 2/090 & P/L stone Soling and C C Pavement at RD 2/045 to 2/075) | | | | Estimate Cost: 3,37,503.00 Earnest Money:6,800.00 Time Limit : Two Monthg | | |
|---|---|------------|------|---|-------|-----------------|
| Sl. No. | Description of work | No.or Qty. | Unit | Rate to be entered by the | | AMOUNT Rs. P |
| | | | | Figures | Words | |
| 1 | Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 including setting out, construction of shoring and bracing, removal of stumps and other deleterious material and disposal upto a lead of 50 m, dressing of sides and bottom and backfilling in trenches with excavated suitable material.(Ordinary rock and hard rock) as per direction of Engineer-in-Charge. Including carriage of materials within all leads and lifts and other incidental.The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government. | 33.34 | Cum | | | |
| 2 | Providing concrete for plain/reinforced concrete in open foundations complete as per drawings and technical specifications Clause 802, 803, 1202 & 1203 (P.C.C M-10-1:3:6 as per direction of Engineer-in-Charge. Including carriage of materials within all leads and lifts and other incidental.The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government. | 13.63 | Cum | | | |
| 3 | Providing concrete for plain/reinforced concrete in open foundations complete as per drawings and technical specifications Clause 802, 804, 805 ,806,807,1202 and 1204 M-15 as per direction of Engineer-in-Charge. Including carriage of materials within all leads and lifts and other incidental.The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government. | 13.90 | Cum | | | |
| 4 | Providing concrete for plain/reinforced concrete in open foundations complete as per drawings and technical specifications Clause 802, 804, 805 ,806,807,1202 and 1205 RCC M-20 as per direction of Engineer-in-Charge. Including carriage of materials within all leads and lifts and other incidental.The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government. | 14.33 | Cum | | | |
| 5 | Providing concrete for plain/reinforced concrete in open foundations complete as per drawings and technical specifications Clause 800,1205.4 and 1205.5 RCC M-25 as per direction of Engineer-in-Charge. Including carriage of materials within all leads and lifts and other incidental.The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government. | 1.92 | Cum | | | |
| 6 | Supplying, fitting, and placing HYSD bar reinforcement in structure complete as per drawing and technical specifications Clauses 1002, 1005,1010 and 1202 as per direction of Engineer-in-Charge. Including carriage of materials within all leads and lifts and other incidental.The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government. | 228.93 | Kg | | | |

66)

| | | | | | | |
|---|---|-------|-----------------|--|--|--|
| 7 | Providing and laying hard stone Soiling properly hand packed intersects with kharanja staone and consolidating with power / hand roller to requested graident and camber including spreading watering and rolling of binding morrum or earth etc complete as per HPPWD specification 100 mm spread thickness finished work including materials and labour as per the direction of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals .The rate including of octroi, royalty, Malkana, tolltax, Sale Tax or other taxes imposed by the government. | 13.73 | Per Cubic metre | | | |
| 8 | Preparation and consolidation of sub grade with power road roller of 8 to 12 tonne capacity after excavating earth to an average of 22.5 cm depth, dressing to camber and consolidating with road roller including making good the undulations etc. and re-rolling the sub grade and disposal of surplus earthwith lead upto 50 metres. complete as per direction of Engineer-in-Charge and as per the drawing and hauling carriage of labour, equipments and materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect. (soil obtained from Borrow Pits to site of work)the rate including of octroi, royalty, Malkana, tolltax, or other taxes imposed by the government. | 27.45 | Per Cum | | | |
| | | | | | | |

Executive Engineer
Baijnath Division,
H.P.F.W.D. Baijnath (H.P.)

DNIT/DRAFT SCHEDULE OF QUANTITY

⑦ ②

Name of work :-C/O Link road from Doli Khurad Chordu Dangore km 0/00 to 4/900 (SH:-C/O 900 mm Dia H/pipe culvert at RD 3/420 and U shape drain at RD 3/200 to 3/350 & 3/420 to 3/560).

Estimate Cost: 4,93,964.00/-
Earnest Money: 9,900.00/-
Time Limit : Two Months

| Sr | Description of work | No. or Qty. | Unit | Rate | | AMOUNT Rs. P |
|----|--|-------------|-----------------|---------|-------|-----------------|
| | | | | Figures | Words | |
| 1 | Earth work in excavation for structures in all depths as per drawing and M.O.R.D.technical specification section 300 & 1600 including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal in all lead and lift including dressing of sides and bottom and back filling in trenches with excavated Suitable materials. All work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion, damage to hill side, water pollution etc. and to protect stability of hill side rock shall be excavated with chiseling and wedging out rock (where blasting is prohibited). All earth work in cutting/excavation including rock excavation shall be carried out true to lines grades, side slopes, width, camber super elevation and level as shown on the drawings or as directed by the Engineer-in-Charge, hauling and stacking of materials useful for construction at suitable sites and safe disposal of unsuitable cut materials in specified manner, filling of unevenness and finishing the road to specified dimension or as directed by the Engineer-in-Charge. If the foundation of the structure is in an area with stagnant water or water is met with in the excavation due to spring seepage, rain and other causes it shall be removed by suitable diversion, bailing out or pumping as directed and the area of the foundation or embankment shall be kept dry. Any loss to the public or private property during the course of excavation shall be the whole responsibility of the contractor which shall have to be duly compensated by him at his own cost .the rate including of octroi, royalty, Malkana, tolltax, or other taxes imposed by the government. | 149.10 | Per Cubic metre | | | |
| 2 | Providing and laying mechanically mixed and vibrated plain cement concrete in open foundation for all type of structure complete using plain cement concrete grade M-10 (M ten) per cubic metre nominal mix 1:3:6 (one cement is to three sand is to six crushed stone agg. 40mm(forty millimetre) nominal size) in or under water and curing complete including pumping or bailing out water , dewatering removal of slush as required at site which may arise at the time of laying under water complete for all heights/ depths including the cost of form work and open in foundation as per drawings and M.O.R.D. technical specification section 800, 900 and 1200 and to the entire satisfaction and direction of Engineer - in- Charge including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect.the rate including of octroi, royalty, Malkana, tolltax, or other taxes imposed by the | 63.97 | Per Cubic metre | | | |

| | | | | | | |
|---|---|------|-------------------|--|--|--|
| 3 | Providing and laying mechanically mixed and vibrated plain/ cement concrete in sub structure for all type of structure complete using plain cement concrete grade M-15 (M fifteen) design mix with cement contents not less than 275 kg (two hundred seventy five kilograme) per cubic metre in or under water including curing complete including pumping or bailing out water , dewatering removal of slush as required at site which may arrise at the time of laying under water complete for all heights/ depths including the cost of form work in abutments as per drawings and M.O.R.D. technical specification section 800,900 & 1200 and curing complete including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect.the rate including of octroi, royalty, Malkana, tolltax, or other taxes imposed | 9.63 | Per Cubic metre | | | |
| 4 | Providing and laying (to level or slope) 900mm dia (nine hundred millimeter) diameter reinforced cement concrete pipes IS Class NP-2 for culverts in single row including fixing collar with cement mortar 1 : 2 (One cement : two sand) but excluding the cost of excavation, protection works, back filling, bedding concrete and masonry work in head walls and parapets as per drawing and M.O.R.D. technical specifications clause 1101 and as per direction of Engineer - in- Charge including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect.the rate including of octroi, royalty, Malkana, tolltax, or other taxes imposed by the government. | 7.50 | Per Running metre | | | |
| | | | | | | |

Executive Engineer
Bajjnath Division
H.P.P.W.D. Bajjnath (H.P.)

DNIT/DRAFT SCHEDULE OF QUANTITY

| Name of work: C/O Dharamshala Dadh Palampur Holta Chadhiar Sandhole road km 56/0 to 75/00 . (Sh:- C/O B/wall at RD 58/630 to 58/645). | | | | Estimate Cost: 1,70,020.00/- Earnest Money: 3,400.00/- Time Limit :Two Months | | |
|--|--|-------------|---------|---|-------|-----------------|
| Sr. No. | Description of work | No. or Qty. | Unit | Rate | | AMOUNT Rs. P |
| | | | | Figures | Words | |
| 1 | Earth work in excavation for all type of road structure and in all type of classification of soil comprising of ordinary soil, ordinary rock, hard rock chiseling /wedging out rocks (Where blasting is prohibited) for retaining walls, breast walls, culverts, bridges, drains and parapets etcetera as per drawings and M.O.R.D. technical specification clause 305.1 and as per direction of the Engineer- In – Charge, including setting out, construction of shoring and bracing , removal of stumps and other deleterious materials and disposal of materials upto any lead and upto any lift including dressing of sides and bottom and back filling in trenches with excavated suitable approved material to the original surface in layers not exceeding 150mm (one hundred fifty millimeters) compacted thickness including shoring and strutting and pumping and bailing out water (surface and sub soil water) upto any depth and any quantum of water including cleaning of slush which may arise out during dewatering as per direction of Engineer-in-Charge. Including carriage of materials within all leads and lifts and other incidental the rate including of octroi, royalty, Malkana, tolltax, or other taxes imposed by the government. | 9.00 | Per Cum | | | |
| 2 | Providing and laying mechanically mixed and vibrated plain cement concrete in foundation and plinth, as per drawing and Morth technical specification section 800, 900 & 1200 for nominal mix 1:5:10 (one cement : five sand : ten graded stone agg. 40mm (forty millimeter) nominal size) and curing complete as per direction of Engineer-in-Charge and as per the drawing and hauling carriage of labour, equipments and materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect the rate including of octroi, royalty, Malkana, tolltax, or other taxes imposed by the government. | 33.00 | Per Cum | | | |
| 3 | Providing weep holes in brick masonry/stone masonry, plain/reinforced concrete abutment, wing wall, return wall with 100mm dia PVC pipe extending through the full width of the structures with slope of 1(V):20(H) towards drawing face complete as per drawing and technical specification clause 614, 709, 1204.3.7. including entire carriage of materials within all leads and lifts and other incidentals the rate including of octroi, royalty, Malkana, tolltax, or other taxes imposed by the government. | 14.00 | Each | | | |
| Total | | | | | | |

Executive Engineer
Bajjnath Division,
H.P.P.W.D. Bajjnath (H.P.)

D.N.I.T/ SCHEDULE OF QUANTITY

9

Name of work :- C/O Jeepable Road along with Paver Block Post office to Deep raj /Tilak House ward no. 3 .
(Sh:- P/L 60mm thick Paver Block). DEPOSIT WORK - SIDP/2024/811

| | |
|---------------------|-----------|
| Estimated Cost: Rs. | 98957.00 |
| Earnest Money: Rs. | 2,000.00 |
| Time Limit : | Two Month |

SCHEDULE OF WORKS

| Sr No. | Description of work | No.or Qty. | Unit | Estimated Rate | | AMOUNT Rs. P |
|--------------|---|------------|------|----------------|-------|-----------------|
| | | | | Figure | Words | |
| 1 | Providing concrete for plain / reinforced concrete in open foundations complete as per drawings and technical specifications Clause 802, 803, 1202 & 1203 PCC Grade M-20 Nominal Mix 1:2:4 (one cement : two sand; four aggregate) per the direction of Engineer-in-charge including entire carriage of materials within all leads and lifts and other incidentals. The rate including Royalty, Malkhana, Octroi, toll tax, GST or other taxes imposed by the Government. | 0.46 | Cum | | | |
| 2 | Providing and laying factory made chamfered edge Cement Concrete paver blocks in footpath, parks, lawns, drive ways or light traffic parking etc, of required strength, thickness & size/ shape, made by table vibratory method using PU mould, laid in required colour & pattern over 50mm thick compacted bed of sand, compacting and proper embedding/laying of inter locking paver blocks into the sand bedding layer through vibratory compaction by using plate vibrator, filling the joints with sand and cutting of paver blocks as per required size and pattern, finishing and sweeping extra sand. complete all as per direction of Engineer-in-charge 60mm (sixty millimeter) thick cement concrete paver block of M-35 grade with approved colour, design & pattern. The rate including of octroi, royalty, Malkana, tolltax, Sale Tax or other taxes imposed by the government | 59.85 | Sqm | | | |
| TOTAL | | | | | | |

Executive Engineer
Bajjnath Division,
H.P.P.W.D. Bajjnath (H.P.)

DNIT/DRAFT SCHEDULE OF QUANTITY

Estimate Cost: 99,001.00/-
 Earnest Money: 2000.00/-
 Time Limit : One Month

Name of work :- C/O ambulance Road from Chaniyara to Mehta Basti Mohal (SDP/2024/832) (under Deposit)
 (SH:-P/L C. C Pavement & Kharnja Soling)

| Sr. No. | Description of work | No. or Qty. | Unit | Rate | | AMOUNT Rs. P |
|--------------|---|-------------|-----------------|---------|-------|-----------------|
| | | | | Figures | Words | |
| | | | | | | |
| 1 | Providing and laying hard stone Soiling properly hand packed intersects with kharanja staone and consolidating with power / hand roller to requested gradient and camber including spreading watering and rolling of binding morrum or earth etc complete as per HPPWD specification 100 mm spread thickness finished work including materials and labour as per the direction of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals .The rate including of octroi, royalty, Malkana, tolltax, Sale Tax or other taxes imposed by the government. | 11.25 | Per Cubic metre | | | |
| 2 | Providing and laying mechanically mixed and vibrated reinforced cement concrete in open foundation of plain cement concrete of Grade M-20 (M-Twenty) designed mix with minimum cement contents of 350 kgs (Three hundred fifty kilograms) per cubic meter with 20 mm (Twenty Milimeters) nominal size graded crushed/ broken stone aggregate and curing complete including the cost of form work complete as per drawings and MORD technical specifications Clause 802, 803,1202 & 1203 and as per the direction of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals .The rate including of octroi, royalty, Malkana, tolltax, Sale Tax or other taxes imposed by the government. | 11.25 | Per Cubic metre | | | |
| Total | | | | | | |

Executive Engineer
 Bajjnath Division,
 H.P.P.W.D. Bajjnath (H.P.)

DNIT/DRAFT SCHEDULE OF QUANTITY

| Name of work : C/O Pucca Path from Joginder Kumar House to Darku nallah Nohra road (VKVNY/2023/1185) Deposit work (SH: P/L G-II and C C pavement at km 0/060 TO 0/170 & C/O Edge wall at km 0/060 to 0/116) | | | | Estimate Cost: 1,48,087.00/- Earnest Money: 3,000.00/- Time Limit : Two Months | | |
|--|---|-------------|-----------------|--|-------|-----------------|
| Sr. No. | Description of work | No. or Qty. | Unit | Rate | | AMOUNT Rs. P |
| | | | | Figures | Words | |
| 1 | Earth work in excavation for all type of road structure and in all type of classification of soil comprising of ordinary soil, ordinary rock, hard rock chiseling /wedging out rocks (Where blasting is prohibited) for retaining walls, breast walls, culverts, bridges, drains and parapets etcetera as per drawings and M.O.R.D technical specification clause 305.1 and as per direction of the Engineer- In – Charge, including setting out, construction of shoring and bracing , removal of stumps and other deleterious materials and disposal of materials upto any lead and upto any lift including dressing of sides and bottom and back filling in trenches with excavated suitable approved material to the original surface in layers not exceeding 150mm (one hundred fifty millimeters) compacted thickness including shoring and strutting and pumping and bailing out water (surface and sub soil water) upto any depth and any quantum of water including cleaning of slush which may arise out during dewatering as per direction of Engineer-in-Charge. Including carriage of materials within all leads and lifts and other incidental.The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government. | 6.72 | Per Cum | | | |
| 2 | Providing laying spreading and compacting stone aggregate of size 63mm to 45mm (sixty three millimetre to forty five millimetre) Grading-II to water bound Macadam specification including spreading in uniform thickness using template, hand packing, rolling with three wheel 80-100 K.N static roller in stages to proper grade and camber, applying and brooming, stone screening type-B of size 11.2mm (eleven decimal point two millimetre) nominal size at the rate of 0.20 cubic metre (zero point two zero cubic metre) per ten square metre and binding material at the rate of 0.06 cubic metre (zero decimal zero six) cubic metre per ten square metre to fill up the intersitices of coarse aggregate, watering and compacting to the required density as per M.O.R.D. technical specifications clause No. 405 and to the entire satisfaction and direction of Engineer - in- Charge including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government. | 1.86 | Per Cubic Metre | | | |
| 3 | Providing and laying mechanically mixed and vibrated reinforced cement concrete in open foundation of plain cement concrete of Grade M-20 (M-Twenty) designed mix with minimum cement contents of 350 kgs (Three hundred fifty kilograms) per cubic meter with 20 mm (Twenty Milimeters) nominal size graded crushed/ broken stone aggregate and curing complete including the cost of form work complete as per drawings and MORD technical specifications Clause 802, 803,1202 & 1203 and as per the direction of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals .The rate including of octroi, royalty, Malkana, tolltax, Sale Tax or other taxes imposed by the government. | 7.92 | Per Cubic metre | | | |
| 4 | Providing and laying mechanically mixed and vibrated plain cement concrete in foundation and plinth, as per drawing and Morth technical specification section 800, 900 & 1200 for nominal mix 1:4:8 (one cement : four sand :Eight graded stone agg. 40mm (forty millimeter) nominal size) and curing complete as per direction of Engineer-in-Charge and as per the drawing and hauling carriage of labour, equipments and materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect.The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government. | 15.68 | Per Cum | | | |
| 5 | Providing weep holes in brick masonry/stone masonry, plain/reinforced concrete abutment, wing wall, return wall with 100mm dia PVC pipe extending through the full width of the structures with slope of 1(V):20(H) towards drawing face complete as per drawing and technical specification clause 614, 709, 1204.3.7 including entire carriage of materials within all leads and lifts and other incidentals.The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government. | 15.00 | Each | | | |
| Total | | | | | | |

Executed by
Bajjnath Division,
H.P.P.W. D. Bajjnath (H.P.)

DNIT/DRAFT SCHEDULE OF QUANTITY

12

| Name of Work: - Construction of Majherna to Sagoor via Chakol Behru Road (MNP) km 0/00 to 2/695 (SH:- Construction of 1.00 mtr span RCC slab culvert at RD 2/660 , U shape drain at RD 2/660 to 2/695) | | | | Estimate Cost: 1,98,675.00 Earnest Money:4,000.00 Time Limit : Two Month s | | |
|--|---|------------|------|---|-------|-----------------|
| Sl. No. | Description of work | No.or Qty. | Unit | Rate to be entered by the | | AMOUNT Rs. P |
| | | | | Figures | Words | |
| 1 | Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 including setting out, construction of shoring and bracing, removal of stumps and other deleterious material and disposal upto a lead of 50 m, dressing of sides and bottom and backfilling in trenches with excavated suitable material.(Ordinary rock and hard rock) as per direction of Engineer-in-Charge. Including carriage of materials within all leads and lifts and other incidental.The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government. | 29.49 | Cum | | | |
| 2 | Providing concrete for plain/reinforced concrete in open foundations complete as per drawings and technical specifications Clause 802, 803, 1202 & 1203 (P.C.C M-10-1:3:6 as per direction of Engineer-in-Charge. Including carriage of materials within all leads and lifts and other incidental.The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government. | 11.35 | Cum | | | |
| 3 | Providing concrete for plain/reinforced concrete in open foundations complete as per drawings and technical specifications Clause 802, 804, 805 ,806,807,1202 and 1204 M-15 as per direction of Engineer-in-Charge. Including carriage of materials within all leads and lifts and other incidental.The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government. | 13.90 | Cum | | | |
| 4 | Providing concrete for plain/reinforced concrete in open foundations complete as per drawings and technical specifications Clause 802, 804, 805 ,806,807,1202 and 1205 RCC M-20 as per direction of Engineer-in-Charge. Including carriage of materials within all leads and lifts and other incidental.The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government. | 0.60 | Cum | | | |
| 5 | Providing concrete for plain/reinforced concrete in open foundations complete as per drawings and technical specifications Clause 800,1205.4 and 1205.5 RCC M-25 as per direction of Engineer-in-Charge. Including carriage of materials within all leads and lifts and other incidental.The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government. | 1.92 | Cum | | | |
| 6 | Supplying, fitting, and placing HYSD bar reinforcement in structure complete as per drawing and technical specifications Clauses 1002, 1005,1010 and 1202 as per direction of Engineer-in-Charge. Including carriage of materials within all leads and lifts and other incidental.The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government. | 228.93 | Kg | | | |
| | | | | | | |

Executive Engineer
Bajnath Division,
H.P.P.W.D. Bajjnath (H.P.)

DNIT/DRAFT SCHEDULE OF QUANTITY

13

Name of Work: - Construction of Draman Sungal Jadiyahala Jandpur Majherna Chattarghar Sagoor road km 0/00 to 5/830
 Estimate Cost: 1,37,418.00
 Earnest Money: 2,800.00
 Time Limit : Two Month
 (SH:- Construction of 1.00 mtr span RCC slab culvert at RD 5/540) (SCSP)

| Sl. No. | Description of work | No.or Qty. | Unit | Rate to be entered by the | | AMOUNT Rs. P |
|---------|---|------------|-------|---------------------------|-------|-----------------|
| | | | | Figures | Words | |
| 1 | Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 including setting out, construction of shoring and bracing, removal of stumps and other deleterious material and disposal upto a lead of 50 m, dressing of sides and bottom and backfilling in trenches with excavated suitable material.(Ordinary rock and hard rock) as per direction of Engineer-in-Charge. Including carriage of materials within all leads and lifts and other incidental.The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government. | 19.67 | Cum | | | |
| 2 | Providing concrete for plain/reinforced concrete in open foundations complete as per drawings and technical specifications Clause 802, 803, 1202 & 1203 (P.C.C M-10-1:3:6 as per direction of Engineer-in-Charge. Including carriage of materials within all leads and lifts and other incidental.The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government. | 2.37 | Cum | | | |
| 3 | Providing concrete for plain/reinforced concrete in open foundations complete as per drawings and technical specifications Clause 802, 804, 805 ,806,807,1202 and 1204 M-15 as per direction of Engineer-in-Charge. Including carriage of materials within all leads and lifts and other incidental.The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government. | 12.54 | Cum | | | |
| 4 | Providing concrete for plain/reinforced concrete in open foundations complete as per drawings and technical specifications Clause 802, 804, 805 ,806,807,1202 and 1205 RCC M-20 as per direction of Engineer-in-Charge. Including carriage of materials within all leads and lifts and other incidental.The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government. | 0.61 | Cum | | | |
| 5 | Providing concrete for plain/reinforced concrete in open foundations complete as per drawings and technical specifications Clause 800,1205.4 and 1205.5 RCC M-25 as per direction of Engineer-in-Charge. Including carriage of materials within all leads and lifts and other incidental.The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government. | 1.92 | Cum | | | |
| 6 | Supplying, fitting, and placing HYSD bar reinforcement in structure complete as per drawing and technical specifications Clauses 1002, 1005,1010 and 1202 as per direction of Engineer-in-Charge. Including carriage of materials within all leads and lifts and other incidental.The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government. | 0.23 | Tonne | | | |

Executive Engineer
 Bajnath Division,
 H.P.P.W.D. Bajnath (H.P.)