

HIMACHAL PRADESH
PUBLIC WORKS DEPARTMENT

No. PWCB/CB-GA/Tender/2025-26-

7227-7326

Dated:-

To


The Executive Engineer (IT Cell),
Nigam Bihar, Himachal Pradesh Shimla-2.
cc-pwd-hp@nic.in

Subject: - Publication of Tender Notice

Sir,

Enclosed please find herewith notice of various work as given in the "short Term notice inviting tender" for uploading on departmental website as per notification Pr. Secy (PW) to the Govt. of Himachal Pradesh letter No. PBW (B) A (3) 1/2020 dated Shimla-2 the 16th July 2021 as the works mentioned in the tender Notice are urgent nature and public interest.

Your's Faithfully,


Executive Engineer,
Bharmour Division,
HP.PWD, Bharmour

DA/As above.

Copy forwarded to the following for information please:-

1. Engineer-in-Chief, HP.PWD, Shimla.
2. Chief Engineer, Kangra Zone, HP.PWD.Dharamshala.
3. Deputy Commissioner Chamba District Chamba.
4. All the Superintending Engineers/Executive Engineer in HPPWD
5. All the Assistant Engineer under Bharmour Division.
6. Additional District Magistrate Bharmour.
7. The Superintendent of Police Chamba.
8. Labour Officer Chamba.
9. Notice Board of this office


Executive Engineer,
Bharmour Division,
HP.PWD, Bharmour

HIMACHAL PRADESH
PUBLIC WORKS DEPARTMENT
SHORT TERM NOTICE INVITING TENDERS

Sealed item rate tenders on from 6 & 8 are hereby invited by the Executive Engineer, Bharmour Division, HP.PWD. Bharmour on behalf of the Governor of H.P. for the following works from the approved and eligible contractors enlisted with HPPWD.

Tender Schedule:-

Date and time of receipt of application along with tender fee for tender form- 7.08.2025 up to 1.00 PM

Date and time of issue/Sale of tender form- 7.08.2025 at 2:00 PM to 5.00 PM

Date and time of receipt of tender form-8.08.2025 up to 12:30 PM

Date and time of opening tender form- 8.08.2025 at 2.00 PM

The tender form can be had from the office of the Executive Engineer against Cash (Non-refundable). The earnest money should be in the shape of **Fixed Deposit duly pledged in favour of the Executive Engineer Bharmour Division HPPWD Bharmour** must accompany each tender. Conditional tender and the tender received without earnest money will summarily be reject. The offer will be kept open for 75 days. The Executive Engineer reserves the right to reject one or all tenders without assigning any reason.

Sr. No.	Name of work	Estimated cost	EMD	Cost of Tender	Time Allowed	Class of Contractor
1.	Restoration of rain damage on Rakh Dhanara road Km 0/00 to 8/325 (Under NDRF 2025-26) (SH:- Construction of PCC R/Wall from RD 1/648 to 1/655	449474/-	9000/-	350/-	15 days	C & D
2.	Restoration of rain damage on Rakh Dhanara road Km 0/00 to 8/325 (Under NDRF 2025-26) (SH:- Construction of PCC R/Wall from RD 1/655 to 1/662	449213	9000/-	350/-	15 days	C & D

Certificate: - It is certified that the tenders of above works are exigency /emergent nature and in public interest.

Terms and conditions:-


- 1. The contractors shall produce their latest registration/ renewal of their registration/ Acknowledgement of up to date filed GST Return along with Certificate of GST Registration as per Condition No. 16(iii)/ EPF No. and earnest money should be accompanied with application. Application without earnest money will not be entertained.**
- 2. Ambiguous/ telegraphic/Conditional tenders or tender by fax/ E- mail shall not be entertained/ considered and will summarily be rejected. Tender received after due date and time will be rejected. 3. The offer shall remain valid up to 75 days.**
- 4. The contractor should not have more than two contracts within Division at a time tender. If the contractor has already two works in hand then the tender not excepted at the time of opening of tender and the same will be rejected technical evaluations.**
- 5. If the contractors found lowest more than two works during the opened of bid then two works awarded to contractor at the one time and then opportunity will be given to next lowest bidder.**
- 6. The contractor/bidder should quoted in percentage in words as well as in figures failing which XEN reserves the right to accept/ reject any or all tenders.**

7. The contractor /bidders must inspect the site to ascertain /familiar the site conditions, accessibility etc. before quoting the bid/tender.
8. The tender documents shall be issued to only those contractors who does not have more than two works in hand in any HPPWD Circle/Division worth Rs. 1.00 Crore each.
9. That all your rates are inclusive of GST as such you ;will pay whole of it and you would not claim anything extra on this account from the Department.
10. The provisions of notification issued vide Additional Chief Secretary (PW) to the Govt. of HP. Shimla notification No. PBW (B) A (3)1/2018 dated 13.04.2021 shall also be applicable.

Provisions of the Addl. Chief Secretary (PW) to the Govt. of HP letter No. PBW(B)C(17)2/2012 dated 07.08.2018 are applicable.

The bidders are requested to submit their bid as per Notification issued by the Principal secretary PW to the Govt. of HP vide No.PBW(B)A(3)1/2020 dated 22.07.2020 & Govt. of HP vide No. PBW(B)A(3)1/2020-I dated 07.10.2021 and Engineer-in-Chief HPPWD Shimla-2 letter No. PW/CTR/32-20/Genl. Inst. CPWD/2020-37996- 38095 dated 13.03.2023.


Executive Engineer,
Bharmour Division,
HP.PWD; Bharmour




SCHEDULE OF QUANTITY

NAME OF WORK : Restoration of rain damage on Rakh Dhanara Road Km 0/00 to 8/25 (Under NDRF 2025-26)
SUB-HEAD :- Construction of PCC R/wall at Rd 1/648 to 1/655

Sl. No.	Description of work	Quantity		RATES		Unit	Amount
		Fig	Words				
1	Earth work in excavation for all type of road structure such as retaining walls, breast walls, culverts, drains and parapets etcetera in all type of classification of soil comprising of ordinary soil, ordinary rock, hard rock chiseling /wedging out rocks (Where blasting is prohibited) as per drawings and M.O.R.D. technical specification clause 305 and 1603.4 and as per direction of the Engineer- In – Charge including setting out, shoring and bracing, removal of stumps and other deleterious materials and disposal of materials upto any lead and upto any lift including dressing of sides and bottom and back filling in trenches with excavated suitable approved material to the original surface in layers not exceeding 150mm (one hundred fifty millimetres) compacted thickness including shoring and strutting and pumping and bailing out water (surface and sub soil water) upto any depth and any quantum of water including cleaning of slush which may arise out during dewatering as per direction of Engineer – in- Charge including carriage of materials within all leads and lifts and other incidental. The rate including octroi, royalty, Malkana, toll tax, sale tax or other taxes imposed by the Government.	8.96	Cubic metres		Per cubic metre		
2	Providing and laying mechanically mixed and vibrated plain cement concrete in open foundations complete as per drawings and technical MORD specifications C Clause 802, 803, 1202 & 1203 1.4.8 (One cement isto four sand isto eight graded/crushed stone aggregate 40mm (forty millimetres) nominal size) in road work as per direction of Engineer – in- Charge including carriage of materials within all leads and lifts and other incidental . The rate including octroi, royalty, Malkana, toll tax, sale tax or other taxes imposed by the Government.	83.79	Cubic metres		Per cubic metre		
3	Providing and laying 100mm (Hundred millimeter) dia P.V.C pipe weep holes in brick masonry/stone masonry, plain reinforced concrete, Abutments, Wing walls, Return walls and retaining/foreast walls extended through the full width of the structure with slope (V):20(H)(One vertical : Twenty Horizontal) towards draining face complete as per drawing and MORD technical specification C clause 619,709 & 1206.6 and as per direction of Engineer-in-charge including carriage of materials within all leads and lifts and other incidentals. The rate is inclusive, toll taxes, GST and any other taxes imposed by the Government.	18.00	Each		Each		
4	Back filling with granular material behind abutments, wing walls, return walls and retaining walls complete in road structure as per drawing and M.O.R.D. technical specifications clause 1604.7 and section 300 and as per direction of Engineer – in- Charge including carriage of materials within all leads and lifts and other incidental . The rate including octroi, royalty, Malkana, toll tax, sale tax or other taxes imposed by the Government.	22.89	Cubic metres		Per cubic metre		

5	Supplying, fitting, and placing HYSD bar reinforcement in superstructure complete as per drawing and technical specifications Clauses 1002,1010 and 1202 as per direction of Engineer – in- Charge including carriage of materials within all leads and lifts and other incidental . The rate including octroi, royalty, Malkana, toll tax, sale tax or other taxes imposed by the Government.	112.08	Kilogramme	Per Kilogramme	
<i>Total :-</i>					


Executive Engineer,
Bharmour Division,
HPPWD Bharmour

SCHEDULE OF QUANTITY

ESTIMATED COST :-	Rs 449213.00
EARNEST MONEY :-	Rs 9000.00
TIME LIMIT	Fifteen Days

NAME OF WORK : Restoration of rain damage on Rakh Dhanara Road Km 0/00 to 8/325 (Under NDRF 2025-26)
SUB-HEAD :- Construction of PCC R/wall at Rd 1/655 to 1/662

Sl. No.	Description of work	Quantity		RATES		Unit	Amount
		Fig	Words				
1	Earth work in excavation for all type of road structure such as retaining walls, breast walls, culverts, drains and parapets etcetera in all type of classification of soil comprising of ordinary soil, ordinary rock, hard rock chiseling /wedging out rocks (Where blasting is prohibited) as per drawings and M O R D technical specification clause 305 and 1603.4 and as per direction of the Engineer- In – Charge including setting out, shoring and bracing, removal of stumps and other deleterious materials and disposal of materials upto any lead and upto any lift including dressing of sides and bottom and back filling in trenches with excavated suitable approved material to the original surface in layers not exceeding 150mm (one hundred fifty milimetres) compacted thickness including shoring and strutting and pumping and bailing out water (surface and sub soil water) upto any depth and any quantam of water including cleaning of slush which may arise out during dewatering as per direction of Engineer – in-Charge including carriage of materials within all leads and lifts and other incidental . The rate including octroi, royalty, Malkana, toll tax, sale tax or other taxes imposed by the Government.	8.96	Cubic metres			Per cubic metre	
2	Providing and laying mechanically mixed and vibrated plain cement concrete in open foundations complete as per drawings and technical MORD specifications Clause 802, 803, 1202 & 1203 1:4.8 (One cement isto four sand isto eight graded/crushed stone aggregate 40mm (forty milimetres) nominal size) in road work as per direction of Engineer – in-Charge including carriage of materials within all leads and lifts and other incidental . The rate including octroi, royalty, Malkana, toll tax, sale tax or other taxes imposed by the Government	83.79	Cubic metres			Per cubic metre	
3	Providing and laying 100mm (Hundred millimeter) dia P.V.C pipe weep holes in brick masonry/stone masonry, plain reinforced concrete, Abutments, Wing walls, Return walls and retaining/breast walls extended through the full width of the structure with slope 1(V) 20(H)(One vertical : Twenty Horizontal) towards draining face complete as per drawing and MORD technical specification Clause 619,709 & 1206.6 and as per direction of Engineer-in-charge including carriage of materials within all leads and lifts and other incidentals. The rate is inclusive, toll taxes, GST and any other taxes imposed by the Government.	18.00	Each			Each	
4	Back filling with granular material behind abutments, wing walls, return walls and retaining walls complete in road structure as per drawing and M.O.R.D. technical specifications clause 1604.7 and section 300 and as per direction of Engineer – in-Charge including carriage of materials within all leads and lifts and other incidental . The rate including octroi, royalty, Malkana, toll tax, sale tax or other taxes imposed by the Government.	22.89	Cubic metres			Per cubic metre	

5	Supplying, fitting, and placing HVSD bar reinforcement in superstructure complete as per drawing and technical specifications Clauses 1002, 1010 and 1202 as per direction of Engineer - in-Charge including carriage of materials within all leads and lifts and other incidental The rate including octroi, royalty, Makana, toll tax, sale tax or other taxes imposed by the Government	109.68 Kilogram mm	Per Kilogramme	Total :-

Spur
Executive Engineer,
Bharmour Division,
HPPWD Bharmour