

**HIMACHAL PRADESH  
PUBLIC WORKS DEPARTMENT  
NOTICE INVITING TENDER**

Sealed item rate / percentage rate tender are hereby invited on Form No. 6& 8 by the Executive Engineer, Bhoranj Division, HPPWD, Bhoranj on behalf of the Governor of Himachal Pradesh for the following works from the approved and eligible contractors/ firms of appropriate class enlisted in HPPWD (B&R) whose registration stood registered under the H.P. General Sales tax Act, 1968. As per latest instructions so as to reach and open in his office as per time schedule given below. The offer of the tender will be kept open for 20 days from the date of opening of the tenders. The undersigned reserves the right to reject any or all the tenders without assigning any reasons.

1. Date of receipt of Applications for tender form a/w requisite documents:- 28-08-2025 upto 10.00 AM to 11:00 AM.)
2. Date of issue/Sale of tender forms against Cash payment (Non- refundable) 28-08-2025 -2025 (3:00 PM to 5.00 PM)
3. Date of receipt of Tender:- 29-08-2025 at 10.30 AM.
4. Date of opening of Tender:- 29-08-2025 at 11.30 AM.

Sr. No.	Name of Road	Estimated Cost	Earnest Money	Time	Cost of Tender Form	Eligible class of Contractor
1	Restoration of rain damages on Una Aghar Mandi road ( SH:- C/O B/wail at RD 74/150 to 74/157 )	90584/-	2000/-	Two Months	Rs. 350/-	Class-D
2	R/M of Panjarda -Hanoh road Km 0/00 to 2/500 ( SH:- C/O R/wall at RD 1/240 to 1/245 )	99208/-	2000/-	Two Months	Rs. 350/-	Class-D
3	Restoration of rain damages on Una Aghar Mandi road ( SH:- C/O B/wall at RD 74/157 to 74/164 )	91664/-	2000/-	Two Months	Rs. 350/-	Class-D
4	R/M of Panjarda- Hanoh road Km 0/00 to 2/500 ( SH:- C/O R/wall at RD 1/245 to 1/250 )	99208/-	2000/-	Two Months	Rs. 350/-	Class-D
5	Restoration of rain damages on Jijwin-Chamboh Km 0/00 to 9/255 ( SH:- C/O RCC protection wall at RD 1/870 to 1/876.40 )	97907/-	2000/-	Two Months	Rs. 350/-	Class-D
6	Restoration of rain damages on Tarkawari to Jalahu via Bhater Kosad ( SH:- C/O R/wall at RD 0/720 to 0/726.50 )	98031/-	2000/-	Two Months	Rs. 350/-	Class-D
7	Restoration of rain damages on Jijwin - Chamboh road Km. 0/00 to 9/255 ( SH:- C/O RCC Protection wall at RD 1/876.40 to 1/882.80 )	97907/-	2000/-	Two Months	Rs. 350/-	Class-D
8	Restoration of rain damages on Tarkawari to Jalahu via Bhater Kosad ( SH:- C/O R/wall at RD 0/726.50 to 0/733 )	98031/-	2000/-	Two Months	Rs. 350/-	Class-D
9	Restoration of rain damages on Jijwin - Chamboh road Km 0/00 to 9/255 ( SH:- C/O RCC protection wall at RD 1/882.80 to 1/889.20 )	97907/-	2000/-	Two Months	Rs. 350/-	Class-D
10	A/ R & M/O Vety. Hospital Bhareri to Amroh via Jaroh km 0/00 to 2/00 ( SH:- Providing and installation of crash Barrier at RD 0/200 to 0/224 )	96000/-	2000/-	Two Months	Rs. 350/-	Class-D

11	Restoration of rain damages on Kharwar to Jakhyol via Dhamrola. ( SH:- P/L interlocking paverblock and RCC Hume Pipe dia 300mm at RD 2/035 to 2/050)	99919/-	2000/-	Two Months	Rs. 350/-	Class-D
12	A/R & M/O Vety Hospital Bhareri to Amroh via Jaroh Km 0/00 to 2/00) ( SH:- Providing and installation of crash Barrier at RD 0/250 to 0/274)	96000/-	2000/-	Two Months	Rs. 350/-	Class-D
13	Restoration of rain damages on Kharwar to Jakhyol via Dhamrola ( SH:- P/L interlocking paverblock at RD 0/020 to 2/035)	92316/-	2000/-	Two Months	Rs. 350/-	Class-D
14	C/O link road Sammu Tal to Bassi Bazar ( Old Hamirpur Jahu road ) ( SH:- C/O R/wall at RD 0/100 to 0/120) ( SDP/ 2024/209)	431651/-	9000/-	Two Months	Rs. 350/-	Class-D
15	R/M of various roads under Bhareri Section Bhoranj Sub Division ( SH:- Maintenance of earthen shoulder , unlined surface drain and removal of slip)	99227/-	2000/-	Two Months	Rs. 350/-	Class-D
16	R/R damages on link road to village Dhirar km 0/00 to 4/225 ( SH:- Backfilling behind wire crate R/wall at RD 0/230 to 0/251 & 0/370 to 0/391)	67583/-	2000/-	Two Months	Rs. 350/-	Class-D
17	R/M of various road under Bhareri Section Under Bhoranj Dub Division ( SH:- Removal of slips, maintenance of earthen shoulders and C/O unlined surface drain)	97356/-	2000/-	Two Months	Rs. 350/-	Class-D
18	R/M of various roads under Bhoranj Sub Division ( SH:- Removal of slips, maintenance of earthen shoulders and C/O unlined surface drain)	96313/-	2000/-	Two Months	Rs. 350/-	Class-D

The earnest money in the shape of National Saving Certificate/ Time Deposit/ saving account of any post office or FDR of Nationalized Bank duly pledged in the name of undersigned must be accompanied with each tender. The Conditional tender and tender not accompanying the earnest money in the proper mode of deposit with summarily be rejected.

The Tender documents to be sent should have invariably be waxed in sealed cover and in failure of that those will not be entertained.

The Copy of valid enlistment, GST Registration No. Income Tax PAN No. & EPF No. must be attached with application.

#### **TERMS AND CONDITIONS:-**

The tender form will be issued to those contractors who have relevant machinery and equipment, the list of which may be attached with their applications (The proof of ownership of machinery/ legal tie up arrangement).

The tender forms will not be issued to those contractors whose performance is not found satisfactory.

The tender form will not be issued to those contractors who have already two works in hand. The earnest money for the above work should be submitted with the application for the purchase of the tender forms. The application received without earnest money shall summarily be rejected.

The conditional/ ambiguous/ telephonic tenders or tender by fax shall not be entertained considered in any case.

- (i) No Violation of social distancing.
- (ii) Mandatorily wearing of face cover by everyone.
- (iii) It is further added that any violation of the National directives & guidelines of containment of pandemic Covid-19 is liable for prosecution under section of IPC 1860.

Certified that the above work is of emergent nature in exigency of Public interest.

Executive Engineer  
Bhoranj Division  
HPPWD Bhoranj

For and on behalf of Governor of HP.

Dated:- 20-8-2025

No:-PW/BHD/TA/NIT/2024-

6561-99

Copy forwarded for information & necessary action to:-

1. The Engineer-in-Chief, Nirman Bhawan Nigam Vihar, HP:PWD., Shimla.
2. The Chief Engineer (HZ) HPPWD., Hamirpur.
3. The Superintending Engineer, 8<sup>th</sup> Circle HPPWD, Hamirpur.
4. All the Superintending Engineers/ Executive Engineers in HP.PWD.
5. The Deputy Commissioner, Hamirpur.
6. The Tehsildar, Bhoranj.
7. The B. D. O. Bhoranj.
8. The Municipal Committee, Bhoranj.
9. All the Assistant Engineers working under this Division.
10. Accounts Branch/ Drawing Branch/ Notice Board.
11. LokMitra, Bhoranj.
12. Various Contractors/ Firms.

Executive Engineer,  
Bhoranj Division,  
HPPWD, Bhoranj.

## SCHEDULE OF QUANTITY

Description of Items	Quantity	Unit	Rate	Rates in Words	Estimated Cost Rs. 90584/- Earnest Money Rs. 2000/- Time 2 month
Earth work in excavation for all types of road structure such as retaining walls, breast walls, culverts, drains and parapets etcetera in all type of classification of soil comprising of ordinary soil, ordinary rock, hard rock, chiseling/wedging out or rock (where blasting is prohibited) as per drawings and construction of shoring and bracing removal of stumps and other deleterious materials and disposal of materials upto any leads and lifts includin dressing of sides and bottom and back filling in trenches with excavated suitable approved material to the original surface in layers not exceeding 150mm (one hundred fifty millimetre ) compacted thickness including shoring an structuring and pumping and balling out water (surface and sub water) upto any depth and any quantum of water including cleaning of slush which arse out during dewatering as per the direction of the Engineer-in-charge including entire carriage of material within all leads and lifts and other incidentals. The rates are inclusive octrol, royalty, Malkana, toll tax,sale tax or other taxes imposed by the Government.	9.10	Per Cubic Meter			
Providing and laying mechanically mixed cement concrete 1:5:10 (one cement:five sand :ten graded crushed stone aggregate 40mm (forty millimetre nominal size ) and curing complete including cost of form work with M.S. plates for plain concrete on ground or under water and curing complete including pumping or bailing out water, dewatering removal of slush as required at site which may arise at the time of laying under water complete for all heights and depths. In retaining walls (breast walls complete as per drawings and technical specifications Clause 802, 803, 1200 and as per direction of Engineer-in-charge including entire carriage of material within all leads and lifts and other incidentals. The rates are inclusive octrol, royalty, Malkana, toll tax,sale tax or other taxes imposed by the Government.	19.95	Per Cubic Meter			
Providing weep holes in brick/stone masonry/ plain/ reinforced concrete abutment, wing walls, return walls, retaining walls and breast wall with 110mm( one hundred ten millimeter) dia PVC pipe De-plastifolex vecus pipe having pressure 4kg per centimeter square. (four kilogramme per centimeter square ) extending through the full width of the structures with slopes of (0V: 20H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 as per direction of Engineer-in -Charge including entire carriage of material within all leads and lifts and other incidentals. The rates are inclusive octrol, royalty, Malkana, toll tax,sale tax or other taxes imposed by the Government.	8.00	Each			
<b>Total</b>					
<b>Terms and Condition:-</b>					

1. Work shall be executed as per PWD specification.

Executive Engineer  
Bhoramji Division  
H.P.W.D. Bhoramji

OF WORK:- RUM of Panjarda-Hanoh road km. 0100 to 21500.(SH:- C/O R/Wall at RD 1/240 to 1/245)

# SCHEDULE OF QUANTITY

Estimated Cost  
Rs. 99208/-  
Earnest Money  
Rs. 2000/-  
Time  
2 month

No	Description of Items	Quantity	Unit	Rate	Rates in Words	Amount
1	Earth work in excavation for all types of road structure such as retaining walls, breast walls, culverts, drains and parapets etcetera in all type of classification of soil comprising of ordinary soil, ordinary rock, hard rock, chiseling/wedging out or rock (where blasting is prohibited) as per drawings and construction of shoring and bracing removal of stumps and other deleterious materials and disposal of materials upto any leads and lifts including dressing of sides and bottom and back filling in trenches with excavated suitable approved material to the original surface in layers not exceeding 150mm (one hundred fifty millimetre) compacted thickness including shoring an structuring and pumping and baililing out water (surface and sub sol water) upto any depth and any quantum of water including cleaning of slush which arise out during dewatering as per the direction of the Engineer-in-charge including entire carriage of material within all leads and lifts and other incidentals. The rates are inclusive octrol, royalty, Malkana, toll tax, sale tax or other taxes imposed by the Government.					
2	Providing and laying mechanically mixed cement concrete 1:5:10 (one cement:five sand:ten graded crushed stone aggregate 40mm (forty millimetre nominal size) and curing complete including cost of form work with M.S. plates for plain concrete on ground or under water and curing complete including pumping or baililing out water, dewatering removal of slush as required at site which may arise at the time of laying under water complete for all heights and depths. In retaining walls (breast walls complete as per drawings and technical specifications Clause 802, 803, 1200 and as per direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidentals. The rates are inclusive octrol, royalty, Malkana, toll tax,sale tax or other taxes imposed by the Government.	6.12	Per Cubic Meter			
3	Providing weep holes in brick/stone masonry/ plain/ reinforced concrete abutment, wing walls, return walls, retaining walls and breast wall with 110mm( one hundred ten millimeter) dia PVC pipe De-plastifinolex/ vectus pipe having pressure 4kg per centimeter square. (four kilogramme per centimeter square) extending through the full width of the structures with slopes of I(V): 20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 as per direction of Engineer- in -Charge including entire carriage of material within all leads and lifts and other incidentals. The rates are inclusive octrol, royalty, Malkana, toll tax,sale tax or other taxes imposed by the Government.	21.11	Per Cubic Meter			
4	Backfilling behind abutment, wing wall and return wall complete as per drawing & technical specification clause 1204.3.8, and as per direction of Engineer-in-Charge. i) Granular material including entire carriage of material within all leads and lifts and as per direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidentals. The rates are inclusive octrol, royalty, Malkana, toll tax,sale tax or other taxes imposed by the Government.	8.00	Each			
	<b>Total</b>	5.00	Per Cubic Meter			
	<b>Terms and Condition:-</b>					

1. Work shall be executed as per PWD specification.

Executive Engineer  
Bhoranj Division  
H.P.P.W.D Bhoranj

## SCHEDULE OF QUANTITY

Sr No	Description of Items	Quantity	Unit	Rate	Rates in Words	Estimated Cost Earnest Money	Rs 91664/- Rs. 2000/- 2 month
1	Earth work in excavation for all types of road structure such as retaining walls ,breast walls, culverts, drains and parapets etcetera in all type of classification of soil comprising of ordinary soil , ordinary rock , hard rock, chiseling/wedging out of rock (where blasting is prohibited ) as per drawings and construction any leads and lifts includin dressing of sides and bottom and back filling in trenches with excavated suitable approved material to the original surface in layers not exceeding 150mm (one hundred fifty millimetre ) compacted thickness including shoring an structuring and pumping and bailling out water (surface and sub sol water) upto any depth and any quantum of water incusing cleaning of slush which arise out during dewatering as per the direction of the Engineer-in-charge including entire carriage of material within all leads and lifts and other incidentals. The rates are inclusive octroi, royalty, Malkana, toll tax,sale tax or other taxes imposed by the Government.	9.10	Per Cubic Meter				
2	Providing and laying mechanically mixed cement concrete 1:5:10 (one cement:five sand ten graded crushed stone aggregate 40mm (forty millimetre nominal size ) and curing complete including cost of form work with M.S. plates for plain concrete on ground or under water and curing complete including pumping or bailling out water, dewatering removal of slush as required at site which may arise at the time of laying under water complete for all heights and depths. In retaining walls /breast walls complete as per drawings and technical specifications Clause 802, 803, 1200 and as per direction of Engineer-in- Charge including entire carriage of material within all leads and lifts and other incidentals. The rates are inclusive octroi, royalty, Malkana, toll tax,sale tax or other taxes imposed by the Government.	19.95	Per Cubic Meter				
3	Providing weep holes in brick/stone masonry/ plain/ reinforced concrete abutment, wing walls, return walls, retaining walls and breast wall with 110mm( one hundred ten millimeter) dia PVC pipe De- plastic/infotex vectus pipe having pressure 4kg per centimeter square. (four kilogramme per centimeter square ) extending through the full width of the structures with slopes of (IV), 20(1) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 as per direction of Engineer- in-Charge including entire carriage of material within all leads and lifts and other incidentals. The rates are inclusive octroi, royalty, Malkana, toll tax,sale tax or other taxes imposed by the Government.	12.00	Each				
	<b>Total</b>						
	<b>Terms and Condition:-</b>						

1. Work shall be executed as per PWD specification.


Executive Engineer  
Bhoranj Division  
H PWD Bhoranj

# SCHEDULE OF QUANTITY

WORK:- RIM of Panjara-Hanoh road km. 0/00 to 2/500. (SH:- C/O R/Wall at RD 1/245 to 1/250)

Item	Description of Items	Quantity	Unit	Rate	Estimated Cost	
					Time	Rates in Words
1	Earth work in excavation for all types of road structure such as retaining walls ,breast walls, culverts, drains and parapets etcetera in all type of classification of soil comprising of ordinary soil , ordinary rock , hard rock, chiseling/wedging out or rock (where blasting is prohibited) as per drawings and construction of shoring and bracing removal of stumps and other deleterious materials and disposal of materials upto any leads and lifts includin dressing of sides and bottom and back filling in trenches with excavated suitable approved material to the original surface in layers not exceeding 150mm (one hundred fifty millimetre) compacted thickness including shoring an structuring and pumping and pumping and bailing out water (surface and sub soil water) upto any depth and any quantum of water including clearing of slush which arise out during dewatering as per the direction of the Engineer-in-charge including carriage of material within all leads and lifts and other incidentals. The rates are inclusive octrol, royalty, Malkana, toll tax,sale tax or other taxes imposed by the Government.	6.12	Per Cubic Meter			
2	Providing and laying mechanically mixed cement concrete 1:5:10 (one cement:five sand :ten graded crushed stone aggregate 40mm (forty millimetre nominal size ) and curing complete including cost of form work with M.S. plates for plain concrete on ground or under water and curing complete including pumping or bailing out water, dewatering removal of slush as required at site which may arise at the time of laying under water complete for all heights and depths. In retaining walls /breast walls complete as per drawings and technical specifications Clause 802, 803, 1200 and as per direction of Engineer-in-charge including entire carriage of material within all leads and lifts and other incidentals. The rates are inclusive octrol, royalty, Malkana, toll tax,sale tax or other taxes imposed by the Government.	21.11	Per Cubic Meter			
3	Providing weep holes in brick/stone masonry/ plain/ reinforced concrete abutment, wing walls, return walls, retaining walls and breast wall with 110mm( one hundred ten millimeter) dia PVC pipe De-plast/folex/ vectus pipe having pressure 4kg per centimeter square. (four kilogramme per centimeter square ) extending through the full width of the structures with slopes of (1V):20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204:3.7 as per direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidentals. The rates are inclusive octrol, royalty, Malkana, toll tax,sale tax or other taxes imposed by the Government.	8.00	Each			
4	Backfilling behind abutment, wing wall and return wall complete as per drawing & technical specification clause 1204:3.8, and as per direction of Engineer-in-Charge. i) Granular material including entire carriage of material within all leads and lifts and as per direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidentals . The rates are inclusive octrol, royalty, Malkana, toll tax,sale tax or other taxes imposed by the Government.	5.00	Per Cubic Meter			
<b>Total</b>						
	<b>Terms and Condition:-</b>					

1. Work shall be executed as per PWD specification.


  
 Executive Engineer  
 Bhoranj Division  
 H.P.W.D. Bhoranj

## SCHEDULE OF QUANTITY

NAME OF WORK:- Restoration of rain damages on Jijwin-Chamboh road km. 0/00 to 9/255.(SH:- C/O R.C.C Protection Wall at RD 1/870 to 1/876.40)

Estimated Cost  
Earnest Money  
Time

Rs 97907/-  
Rs. 2000/-  
2 month

Sr No	Description of Items	Quantity	Unit	Rate	Rates in Words	Amount
1	Earth work in excavation for all types of road structure such as retaining walls ,breast walls, culverts, drains and parapets etcetera in all type of classification of soil comprising of ordinary soil , ordinary rock , hard rock, chiseling/wedging out or rock (where blasting is prohibited ) as per drawings and construction of shoring and bracing removal of stumps and other deleterious materials and disposal of materials upto any leads and lifts includin dressing of sides and bottom and back filling in trenches with excavated suitable approved material to the original surface in layers not exceeding 150mm (one hundred fifty millimetre ) compacted thickness including shoring an structuring and pumping and bailing out water (surface and sub sol water) upto any depth and any quantum of water inclusing cleaning of slush which arise out during dewatering as per the direction of the Engineer-in-charge including entire carriage of material within all leads and lifts and other incidentals.The rates are inclusive octrol, royalty, Malkana, toll tax,sale tax or other taxes imposed by the Government.	10.24	Per Cubic Meter			
2	Providing concrete for plain/ reinforced concrete in P.C.C. grade M-10(M- ten )nominal mix 1:3:6 ( one cement : three sand : six graded crushed stone aggregate) 20mm( twenty millimeters) nominal size in open foundations complete as per drawings and technical specifications Clause 802, 803, 1202 & 1203 as per the direction of the Engineer-in-charge including entire carriage of material within all leads and lifts and other incidentals. The rates are inclusive octrol, royalty, Malkana, toll tax,sale tax or other taxes imposed by the Government.	1.92	Per cubic meter			
3	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete upto plinth level. Mild steel and Medium Tensile steel bars as per the direction of the Engineer-in-charge including entire carriage of material within all leads and lifts and other incidentals . The rates are inclusive octrol, royalty, Malkana, toll tax,sale tax or other taxes imposed by the Government.	174.59	Per kilogramme			
4	Providing and laying mechanically mixed cement concrete( M-20 )(M-twenty ) 1:2:4 one cement : two sand : four graded crushed stone aggregate) 20mm(twenty millimeters) for plain /reinforcement concrete in open foundation complete including cost of form work steel plate complete as per drawings and technical specification Clause 802, 803 1202 & 1204 including entire carriage of material within all leads and lifts and other incidentals . The rates are inclusive octrol, royalty, Malkana, toll tax,sale tax or other taxes imposed by the Government.	12.33	Per Cubic Meter			
<b>Total</b>						
<b>Terms and Condition:-</b>						

1.Work shall be executed as per PWD specification.

  
 Executive Engineer  
 Bhoranj Division  
 H.P.PWD Bhoranj

## SCHEDULE OF QUANTITY

Sl No	Description of Items	Quantity	Unit	Rate	Estimated Cost	Rs. 98031/-
					Earnest Money	Rs. 2000/-
					Time	2 month
1	Earth work in excavation for all types of road structure such as retaining walls, breast walls, culverts, drains and parapets etcetera in all type of classification of soil comprising of ordinary soil, ordinary rock, hard rock, chiseling/wedging out or rock (where blasting is prohibited) as per drawings and construction of shoring and bracing, removal of stumps and other deleterious materials and disposal of materials upto any leads and lifts including dressing of sides and bottom and back filling in trenches with excavated suitable approved material to the original surface in layers not exceeding 150mm (one hundred fifty millimeter) compacted thickness including shoring and pumping and balling of slush which (surface and sub soil water) upto any depth and any quantum of water including cleaning and slush which arse out during dewatering as per the direction of the Engineer-in-charge including entire carriage of material within all leads and lifts and other incidentals. The rates are inclusive octroi, royalty, Malkana, toll tax,sale tax or other taxes imposed by the Government.	8.47	Per Cubic Meter			
2	Providing and laying mechanically mixed cement concrete 1:5:10 (one cement:five sand :ten graded crushed stone aggregate 40mm (forty millimeter nominal size) and curing complete including cost of form work with M.S. plates for plain concrete on ground or under water and curing complete including pumping or balling out water, dewatering removal of slush as required at site which may arise at the time of laying under water complete for all heights and depths. In retaining walls (breast walls complete as per drawings and technical specifications clauses 802, 803, 1200 and as per direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidentals. The rates are inclusive octroi, royalty, Malkana, toll tax,sale tax or other taxes imposed by the Government.	20.50	Per Cubic Meter			
3	Providing weep holes in brick/stone masonry/ plain/ reinforced concrete abutment, wing walls, return walls, retaining walls and breast wall with 110mm (one hundred ten millimeter) dia PVC pipe D- plastic/Inoxex/veeche pipe having pressure 4kg per centimeter square. (four kilogram per centimeter square) extending through the full width of the structures with slopes of (V): 20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204,3.7 as per direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidentals. The rates are inclusive octroi, royalty, Malkana, toll tax,sale tax or other taxes imposed by the Government.	8.00	Each			
4	Backfilling behind abutment, wing wall and return wall complete as per drawing & technical specification clause 1204,3.8, and as per direction of Engineer-in-Charge. i) Granular material, including entire carriage of material within all leads and lifts and as per direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidentals. The rates are inclusive octroi, royalty, Malkana, toll tax,sale tax or other taxes imposed by the Government.	5.85	Per Cubic Meter			
<b>Total</b>	<b>Terms and Condition:-</b>					
	1. Work shall be executed as per PWD specification.					

Executive Engineer  
Bhoranj Division  
PWD Bhoranj

## SCHEDULE OF QUANTITY

Sr No	Description of Items	Quantity	Unit	Rate	Rates in Words	Estimated Cost Earnest Money	Rs. 97907/- Rs. 2000/-	Time	2 month	Amount
1	Earth work in excavation for all types of road structure such as retaining walls, breast walls, culverts, drains and parapets etcetera in all type of classification of soil comprising of ordinary soil, ordinary rock, hard rock, chiseling/wedging out or rock (where blasting is prohibited) as per drawings and construction of shoring and bracing removal of stumps and other deleterious materials and disposal of materials upto any leads and lifts includin dressing of sides and bottom and back filling in trenches with excavated suitable approved material to the original surface in layers not exceeding 150mm (one hundred fifty millimetre ) compacted thickness including shoring an structuring and pumping and bailling out water (surface and sub soil water) upto any depth and any quantum of water including cleaning of slush which arise out during dewatering as per the direction of the Engineer-in-charge including entire carriage of material within all leads and lifts and other incidentals. The rates are inclusive octrol, royalty, Malkana, toll tax,sale tax or other taxes imposed by the Government.	10.24	Per Cubic Meter							
2	Providing concrete for plain/ reinforced concrete in P.C.C. grade M-10(M. ten)nominal mix 1:3:6 ( one cement: three sand : six graded crushed stone aggregate) 20mm( twenty millimeters) nominal size in open foundations complete as per drawings and technical specifications Clause 802, 803, 1202 & 1203 as per the direction of the Engineer-in-charge including entire carriage of material within all leads and lifts and other incidentals. The rates are inclusive octrol, royalty, Malkana, toll tax,sale tax or other taxes imposed by the Government.	1.92	Per cubic meter							
3	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete upto plinth level. Mild steel and Medium Tensile steel bars as per the direction of the Engineer-in-charge including entire carriage of material within all leads and lifts and other incidentals . The rates are inclusive octrol, royalty, Malkana, toll tax,sale tax or other taxes imposed by the Government.	174.59	Per kilogramme							
4	Providing and laying mechanically mixed cement concrete( M-20 )(M-twenty) 1:2:4 one cement : two sand : four graded crushed stone aggregate) 20mm(wenty millimeters) for plain /reinforcement concrete in open foundation complete including cost of form work steel plate complete as per drawings and technical specification Clause 802, 803 1202 & 1204 including entire carriage of material within all leads and lifts and other incidentals . The rates are inclusive octrol, royalty, Malkana, toll tax,sale tax or other taxes imposed by the Government.	12.33	Per Cubic Meter							
	<b>Total</b>									
	<b>Terms and Condition:-</b>									

1.Work shall be executed as per PWD specification.


  
 Executive Engineer  
 Bhoranj Division  
 PWD Bhoranj

# SCHEDULE OF QUANTITY

TYPE OF WORK:- Restoration of rain damages on Tarkwari to Jalahu via Bhater Kosad.(SH:- C/O R/Wall at RD 0/726.50 to 0/733)

Estimated Cost  
Earnest Money  
Time

Rs 98031/-  
Rs. 2000/-  
2 month

No	Description of Items	Quantity	Unit	Rate	Rates in Words	Amount
1	Earth work in excavation for all types of road structure such as retaining walls ,breast walls, culverts, drains and parapets etcetera in all type of classification of soil comprising of ordinary soil , ordinary rock , hard rock, chiseling/wedging out or rock (where blasting is prohibited ) as per drawings and construction of shoring and bracing removal of stumps and other deleterious materials and disposal of materials upto any leads and lifts includin dressing of sides and bottom and back filling in trenches with excavated suitable approved material to the original surface in layers not exceeding 150mm (one hundred fifty millimetre ) compacted thickness including shoring an structting and pumping and bailling out water (surface and sub sol water) upto any depth and any quantum of water inclusing cleaning of slush which arise out during dewatering as per the direction of the Engineer-in-charge including entire carriage of material within all leads and lfts and other incidentals.The rates are inclusive octrol, royalty, Malkana, toll tax,sale tax or other taxes imposed by the Government.	8.47	Per Cubic Meter			
2	Providing and laying mechanically mixed cement concrete 1:5:10 (one cement:five sand :ten graded crushed stone aggregate 40mm (forty millimetre nominal size ) and curing complete including cost of form work with M.S. plates for plain concrete on ground or under water and curing complete including pumping or bailing out water, dewatering removal of slush as required at site which may arise at the time of laying under water complete for all heights and depths. In retaining walls /breast walls complete as per drawings and technical specifications Clause 802, 803, 1200 and as per directon of Engineer-in-Charge including entire carriage of material within all leads and lfts and other incidentals.The rates are inclusive octrol, royalty, Malkana, toll tax,sale tax or other taxes imposed by the Government.	20.50	Per Cubic Meter			
3	Providing weep holes in brick/stone masonry/ plain/ reinforced concrete abutment, wing walls, return walls, retaining walls and breast wall with 110mm( one hundred ten millimeter) dia PVC pipe De-plast/finolex/ vectus pipe having pressure 4kg.per centimeter square. (four kilogramme per centimeter square ) extending through the full width of the structures with slopes of I(V): 20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 as per direction of Engineer- in -Charge including entire carriage of material within all leads and lfts and other incidentals.The rates are inclusive octrol, royalty, Malkana, toll tax,sale tax or other taxes imposed by the Government.	8.00	Each			
4	Backfilling behind abutment, wing wall and return wall complete as per drawing & technical specification clause 1204.3.8, and as per direction of Engineer-in-Charge. i) Granular material. including entire carriage of material within all leads and lifts and as per direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidentals . The rates are inclusive octrol, royalty, Malkana, toll tax,sale tax or other taxes imposed by the Government.	5.85	Per Cubic Meter			
	<b>Total</b>					
	<b>Terms and Condition:-</b>					

1.Work shall be executed as per PWD specification.

  
Executive Engineer  
Bhoranj Division  
HP PWD Bhoranj

# SCHEDULE OF QUANTITY

NAME OF WORK:- Restoration of rain damages on Jijwin-Chamboor road km. 0/00 to 9/255 (SH:- C/0 R.C.C Protection Wall at RD 1/882.80 to 1/889.20)

Estimated Cost  
Earnest Money

Rs. 97907/-  
Rs. 2000/-

Time

2 month

Sr No	Description of Items	Quantity	Unit	Rate	Rates in Words	Amount
1	Earth work in excavation for all types of road structure such as retaining walls, breast walls, culverts, drains and parapets etcetera in all type of classification of soil comprising of ordinary soil, ordinary rock, hard rock, chiseling/wedging out or rock (where blasting is prohibited) as per drawings and construction of shoring and bracing removal of stumps and other deleterious materials and disposal of materials upto any leads and lifts includin dressing of sides and bottom and back filling in trenches with excavated suitable approved material to the original surface in layers not exceeding 150mm (one hundred fifty millimetre ) compacted thickness including shoring an structuring and pumping and bailling out water (surface and sub sol water) upto any depth and any quantum of water including cleaning of slush which arise out during dewatering as per the direction of the Engineer-in-charge including entire carriage of material within all leads and lifts and other incidentals. The rates are inclusive octrol, royalty, Malkana, toll tax,sale tax or other taxes imposed by the Government.	10.24	Per Cubic Meter			
2	Providing concrete for plain/ reinforced concrete in P.C.C. grade M-10(N- ten) nominal mix 1:3:6 ( one cement : three sand : six graded crushed stone aggregate) 20mm(twenty millimeters) nominal size in open foundations complete as per drawings and technical specifications Clause 802, 803, 1202 & 1203 as per the direction of the Engineer-in-charge including entire carriage of material within all leads and lifts and other incidentals. The rates are inclusive octrol, royalty, Malkana, toll tax,sale tax or other taxes imposed by the Government.	1.92	Per cubic meter			
3	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete upto plinth level. Mild steel and Medium Tensile steel bars as per the direction of the Engineer-in-charge including entire carriage of material within all leads and lifts and other incidentals . The rates are inclusive octrol, royalty, Malkana, toll tax,sale tax or other taxes imposed by the Government.	174.59	Per kilogramme			
4	Providing and laying mechanically mixed cement concrete(M-20 )(M-twenty) 1:2:4 one cement : two sand : four graded crushed stone aggregate) 20mm(twenty millimeters) for plain /reinforcement concrete in open foundation complete including cost of form work steel plate complete as per drawings and technical specification Clause 802, 803 1202 & 1204 including entire carriage of material within all leads and lifts and other incidentals . The rates are inclusive octrol, royalty, Malkana, toll tax,sale tax or other taxes imposed by the Government.	12.33	Per Cubic Meter			
<b>Total</b>						
<b>Terms and Condition:-</b>						

1. Work shall be executed as per PWD specification.

Executive Engineer  
Bhoranj Division  
PWD Bhoranj

## SCHEDULE OF QUANTITY

**NAME OF WORK:-**AJR & MIO Vety hospital bharot to amroh via jarooh km. 0100 to 2100.  
**N :-** Providing and installation of crash barrier at RD 01200 to 01224.)

S.No	Description of Items	Quantity	Unit	Rate	Estimated Cost	
					Estimated Cost Rs.2000/-	Earnest Money 2 Months
	Providing concrete for plain/ reinforced concrete in P.C.C. grade M-10(M- ten nominal mix 1:3:6 ( one cement : three sand : six graded crushed stone aggregate) 40mm(forty millimeters) nominal size 16c ereting W metal beam crash barrier comprising 3 mm thick corrugated sheet metal beam rail 70 cm ( seventy centimeter) above the ground level fixed on ISMC series channel vertical post 150x75x5 mm spaced 2 mit. Centre to centre 1.80 mit. Height 1.010 meter below ground/road level and steel parts or fitting to be galvanised by hot dip process , all fitting to confirm to IS 1367 , metal beam rail to be fixed on the vertical posts with a spacer of channel section 150x75x5 mm 330 m long complete as per clause 810 as per the direction of the Engineer-in-charge including entire carriage of material within all leads and lifts and other incidentals . The rates are inclusive octroi, royalty, Makana, toll tax, sale tax or other taxes imposed by the Government.	24.00	Per running metre		Rs. 96000/-	Amount
<b>Total</b>						

**TERMS AND CONDITIONS:-**

1. Work shall be executed as per PWD specification.

Executive Engineer  
Bhoranj Division  
HP PWD Bhoranj

## SCHEDULE OF QUANTITY

NAME OF WORK:-AIR & M/O Vety hospital bhareri to amroh via jaroh km. 0/00 to 2/00.  
(S.H :- Providing and installation of crash barrier at RD 0/250 to 0/274.)

Sr No	Description of Items	Quantity	Unit	Rate	Estimated Cost	
					Rs. 36000/-	Rs. 2000/-
					Earnest Money	Time
1	Providing concrete for plain/ reinforced concrete in P.C.C. grade M-10(M. ten)nominal mix 1:3:6 ( one cement : three sand : six graded crushed stone aggregate) 40mm(forty millimeters) nominal size i/c ereting W metal beam crash barrier comprising 3 mm thick corrugated sheet metal beam rail 70 cm ( seventy centimeter) above the ground level fixed on ISMC series channel vertical post 150x75x5 mm spaced 2 mtr. Centre to centre 1.80 mtr. Height 1.010 meter below ground/road level and steel parts or fitting to be galvanised by hot dip process , all fitting to confirm to IS 1367 , metal beam rail to be fixed on the vertical posts with a spacer of channel section 150x75x5 mm 330 m long complete as per clause 810 as per the direction of the Engineer-in-charge including entire carriage of material within all leads and lifts imposed by the Government. The rates are inclusive octrol, royalty, Makana, toll tax, slate tax or other taxes imposed by the Government.	24.00	Per running metre			
	<b>Total</b>					

Terms and Condition:-

- 1 Work shall be executed as per PWD specification.

Executive Engineer  
Bhoranj Division  
HPWD Bhoranj

1

**NAME OF WORK:-** Restoration of Rain Damages on Kharwar to Jakhyol via Dhammola.  
**(SH:- PL interlocking paverblock at RD 0020 to 2035).**

## SCHEDULE OF QUANTITY

Sr No	Description of Items	Quantity	Unit	Rate	Rates in Words	Estimated Cost Rs. 92316/- Earnest Money Rs. 2000/-	Time 2 Months	Amount
1	Earth work in excavation for all types of road structure such as retaining walls, breast walls, culverts, drains and parapets etcetera in all type of classification of soil comprising of ordinary soil, ordinary rock, hard rock, chiseling/wedging out or rock (where blasting is prohibited) as per drawings and construction of shoring and bracing, removal of stumps and other deleterious materials and disposal of materials upto any leads and lifts including dressing of sides and bottom and back filling in trenches with excavated suitable approved material to the original surface in layers not exceeding 150mm (one hundred fifty millimetre) compacted thickness including shoring an structuring and pumping and bailling out water (surface and sub soil water) upto any depth and any quantum of water including cleaning of slush which arise out during dewatering as per the direction of the Engineer-in-charge including entire carriage of material within all leads and lifts and other incidentals. The rates are inclusive octrol, royalty, Malkana, toll tax,sale tax or other taxes imposed by the Government.							
2	Providing concrete for plain/ reinforced concrete in P.C.C. grade M-10(M-ten) nominal mix 1:3:6 ( one cement : three sand : six graded crushed stone aggregate) 40mm(forty millimeters) nominal size in open foundations complete as per drawings and technical specifications Clause 802, 803, 1202 & 1203 as per the direction of the Engineer-in-charge including entire carriage of material within all leads and its and other incidentals The rates are inclusive octrol, royalty, Malkana, toll tax,sale tax or other taxes imposed by the Government.	2.40	Per Cubic Meter					
3	Providing and laying heavy duty precast cement concrete interlocking paver blocks vibro compacted upto M-50(M-fifty) grade including border or curb block grey or coloured over sub base of concrete with 25mm (twenty millimeters) thick average thickness of cement 1:4 (one cement: four sand) laid over and jointed with neat cement slurry mixed with pigment to match the shade of blocks including curing rubbing and polishing complete ( sub base concrete) floor to be paid for 80mm(eighty millimeters) thick inter locking blocks (NTC Tile), and as per direction of the Engineer-in-charge including entire carriage of materials within all leads and lifts including entire carriage of material within all leads and lifts and other incidentals . The rates are inclusive octrol, royalty, Malkana, toll tax,sale tax or other taxes imposed by the Government	3.60	Per cubic metre					
4	Providing and laying mechanically mixed cement concrete (M-20)(M-twenty) 1:2:4 one cement: two sand : four graded crushed stone aggregate) 20mm(twenty millimeters) for plain/reinforcement concrete in open foundation complete including cost of form work, steel plate complete as per drawings and technical specification Clause 802, 803 1202 & 1204 including entire carriage of material within all leads and lifts and other incidentals . The rates are inclusive octrol, royalty, Malkana, toll tax,sale tax or other taxes imposed by the Government.	45.00	Per square meter					
<b>Total</b>								
<b>Terms and Condition:-</b>								
1. Work shall be executed as per PWD specification.								

Executive Engineer  
Bhoranj Division  
PWD Bhora

## SCHEDULE OF QUANTITY

Sr. No	Description of Items	Quantity	Unit	Rate	Estimated Cost	
					Time	Rates in Words
1	Earth work in excavation for all types of road structure such as retaining walls, breast walls, culverts, drains and parapets etcetera in all type of classification of soil comprising of ordinary soil, ordinary rock, hard rock, chiseling/wedging out or rock (where blasting is prohibited) as per drawings and construction of shoring and bracing removal of stumps and other deleterious materials and disposal of materials upto any leads and lifts including dressing of sides and bottom and back filling in trenches with excavated suitable approved material to the original surface in layers not exceeding 150mm (one hundred fifty millimetre ) compacted thickness including shoring an structuring and pumping and bailling out water (surface and sub sol water) upto any depth and any quantum of water including cleaning of slush which arise out during dewatering as per the direction of the Engineer-in-charge including entire carriage of material within all leads and lifts and other incidentals. The rates are inclusive octroi, royalty, Malkana, toll tax,sale tax or other taxes imposed by the Government.	52.20	Per Cubic Meter	92.15	Per Cubic Meter	Rs. 431651/- 2 month
2	Providing and laying mechanically mixed cement concrete 1:5:10 (one cement:five sand :ten graded crushed stone aggregate 40mm (forty millimetre nominal size ) and curing complete including cost of form work with M.S. plates for plain concrete on ground or under water and curing complete including pumping or bailling out water, dewatering removal of slush as required at site which may arise at time of laying under water complete for all heights and depths. In retaining walls /breast walls complete as per drawings and technical specifications Clause 802, 803, 1200 and as per direction of Engineer-in-charge including entire carriage of material within all leads and lifts and other incidentals. The rates are inclusive octroi, royalty, Malkana, toll tax,sale tax or other taxes imposed by the Government.					
3	Providing weep holes in brick/stone masonry/ plain/ reinforced concrete abutment, wing walls, return walls, retaining walls and breast wall with 110mm( one hundred ten millimeter) dia PVC pipe De-plast/finotex/ vectus pipe having pressure 4kg per centimeter square. (four kilogramme per centimeter square ) extending through the full width of the structures with slopes of (1V: 2H) towards drawing face complete as per drawing and technical specification clauses 6/4, 7/9, 12/4,3.7 as per direction of Engineer- in -Charge including entire carriage of material within all leads and lifts and other incidentals. The rates are inclusive octroi, royalty, Malkana, toll tax,sale tax or other taxes imposed by the Government.					
4	Backfilling behind abutment, wing wall and return wall complete as per drawing & technical specification clause 12/04,3.8, and as per direction of Engineer-in-Charge. i) Granular material. including entire carriage of material within all leads and lifts and as per direction of Engineer-in-Charge including entire carriage of toll tax,sale tax or other taxes imposed by the Government.	10.52	Per Cubic Meter	40.00	Each	
<b>Total</b>	<b>Terms and Condition:-</b>					

1. Work shall be executed as per PWD specification.

  
Executive Engineer  
Bhoranj Division  
H.P. PWD Bhoranj

# SCHEDULE OF QUANTITY

**1/F WORK:-R/M of Various roads under Bharat Section Bharat Suh-Division.  
Maintenance of earthen shoulder, unlined surface drain and Removal of slip.)**

No	Description of Items	Estimated Cost Earnest Money		Time 2 Months			
		Quantity	Unit		Rate	Rates in Words	Amount
1	Maintenance of earthen shoulder filling with fresh selected soil/maintenance of earthen shoulder stripping of excess soil making up loss of material irregularities on shoulders to the design level by adding fresh approved soil and compacting with appropriate equipment as per technical specification clause no 1903 including entire carriage of material within all leads and lifts and other incidentals. The rates are inclusive octrol, royalty, Malkana, toll tax,sale tax or other taxes imposed by the Government.	736.00	Per square metre				
2	Construction of unlined surface drain of average cross sectional area 0.40 Sqm in soil to specified lines , grades, level and dimensions . Excavated material to be used in embankments with a lift up to 3 Mtr. and lead of 50 Mtr. ( average lead 25 m ) as per technical specification clause 307 as directed by the engineer in charge including entire carriage of material within all leads and lifts and other incidentals. The rates are inclusive octrol, royalty, Malkana, toll tax,sale tax or other taxes imposed by the Government.	1010.00	Per Running Mtr.				
3	Removal of land slide in hilly area in ordinary rock not required blasting by mechanical means including cutting and trimming of slope and disposal of cut material with in lift upto 1.50 mtr. ( one point five zero meter ) and leads up to 1000 mtr ( one thousand meter ) as per technical specification 302.3.5 and 1611 and as per direction of Engineer-in-Charge including entire carriage of material in all lead and lifts and other incidentals . The rates are inclusive octrol, royalty, Malkana, toll tax,sale tax or other taxes imposed by the Government.	65.21	Per cubic metre				
<b>Total</b>							

**Terms and Condition:-**

1. Work shall be executed as per PWD specification.

Executive Engineer  
Bharat Division  
HPWD Bharat

## SCHEDULE OF QUANTITY

WORK:- R/R Damage on link road to village Dhirar km. 0/00 to 4/25. (SH:- Backfilling behind wire crato R/Wall at RD 0/230 to 0/251 & 0/370 to 0/391)

Sr No	Description of Items	Quantity	Unit	Rate	Estimated Cost Earnest Money	Rs 67583/- Rs. 2000/-	Time 2 month	Rates in Words	Amount
1	Backfilling behind abutment, wing wall and return wall complete as per drawing & technical specification clause 1204.3.8, and as per direction of Engineer-in-Charge. 1) Granular material, including entire carriage of material within all leads and lifts and as per direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidentals. The rates are inclusive octroi, royalty, Malkana, toll tax, sale tax or other taxes imposed by the Government.	50.40	Per Cubic Meter						
2	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundation etc. In layers not exceeding 20cm in depth, consolidating each deposited layer by ramming and water filling lead upto 50m and lift upto 1.5 m including entire carriage of material within all leads and lifts and other incidentals. The rates are inclusive octroi, royalty, Malkana, toll tax, sale tax or other taxes imposed by the Government.	178.50	Per Cubic Meter						
<b>Total</b>									
	<b>Terms and Condition:-</b>								
	1. Work shall be executed as per PWD specification.								

Executive Engineer  
Bhoranj Division  
HP PWD Bhoranj

