

Himachal Pradesh
Public Works Department

No. PW-SD-I-CTR- Tender-NIT/2025-2026-

15009

Dated:-

15/11/25

To


The Executive Engineer (IT Cell)
Nigam Vihar Shimla.

Subject :- Publication of Tender Notice.

Jai Hind


Enclosed please find herewith the tender Notice of work as given in the Notice Inviting tender for uploading on department website as per notification Pr. Secy. (PW) to the Govt. of Himachal Pradesh letter No. PBW (B)A(3)1/2024 dated Shimla-2 the 03-01-2024 and PWD-B-A0(3)/8/2025- 300858 dated 09-10-2025 as the works mentioned in the tender notice are urgent in nature and in public interest.

DA:- Notice Inviting Tender & Schedule of Quantity and Certificate.


Executive Engineer,
Shimla Division No-1.,
HPPWD, Shimla-3.

Copy forwarded to for further necessary action please.

1. The Superintending Engineer 4th Circle HPPWD Shimla .


Executive Engineer,
Shimla Division No-1.,
HPPWD, Shimla-3.

**HIMACHAL PRADESH
PUBLIC WORKS DEPARTMENT
NOTICE INVITING TENDERS**

Executive Engineer B&R Division No-I HPPWD Shimla for the following works on behalf of the Government of Himachal Pradesh from the eligible contractors enlisted in HPPWD, so as to reach in the office as per time schedule given below:-

- | | |
|--|-----------------------------------|
| 1. Date of receipt of application for tender forms:- | 24-11-2025 10:00 AM upto 12:00 PM |
| 2. Dated of Issue /sale of tender forms:- | 24-11-2025 12:00 PM upto 4:00 PM |
| 3. Date of receipt of tender:- | 25-11-2025 .up to 10:30 AM |
| 4. Date of opening of tender:- | 25--2025 up to 11:00 AM |

| Sr. No. | Name of Work | Estimated cost | EMD(R s.) | Cost of Tender (Rs.) | Time Limit | Eligible class of Contract or |
|---------|--|----------------|-----------|----------------------|------------|-------------------------------|
| 1 | Restoration of rain damages on Mehli to Gussan road km. 0/000 to 5/420 (SH:- Maintenance of Earthen shoulder, Maintenance of drain C/O Unlined drain and, U-Shape drain between RD.2/0000 to 5/420). | 296658/- | 6000/- | 350/- | 30 days | Class-D |
| 2 | Restoration of rain damages on Shoghi Mehli Junga Sadhupul road km. 12/375 to 48/925 (SH:- C/O R/Wall at RD. 17/670.50). | 472957/- | 9500/- | 350/- | 30 days | Class-D |
| 3 | R/O & M/O & R/D on Dhamechi Bhad road km. 0/000 to 2/000 (Removal of slips at Between RD. 0/00 to 2/00). | 98400/- | 2000/- | 350/- | 30 Days | Class-D |
| 4 | Restoration of rain damages on Challanda to piran road km.0/000 to 28/020 (SH:- C/O R/Wall at RD. 14/915 to 14/927). | 489354/- | 9800/- | 350/- | 30 Days | Class-D |
| 5 | Restoration of rain damages on Challanda to Piran road km.0/000 to 28/020 (SH:- C/O R/Wall at RD. 11/435 to 11/453). | 491612/- | 14800/- | 350/- | 30 days | Class-D |
| 6 | Restoration of rain damages on Challanda to Piran road km. 0/000 to 28/020 (SH:- C/O R/Wall at RD. 10/485 to 10/494). | 495504/- | 9900/- | 350/- | 30 days | Class-D |
| 7 | Restoration of rain damages on Challanda to Piran road km. 0/000 to 28/020 (SH:- C/O R/Wall at RD. 24/405 to 24/410.50). | 427536/- | 8600/- | 350/- | 30 days | Class-D |
| 8 | Restoration of rain damages on Shoghi Mehli Junga Sadhupul road km. 12/375 to 48/925 (SH:- C/O R/Wall at RD. 17/660.50 to 17/665.50). | 474533/- | 9500/- | 350/- | 30 Days | Class-D |
| 9 | C/O Bishk to Tud km. 0/000 to 1/300 (Preparation of FRA case in all respect). | 70000/- | 1800/- | 350/- | 30 Days | Class-D |
| 10 | A/R & M/O various Type I to Type VI GAD Residential qtr. at Kasumpti Shimla-9 (SH:- Covering of balcony out house set No.I out house Windsor cottage & Type-III/2 at Mehli Shimla (H.P). | 99650/- | 2000/- | 350/- | 30 Days | Class-D |
| 11 | Restoration of Rain Damages on Nariga Bridge to Jagher road km. 0/000 to 1/660 (SH: - C/O R/Wall at RD. 0/795 to 0/800). | 485145/- | 9700/- | 350/- | 30 Days | Class-D |
| 12 | Restoration of Rain Damages on Nariga Bridge to Jagher road km. 0/000 to 1/660 (SH:- C/O R/Wall at RD. 0/800 to 0/805). | 480900/- | 9700/- | 350/- | 30 Days | Class-D |
| 13 | A/R & M/O various Type-I to Type-VI GAD Residential qtr. at Kasumpti Shimla-9 (SH:- Providing and fixing door and window shutters Type-III-132,131, 57 and 68,42 under Kasumpti Sub-Division). | 96827/- | 2000/- | 350/- | 30 Days | Class-D |
| 14 | Restoration of rain damages on Baldeyan to Dhar road in km. 0/00 to 2/500. (SH:- C/O Retaining wall at RD. 0/360 to 0/380). | 4,79,925/- | 9400/- | 350/- | 30 Days | Class-D |
| 15 | Restoration of rain damages on Baldeyan to Dhar road in km. 0/00 to 2/500. (SH: - C/O Retaining wall at RD. 0/440 to 0/455). | 270450/- | 5400/- | 350/- | 30 Days | Class-D |
| 16 | Restoration of rain damages on Bharari to Bhont road km. 0/00 to 4/00. (SH: - C/O retaining wall at RD. km. 2/930 to 2/940). | 404455/- | 8100/- | 350/- | 30 Days | Class-D |
| 17 | A/R & M/O various residential Qtrs. Type-I to Type VI of GAD at Kasumpti Shimla-9 (SH:- Wall tile in type-IV set No. 48 under Kasumpti Section). | 98786/- | 2000/- | 350/- | 30 Days | Class-D |
| 18 | Restoration of rain damages on various roads under Junga Sub-Division (SH:-Removal of slips on 1 Shoghi Mehli Junga Sadhupul road, 2 Koti Junga road). | 244950/- | 5000/- | 350/- | 30 Days | Class-D |
| 19 | Restoration of rain damages on Dubloo Lakhoti road km. 0/000 to 5/760 (SH:- Removal of slips between km. 0/00 to 3/00). | 99000/- | 2000/- | 350/- | 30 Days | Class-D |
| 20 | A/R & M/O to various Residential Qtrs. Under Kasumpti Sub-Division Shimla-9 (SH:- Supplying of material to Sub-Division No.VIII Mehli Section Shimla-9). | 98685/- | 2000/- | 350/- | 30 Days | Class-D |
| 21 | A/R & M/O to various Residential Qtrs. Under Kasumpti Sub-Division Shimla-9 (SH:- Supplying of material to Sub-Division No.VIII Mehli Section Shimla-9). | 98674/- | 2000/- | 350/- | 30 Days | Class-D |
| 22 | Restoration of rain damages on Mashobra to Bakhalt road km. 0/00 to 18/300. (SH:- C/O R/Wall at RD. 17/705 to 17/717). (Under PDNA). | 456630/- | 9200/- | 350/- | 30 Days | Class-D |
| 23 | Restoration of rain damages on Mashobra to Bakhalt road km. 0/00 to 18/300. (SH:- C/O R/Wall at RD. 15/900 to 15/912). (Under PDNA). | 465830/- | 9400/- | 350/- | 30 Days | Class-D |
| 24 | Restoration of rain damages on Shimla Mandi road in km. 6/00 to 22/000 (SH:- Hiring of Excavator cum-loader for removal of slips and carriage of Muck, debris/slips in). | 300000/- | 6000/- | 350/- | 30 Days | Class-D |
| 25 | Restoration of rain damages on Shimla Mandi road in km. 6/000 to 22/000 (SH:- C/O B/Wall at RD 9/418 to 9/437.20) (Under PDNA). | 496442/- | 9200/- | 350/- | 30 days | Class-D |
| 26 | Restoration of rain damages on Shimla Mandi road in km. 6/000 to 22/000 (SH:- C/O B/Wall at RD 20/600 to 20/611) (Under PDNA). | 495700/- | 9900/- | 350/- | 30 Days | Class-D |

| | | | | | | |
|----|--|----------|---------|-------|---------|---------|
| 27 | Restoration of rain damages on Jablanda to Kiarkoti road km. 0/000 to 8/200 (SH:- C/O R/Wall at RD. 0/855 to 0/864.45 (Under PDNA) | 499342/- | 10000/- | 350/- | 30 days | Class-D |
| 28 | Restoration of rain damages on Shimla Mandi road in km. 6/000 to 22/000 (SH:- C/O B/Wall at RD 20/615 to 20/626) (Under PDNA). | 495160/- | 9900/- | 350/- | 30 Days | Class-D |
| 29 | Restoration of rain damages on Shimla to Mandi road km. 6/000 to 22/000 (SH:- C/O R/Wall at RD. 16/540 to 16/546 (Under PDNA) | 499958/- | 10000/- | 350/- | 30 days | Class-D |
| 30 | Restoration of rain damages on Shimla to Mandi road km. 6/000 to 22/000 (SH:- C/O B/Wall at RD. 21/230 to 21/250 (Under PDNA) | 410005/- | 8200/- | 350/- | 30 Days | Class-D |
| 31 | Restoration of rain damages on Mashobra to Bakhalt road km. 0/00 to 13/300 (SH:- C/O R/Wall at RD. 11/495 to 11/511). (Under PDNA). | 481220/- | 9500/- | 350/- | 30 days | Class-D |
| 32 | Restoration of rain damages on Mashobra to Bakhalt road km. 0/00 to 18/300 (SH:- C/O R/Wall at RD. 6/450 to 6/466). (Under PDNA). | 472020/- | 9500/- | 350/- | 30 Days | Class-D |
| 33 | Restoration of rain damages on Purani Koti to Ghorna road km.0/00 to 16/000. (C/O R/Wall at RD 12/810 to 2/823). (Under PDNA). | 487300/- | 9800/- | 350/- | 30 days | Class-D |
| 34 | Restoration of rain damages on Mashobra to Bakhalt road km. 0/00 to 18/300 (SH:- C/O R/Wall at RD. 10/990 to 11/002). (Under PDNA). | 465830/- | 9400/- | 350/- | 30 Days | Class-D |
| 35 | Restoration of rain damages on Koti to Satlai road km. 0/000 to 15/000 (SH:- C/O P.C.C 1:4:8 Retaining wall between RD. 5/281 to 5/287). | 472965/- | 9500/- | 350/- | 30 days | Class-D |
| 36 | Restoration of rain damages on Mashobra to Bakhalt road km. 0/00 to 18/300 (SH:- C/O R/Wall at RD. 10/825 to 10/833). (Under PDNA). | 488320/- | 9800/- | 350/- | 30 Days | Class-D |

It is certified that the above works are required to be carried out immediately being emergent nature of work in public interest. The tender documents shall be issued only to those contractor/Firm who fulfill the following documents with the application.

1. The valid enlistment/Registration of contractor in Appropriate Class.
2. Permanent account No. (PAN NO).
3. G.S.T No.
4. Earnest Money in the shape of National saving certificate/time deposit account in the any of the post office in HP. F.D.R from any Nationalized Bank duly pleaded in favour of the Executive Engineer Shimla Division No-I HPPWD Shimla.
5. The earnest & cost of tender form for the above works should be submitted with the application for the purchase of the tender form. The application received without earnest money & cost of tender form shall summarily be rejected.
6. The officer of the tender shall remain valid up to 75 days after the opening of tender.
7. Ambiguous/telephonic /conditional tenders or tender by fax/E mail shall not be considered and will be summarily be rejected.
8. Executive Engineer reserve the right to reject or cancel any or all tenders without assigning any reasons.
9. If the date given above happens to be holiday the same shall be processed on next working day.
10. The Contractor/firms must quote their rates in words as well as in figures failing which EXN reserve the right to accept/reject any or all tenders.
11. The tender forms shall not be issued to those contractors/firms whose previous performance is not found satisfactory and who have not executed the previous awarded works within the stipulated period of completion.
12. One contractor shall not have more than two major works in hand at a time.
13. Work should be completed by the contractor within stipulated period.

Executive Engineer,
Shimla Division No-I.,
HPPWD. Shimla-3.

Dated

15/11/25

No.PW-SD-I/CB-Tender/2025-2026-

Copy forwarded to:-

1. Copy to the Deputy Commissioner Shimla Distt. Shimla.
2. Copy to the Executive Engineer Shimla Division No-III HPPWD Shimla.
3. Copy to the Sub Divisional Magistrate (U) Shimla.
4. Copy to the Sub Divisional Magistrate (R) Shimla.
5. Copy to Municipal committee Shimla Distt. Shimla.
6. Copy to Block Development officer Mashobra Distt. Shimla.
7. All the Assistant Engineers under this Division, HPPWD Shimla-3.
8. Superintendent / HDM /DAO.
9. Notice Board.

Executive Engineer,
Shimla Division No-I.,
HPPWD. Shimla.

| SCHEDULE OF QUANTITY | | | | | | | |
|---|--|------------|------|----------------|---|-------------------|-----------|
| Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3. | | | | | Estimated Cost:- 296658.00 | | |
| Name of Work :-Restoration of Rain damages on Mehli to Gussan road Km 0/000 to 5/420 (SH:- Maintenance of Earthen shoulder, Maintenance of Drain ,C/O Unlined drain and ,U-Shape drain between Rd 2/0000 to 5/420).(Under PDNA) | | | | | Earnest Money :- 6000.00 | | |
| | | | | | Time:- One Month. | | |
| Sr. No | Description of Work / Item (S) | No.of Qty. | | Estimated Rate | | Unit | Amount |
| | | | | In figures | In words | | |
| 1 | Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical | 30.00 | Cum | 400.00 | Rupees Four Hundred Only | Per Cubic Metre | 12000.00 |
| 2 | Maintenance of Earthen Shoulder (Filling with fresh selected soil) Making un loose Material/ Irregullarties on shoulders to the desion level by adding fresh approved slected soil and compacting it with approproese equipment at OMC upto a lead of 1000 metre as per technical specification Clause 1603 including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge | 750 | Sqm | 42.29 | Rupees Forty Two and Paise Twenty Nine Only | Per Square Meter | 31718.00 |
| 3 | Mainteance of drain including erosion, reoar, cleaning, reshaping, regarding , deepening of side drain as well as per Technical specification Clause 1907 including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge. | 3000.00 | Rmt | 4.60 | Rupees Four and Paise Sixty Only | Per Running Meter | 13800.00 |
| 4 | Trimming of grass bushes complete including carriage of materials in all leads and lifts as per directions of the Engineer-in-charge. | 8000.00 | Sqm. | 4.08 | Rupees Four and Paise Eight Only | Per Square Metre | 32640.00 |
| 5 | Construction of unlined surface drain of average cross-Section area 0.40 Sqm (zero point four zero square metre) in soil to specified lines, grades, levels and dimensions. Excavated material to be used in embankment with a lift upto 3m and lead of 50m (average lead 25m) as per Technical specification Clause 307 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (Mechanical Means) | 500 | Rmt | 29.00 | Rupees Twenty Nine Only | Per Running Meter | 14500.00 |
| 6 | Providing concrete for plain/reinforced concrete in open foundations complete as per drawings and technical specifications Clause 802,803,1202 & 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (i) Nominal mix 1:2:4 (One cement : Two coarse sand) : Four graded stone aggregate 20 mm nominal size) | 30.00 | Cum | 6400.00 | Rupees Six Thousand Four Hundred Only | Per Cubic Metre | 192000.00 |
| | | | | | Total | | 296658.00 |

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.

D/MR No 643 T/S No 1463-3/076-11-25

Amnt to 20 30558/5

Executive Engineer
Shimla Division No.I,
HP PWD Shimla-3.

SCHEDULE OF QUANTITY

| Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3. | | | | | | Estimated Cost:- 4,72,957.00 | |
|---|--|------------|-----|----------------|---------------------------------------|------------------------------|----------|
| Name of Work :- Restoration Of Rain Damages on Shoghi Mehli Junga Sadhupul road Km 12/375 to 48/925 | | | | | | Earnest Money :- 9,500.00 | |
| (SH:- C/O R/Wall at Rd 17/665.50 to 17/670.50). | | | | | | Time:- One Month. | |
| Sr. No | Description of Work / Item (S) | No.of Qty. | | Estimated Rate | | Unit | Amount |
| | | | | In figures | In words | | |
| 1 | Cutting and disposal of earth work in by mechanical in all heights and depths in all kinds of soils, including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site., according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in -charge through all modes of transportation including head load ,animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required). All the surplus excavated earth to be dumped at dumping site(dumping sites will be arranged by the contractor on his own cost). Any loss to the public and private propriety, human being, machinery during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges. | 11.35 | Cum | 325.00 | Rupees Three Hundred Twenty Five Only | Per Cubic Metre | 3689.00 |
| 2 | Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required).All useful material such as stones, shingles aggregate and slates shall be properly stacked at site to the maximum possible extent in all leads and lifts through all modes of transportation the usefull stones as per the direction of the Engineer-in-Charge. Any loss to the public and private propriety during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges. | 33.00 | Cum | 400.00 | Rupees Four Hundred Only | Per Cubic Metre | 13200.00 |

| | | | | | | | |
|---|--|-------|-----|---------|--|-------------------|------------------|
| 3 | Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Cement Mortar 1:5:10 (One cement: five sand: Ten graded stone agg. 40mm nominal size). | 5.05 | Cum | 3800.00 | Rupees Three Thousand Eight Hundred Only | Per Cubic Metre | 19190.00 |
| 4 | Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 M 7.5 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Cement Mortar 1:4:8 (One cement: Four sand: Eight graded stone aggregate 20 mm (Twenty millimetre) nominal size). | 90.25 | Cum | 4600.00 | Rupees Four Thousand Six Hundred Only | Per Cubic Metre | 415150.00 |
| 5 | Back filling behind abutment, wing wall and return wall complete as per drawing and technical specification clause 1204.3.8 granular material. including hauling of materials in all leads and lifts as per entire satisfaction and direction of Engineer-in-Charge. | 15.55 | Cum | 1050.00 | Rupees One Thousand Fifty Only | Per Cubic Metre | 16328.00 |
| 6 | Providing weapholes in brick masonry / stone masonry / plain reinforced concrete abutment, wing wall, return wall with 100 mm (One hundred milimetre) dia PVC pipe extending through the full with of the structures with slop of 1(v):20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge. | 30.00 | Rmt | 180.00 | Rupees One Hundred Eighty Only | Per Running meter | 5400.00 |
| | | | | | | Total | 472957.00 |
| | Quoted rates Percentage in figures | | | | | | |
| | Quoted rates Percentage in words | | | | | | |
| | | | | | | G.Total | |

D/NR.No ⁶⁴⁵~~655~~ TIS No. 14644-4504 6-11-25

Amt to Rs 4,87,146/-

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.

Executive Engineer,
Shimla Division No.I,
HP PWD Shimla-3.

| SCHEDULE OF QUANTITY | | | | | | | | |
|---|--|------------|-----|----------------|-----------------------|--------------------------|----------|--|
| Name of Work :- R/O & R/D on Dhamechi Bhad road km 0/000 to 2/000 (Removal of slips at Between Rd 0/00 to 2/00) | | | | | | Estimated Cost:-98400.00 | | |
| | | | | | | Earnest Money :- 2000.00 | | |
| | | | | | | Time:- One Month. | | |
| Sr. No | Description of Work / Item (S) | No.of Qty. | | Estimated Rate | | Unit | Amount | |
| | | | | In figures | In words | | | |
| 1 | Hiring of JCB excavator - cum - loader and tipper for removal of slips Debris and dressing of berms including coat of fuel oil lubricants wages of operational staffs any repair package during operation will be carried out at his risk and costly at required location actual working will be accounted for payment and proper disposal slips / debris by the contractor will be insured and dumping site will be arranged by the contractor at his own cost of tipper or carriage out as per instructions/ directions of the Engineer -in - charge | 328 | Cum | 300.00 | Rs three hundred only | Per Cubic metre | 98400.00 | |
| | | | | | | Total | 98400.00 | |

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.

DNIT approved for Rs 98400/- Only vide DNIT Register Sr.No. 646 the

T/s No 14624-25 dated 6-11-25 Amounting to Rs. 101352/-

Executive Engineer,
Shimla Division No.I,
HP PWD Shimla-3.

SCHEDULE OF QUANTITY

| Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3. | | | | | | Estimated Cost:- 489354 | |
|--|---|------------|-----|----------------|--|--------------------------|-----------|
| Name of Work :-Restoration of Rain damages on Challanda to Piran road Km 0/000 to 28/020 (SH:- C/O R/Wall at Rd 14/915 to 14/927). | | | | | | Earnest Money :- 9800.00 | |
| | | | | | | Time:- One Month. | |
| Sr. No | Description of Work / Item (S) | No.of Qty. | | Estimated Rate | | Unit | Amount |
| | | | | In figures | In words | | |
| 1 | Cutting and disposal of earth work in by mechanical in all heights and depths in all kinds of soils, including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site., according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in -charge through all modes of transportation including head load ,animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required). All the surplus excavated earth to be dumped at dumping site(dumping sites will be arranged by the contractor on his own cost). Any loss to the public and private propriety, human being, machinery during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges. | 29.04 | Cum | 325.00 | Rupees Three Hundred Twenty Five Only | Per Cubic Metre | 9438.00 |
| 2 | Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical | 31.32 | Cum | 400.00 | Rupees Four Hundred Only | Per Cubic Metre | 12528.00 |
| 3 | Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Cement Mortar 1:5:10 (One cement: five sand: Ten graded stone agg.40mm nominal size). | 4.20 | Cum | 3800.00 | Rupees Three Thousand Eight Hundred Only | Per Cubic Metre | 15960.00 |
| 4 | Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a) Cement Mortar 1:4:8(One cement:Four sand:Eight graded stone aggregate20 mm(Twenty milimetre) nominal size). | 93.84 | Cum | 4600.00 | Rupees Four Thousand Six Hundred Only | Per Cubic Metre | 431664.00 |

| | | | | | | | |
|---|--|-------|-----|---------|--------------------------------|------------------|-----------|
| 5 | Providing weep holes in brick masonry / stone masonry / plain reinforced concrete abutment, wing wall, return wall with 100 mm(One hundred milimetre) dia PVC pipe extending through the full with of the structures with slop of 1(v):20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge. | 30.00 | Rmt | 180.00 | Rupees One Hundred Eighty Only | Per Runing metre | 5400.00 |
| 6 | Backfilling behind abutment, wing wall and return wall complete as per drawings and technical specification clause 1204.3.8 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Granular material. | 13.68 | Cum | 1050.00 | Rupees One Thousand Fifty Only | Per Cubic Metre | 14364.00 |
| | | | | | Total | | 489354.00 |

D/NR No 647 TIS No 14636-37 dt 6-11-25

Amt do Rs 504035

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.

Executive Engineer,
Shimla Division No.1,
HP PWD Shimla-3.

SCHEDULE OF QUANTITY

| Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3. | | | | | Estimated Cost:- 491612.00 | | |
|--|---|------------|-----|----------------|--|-----------------|----------|
| Name of Work :-Restoration of Rain damages on Challanda to Piran road Km 0/000 to 28/020 (SH:- C/O R/Wall at Rd 11/435 to 11/453). | | | | | Earnest Money :- 14800.00 | | |
| | | | | | Time:- One Month. | | |
| Sr. No | Description of Work / Item (S) | No.of Qty. | | Estimated Rate | | Unit | Amount |
| | | | | In figures | In words | | |
| 1 | Cutting and disposal of earth work in by mechanical in all heights and depths in all kinds of soils, including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site., according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in -charge through all modes of transportation including head load ,animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required). All the surplus excavated earth to be dumped at dumping site(dumping sites will be arranged by the contractor on his own cost). Any loss to the public and private propriety, human being, machinery during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges. | 30.78 | Cum | 325.00 | Rupees Three Hundred Twenty Five Only | Per Cubic Metre | 10004.00 |
| 2 | Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical | 24.30 | Cum | 400.00 | Rupees Four Hundred Only | Per Cubic Metre | 9720.00 |
| 3 | Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Cement Mortar 1:5:10 (One cement: five sand: Ten graded stone agg.40mm nominal size). | 6.84 | Cum | 3800.00 | Rupees Three Thousand Eight Hundred Only | Per Cubic Metre | 25992.00 |

| | | | | | | | |
|---|---|-------|-----|---------|---------------------------------------|------------------|-----------|
| 4 | Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a) Cement Mortar 1:4:8(One cement:Four sand:Eight graded stone aggregate20 mm(Twenty milimetre) nominal size). | 91.62 | Cum | 4600.00 | Rupees Four Thousand Six Hundred Only | Per Cubic Metre | 421452.00 |
| 5 | Providing weep holes in brick masonry / stone masonry /plain reinforced concrete abutment, wing wall, return wall with 100 mm(One hundred milimetre) dia PVC pipe extending through the full with of the structures with slop of 1(v):20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge. | 35.00 | Rmt | 180.00 | Rupees One Hundred Eighty Only | Per Runing metre | 6300.00 |
| 6 | Backfilling behind abutment, wing wall and return wall complete as per drawings and technical specification clause 1204.3.8 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Granular material. | 17.28 | Cum | 1050.00 | Rupees One Thousand Fifty Only | Per Cubic Metre | 18144.00 |
| | | | | | Total | | 491612.00 |

D/NR. No 6481/S No 14638-39046-11-25

And to Rs 506359/-

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.

Executive Engineer,
Shimla Division No.I,
HP PWD Shimla-3.

SCHEDULE OF QUANTITY


| Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3. | | | | | Estimated Cost:- 495504.00 | | |
|--|--|------------|-----|----------------|--|-----------------|-----------|
| Name of Work :-Restoration of Rain damages on Challanda to Piran road Km 0/000 to 28/020 (SH:- C/O | | | | | Earnest Money :- 9900.00 | | |
| R/Wall at Rd 10/485 to 10/494). | | | | | Time:- One Month. | | |
| Sr. No | Description of Work / Item (S) | No.of Qty. | | Estimated Rate | | Unit | Amount |
| | | | | In figures | In words | | |
| 1 | Cutting and disposal of earth work in by mechanical in all heights and depths in all kinds of soils, including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site., according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in -charge through all modes of transportation including head load ,animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required). All the surplus excavated earth to be dumped at dumping site(dumping sites will be arranged by the contractor on his own cost). Any loss to the public and private propriety, human being, machinery during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated for him in all respects including all incidental charges. | 32.76 | Cum | 325.00 | Rupees Three Hundred Twenty Five Only | Per Cubic Metre | 10647.00 |
| 2 | Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical | 31.68 | Cum | 400.00 | Rupees Four Hundred Only | Per Cubic Metre | 12672.00 |
| 3 | Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Cement Mortar 1:5:10 (One cement: five sand: Ten graded stone agg.40mm nominal size). | 3.42 | Cum | 3800.00 | Rupees Three Thousand Eight Hundred Only | Per Cubic Metre | 12996.00 |
| 4 | Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a) Cement Mortar 1:4:8(One cement:Four sand:Eight graded stone aggregate20 mm(Twenty milimetre) nominal size). | 95.67 | Cum | 4600.00 | Rupees Four Thousand Six Hundred Only | Per Cubic Metre | 440082.00 |

| | | | | | | | |
|---|--|-------|-----|---------|--------------------------------|------------------|-----------|
| 5 | Providing weep holes in brick masonry / stone masonry / plain reinforced concrete abutment, wing wall, return wall with 100 mm(One hundred milimetre) dia PVC pipe extending through the full with of the structures with slop of 1(v):20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge. | 40.00 | Rmt | 180.00 | Rupees One Hundred Eighty Only | Per Runing metre | 7200.00 |
| 6 | Backfilling behind abutment, wing wall and return wall complete as per drawings and technical specification clause 1204.3.8 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Granular material. | 11.34 | Cum | 1050.00 | Rupees One Thousand Fifty Only | Per Cubic Metre | 11907.00 |
| | | | | | Total | | 495504.00 |

DIVRN^o 644 TISNO 14640-41046 11-25 Amt 5,10,369/-

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.


Executive Engineer,
Shimla Division No.I,
HP PWD Shimla-3.

SCHEDULE OF QUANTITY

| Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3. | | | | | Estimated Cost:- 427536.00 | | |
|---|---|------------|-----|----------------|--|-----------------|----------|
| Name of Work :-Restoration of Rain damages on Challanda to Piran road Km 0/000 to 28/020 (SH:- C/O R/Wall at Rd 24/405 to 24/410.50). | | | | | Earnest Money :- 8600.00 | | |
| | | | | | Time:- One Month. | | |
| Sr. No | Description of Work / Item (S) | No.of Qty. | | Estimated Rate | | Unit | Amount |
| | | | | In figures | In words | | |
| 1 | Cutting and disposal of earth work in by mechanical in all heights and depths in all kinds of soils, including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site., according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in -charge through all modes of transportation including head load ,animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required). All the surplus excavated earth to be dumped at dumping site(dumping sites will be arranged by the contractor on his own cost). Any loss to the public and private propriety, human being, machinery during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges. | 33.28 | Cum | 325.00 | Rupees Three Hundred Twenty Five Only | Per Cubic Metre | 10816.00 |
| 2 | Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical | 17.43 | Cum | 400.00 | Rupees Four Hundred Only | Per Cubic Metre | 6972.00 |
| 3 | Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Cement Mortar 1:5:10 (One cement: five sand: Ten graded stone agg.40mm nominal size). | 2.69 | Cum | 3800.00 | Rupees Three Thousand Eight Hundred Only | Per Cubic Metre | 10222.00 |


| | | | | | | | |
|---|--|-------|-----|---------|---------------------------------------|------------------|-----------|
| 4 | Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a) Cement Mortar 1:4:8(One cement:Four sand:Eight graded stone aggregate20 mm(Twenty millimetre) nominal size). | 83.54 | Cum | 4600.00 | Rupees Four Thousand Six Hundred Only | Per Cubic Metre | 384284.00 |
| 5 | Providing weep holes in brick masonry / stone masonry /plain reinforced concrete abutment, wing wall, return wall with 100 mm(One hundred millimetre) dia PVC pipe extending through the full with of the structures with slop of 1(v):20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge. | 25.00 | Rmt | 180.00 | Rupees One Hundred Eighty Only | Per Runing metre | 4500.00 |
| 6 | Backfilling behind abutment, wing wall and return wall complete as per drawings and technical specification clause 1204.3.8 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Granular material. | 10.23 | Cum | 1050.00 | Rupees One Thousand Fifty Only | Per Cubic Metre | 10742.00 |
| | | | | | Total | | 427536.00 |

DNR No 650 TSN No 14642-43 dt 6-11-25

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.

And ito Rs 440362/-


Executive Engineer,
Shimla Division No.1,
HP PWD Shimla-3.

SCHEDULE OF QUANTITY

| Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3. | | | | | | Estimated Cost:- 4,74,533.00 | |
|---|--|-------------|-----|----------------|---------------------------------------|------------------------------|----------|
| Name of Work :- Restoration Of Rain Damages on Shoghi Mehli Junga Sadhupul road Km 12/375 to 48/925 | | | | | | Earnest Money :- 9,500.00 | |
| (SH:- C/O R/Wall at Rd 17/660.50 to 17/665.50). | | | | | | Time:- One Month. | |
| Sr. No | Description of Work / Item (S) | No. of Qty. | | Estimated Rate | | Unit | Amount |
| | | | | In figures | In words | | |
| 1 | Cutting and disposal of earth work in by mechanical in all heights and depths in all kinds of soils, including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site., according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in -charge through all modes of transportation including head load ,animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required). All the surplus excavated earth to be dumped at dumping site(dumping sites will be arranged by the contractor on his own cost). Any loss to the public and private propriety, human being, machinery during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges. | 11.40 | Cum | 325.00 | Rupees Three Hundred Twenty Five Only | Per Cubic Metre | 3705.00 |
| 2 | Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required).All useful material such as stones, shingles aggregate and slates shall be properly stacked at site to the maximum possible extent in all leads and lifts through all modes of transportation the usefull stones as per the direction of the Engineer-in-Charge. Any loss to the public and private propriety during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges. | 33.50 | Cum | 400.00 | Rupees Four Hundred Only | Per Cubic Metre | 13400.00 |

| | | | | | | | |
|---|---|-------|-----|---------|--|-------------------|------------------|
| 3 | Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Cement Mortar 1:5:10 (One cement: five sand: Ten graded stone agg. 40mm nominal size). | 5.05 | Cum | 3800.00 | Rupees Three Thousand Eight Hundred Only | Per Cubic Metre | 19190.00 |
| 4 | Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 M 7.5 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Cement Mortar 1:4:8 (One cement: Four sand: Eight graded stone aggregate 20 mm (Twenty millimetre) nominal size). | 90.50 | Cum | 4600.00 | Rupees Four Thousand Six Hundred Only | Per Cubic Metre | 416300.00 |
| 5 | Back filling behind abutment, wing wall and return wall complete as per drawing and technical specification, clause 1204.3.8 granular material. including hauling of materials in all leads and lifts as per entire satisfaction and direction of Engineer-in-Charge. | 15.75 | Cum | 1050.00 | Rupees One Thousand Fifty Only | Per Cubic Metre | 16538.00 |
| 6 | Providing weapholes in brick masonry / stone masonry / plain reinforced concrete abutment, wing wall, return wall with 100 mm (One hundred millimetre) dia PVC pipe extending through the full with of the structures with slop of 1(v):20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge. | 30.00 | Rmt | 180.00 | Rupees One Hundred Eighty Only | Per Running meter | 5400.00 |
| | | | | | | Total | 474533.00 |
| | Quoted rates Percentage in figures | | | | | | |
| | Quoted rates Percentage in words | | | | | G.Total | |

DINR No 651 TIS No. 14646-47 dt 6-11-25 Amt 488789/-

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.

Executive Engineer,
Shimla Division No.1,
HP PWD Shimla-3.

| SCHEDULE OF QUANTITY | | | | | | | |
|---|--|------------|---------|----------------|---------------------------|----------------|-----------------|
| Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3. | | | | | Estimated Cost:- 70000.00 | | |
| Name of Work :- C/O Bishk to Tud km 0/000 to 1/300 (preparation of FRA case in all respect | | | | | Earnest Money :-1800.00 | | |
| | | | | | Time:- One Month. | | |
| Sr. No | Description of Work / Item (S) | No.of Qty. | | Estimated Rate | | Unit | Amount |
| | | | | In figures | In words | | |
| 1 | Preparation of GEO reference digital map and collecting the data from proposed site including field visit prepration of km file , geo coordinates along with making of habitations to be benefited by construction of project and dumpinng area of proposed site , making the alligememmnt in soft copy and submission in hard copy . proepration of forest case (FRA) proposed road in shimla sub division No - 1 preparation of folders complete in all respects and submit to he the department as the direction of Enginer -n - charge | 1.00 | per job | 70000.00 | Rs seventy thousand only | Pere job | 70000.00 |
| | Quated rates Percentage in figures | | | | | | |
| | Quoted rates Percentage in words | | | | | | |
| | | | | | | G.Total | 70000.00 |

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from

T/s No 14628-29 dated 6-11-25 Amounting to Rs. 72100/-

Executive Engineer,
Shimla Division No.I,
HP PWD Shimla-3.

SCHEDULE OF QUANTITY

| Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3. | | | | | Estimated Cost:-99650.00 | | |
|---|---|------------|------|----------------|---|-------------------|----------|
| Name of Work:- A/R & M/O various Type - I TO Type - VI GAD Residential qtrs at Kasumpti Shimla - 9 (SH:- | | | | | Earnest Money :-2000.00 | | |
| Covering of balcony out hoise set No -1 out house windsor cottage & Type - III/2 at Melhi Shimla (H.P) | | | | | Time:- One Month. | | |
| Sr. No | Description of Work / Item (S) | No.of Qty. | | Estimated Rate | | Unit | Amount |
| | | | | In figures | In words | | |
| 1 | Steel work welded in built up sections, framed work including cutting hoisting fixing in position and applying a priming coat of red lead paint including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) In gratings, framed guards bars ladders, railing, brackets and similar work. | 470.00 | Kgs | 105.00 | Rupees One Hundred Five Only | Per KilogramMetre | 49350.00 |
| 2 | Providing and fixing GI Pipe complete with fittings and clamp including cuttings and Making good the wallas 15 mm nominal bore | 15.00 | Rmt | 300.00 | Rupees Three Hundred Only | per Running metre | 4500.00 |
| 3 | Providing and fixing vitreous China wash down, water closet (European type. W.C. pan) with integral 'P' or 'S' trap including jointing the trap with soil pipe in cement mortar 1:1(1 cement : 1 sand) (Seat and over to bemeasured and paid for separately) including carriage of materials in all leads as per directions of the Engineer-in-Charge (i) One piece EWC make Cera | 1.00 | Nos. | 15500.00 | Rupees Fifteen Thousand Five Hundred Only | Each | 15500.00 |
| 4 | Providing and fixing hand jet faucet including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. MAKE ESS ESS | 1.00 | Nos. | 950.00 | Rupees Nine Hundred Fifty Only | Each | 950.00 |
| 5 | Providing and fixing sink mixer arrangement including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. MAKE CERA | 1.00 | Nos | 3500.00 | Rupees Three Thousand Five Hundred Only | Each | 3500.00 |
| 6 | Providing and fixing wall mixer arrangement including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. | 1.00 | Nos | 3800.00 | Rupees Three Thousand Eight Hundred Only | Each | 3800.00 |
| 7 | Providing and fixing plastic seat (solid / Holow type) and cover for wash down water closet with C.P. Brass hinges and rubber buffers. including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. White plastic seat and Cover | 4.00 | Nos. | 900.00 | Rupees Nine Hundred Only | Each | 3600.00 |

| | | | | | | | |
|----|---|-------|-----|--------|--------------------------------|------------------|-----------------|
| 8 | Providing and fixing 8.00mm C.P jet spray of approved quality and colour with 1.50 meter tube including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. | 1.00 | Nos | 450.00 | Rupees Four Hundred Fifty Only | Each | 450.00 |
| 9 | supplying and fixing welded mesh 225x25x3mm to wood or steel members in partitions etc including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. | 30.00 | Sqm | 600.00 | Rupees Six Hundred Only | Per square metre | 18000.00 |
| | Quoted rates Percentage in figures | | | | | | |
| RB | Quoted rates Percentage in words | | | | | | |
| | | | | | | G.Total | 99650.00 |

T/s No 14 648-44 dated 6-11-25 Amounting to Rs. 1,02,639/-

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance

Executive Engineer
Shimla Division No.1,
HP PWD Shimla-3.

DRAFT SCHEDULE OF QUANTITY

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.

Estimated Cost:- 485145.00

Name of Work :-Restoration of Rain damages on Nariga Bridge to Jagher road Km 0/000 to 1/660 (SH:- C/O R/Wall at Rd 0/795 to 0/800).

Earnest Money :- 9700.00

Time:- One Month.

| Sr. No | Description of Work / Item (S) | No.of Qty. | | Estimated Rate | | Unit | Amount |
|--------|---|------------|-----|----------------|--|-----------------|-----------|
| | | | | In figures | In words | | |
| 1 | Cutting and disposal of earth work in by mechanical in all heights and depths in all kinds of soils, including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site., according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in -charge through all modes of transportation including head load ,animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required). All the surplus excavated earth to be dumped at dumping site(dumping sites will be arranged by the contractor on his own cost). Any loss to the public and private propriety, human being, machinery during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges. | 44.30 | Cum | 325.00 | Rupees Three Hundred Twenty Five Only | Per Cubic Metre | 14398.00 |
| 2 | Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical | 17.48 | Cum | 400.00 | Rupees Four Hundred Only | Per Cubic Metre | 6992.00 |
| 3 | Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Cement Mortar 1:5:10 (One cement: five sand: Ten graded stone agg.40mm nominal size). | 2.60 | Cum | 3800.00 | Rupees Three Thousand Eight Hundred Only | Per Cubic Metre | 9880.00 |
| 4 | Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a) Cement Mortar 1:4:8(One cement:Four sand:Eight graded stone aggregate20 mm(Twenty millimetre) nominal size). | 95.90 | Cum | 4600.00 | Rupees Four Thousand Six Hundred Only | Per Cubic Metre | 441140.00 |

| | | | | | | | |
|---|--|-------|-----|---------|--------------------------------|------------------|-----------|
| 5 | Providing weep holes in brick masonry / stone masonry / plain reinforced concrete abutment, wing wall, return wall with 100 mm(One hundred milimetre) dia PVC pipe extending through the full with of the structures with slop of 1(v):20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge. | 20.00 | Rmt | 180.00 | Rupees One Hundred Eighty Only | Per Runing metre | 3600.00 |
| 6 | Backfilling behind abutment, wing wall and return wall complete as per drawings and technical specification clause 1204.3.8 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Granular material. | 8.70 | Cum | 1050.00 | Rupees One Thousand Fifty Only | Per Cubic Metre | 9135.00 |
| | | | | | Total | | 485145.00 |

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.

DNIT approved for Rs 485145/- Only) vide DNIT Register Sr.No.....
the financial year 2025-26.. T/S NO. 14570- DATE 4-11-25 AMT 499699.00

Executive Engineer,
Shimla Division No.I,
HP PWD Shimla-3.

SCHEDULE OF QUANTITY

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.

Estimated Cost:- 480900.00

Name of Work :-Restoration of Rain damages on Nariga Bridge to Jagher road Km 0/000 to 1/660 (SH:- C/O R/Wall at Rd 0/800 to 0/805).

Earnest Money :- 9700.00

Time:- One Month.

| Sr. No | Description of Work / Item (S) | No.of Qty. | | Estimated Rate | | Unit | Amount |
|-----------|---|------------|-----|----------------|--|-----------------|-----------|
| | | | | In figures | In words | | |
| 1 | Cutting and disposal of earth work in by mechanical in all heights and depths in all kinds of soils, including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site., according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in -charge through all modes of transportation including head load ,animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required). All the surplus excavated earth to be dumped at dumping site(dumping sites will be arranged by the contractor on his own cost). Any loss to the public and private propriety, human being, machinery during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges. | 44.30 | Cum | 325.00 | Rupees Three Hundred Twenty Five Only | Per Cubic Metre | 14398.00 |
| 2 | Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical | 17.48 | Cum | 400.00 | Rupees Four Hundred Only | Per Cubic Metre | 6992.00 |
| 3 | Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Cement Mortar 1:5:10 (One cement: five sand: Ten graded stone agg.40mm nominal size). | 2.60 | Cum | 3800.00 | Rupees Three Thousand Eight Hundred Only | Per Cubic Metre | 9880.00 |
| 4 | Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a) Cement Mortar 1:4:8(One cement:Four sand:Eight graded stone aggregate20 mm(Twenty millimetre) nominal size). | 95.00 | Cum | 4600.00 | Rupees Four Thousand Six Hundred Only | Per Cubic Metre | 437000.00 |

| | | | | | | | |
|---|--|-------|-----|---------|--------------------------------|------------------|-----------|
| 5 | Providing weep holes in brick masonry / stone masonry / plain reinforced concrete abutment, wing wall, return wall with 100 mm(One hundred milimetre) dia PVC pipe extending through the full with of the structures with slop of 1(v):20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge. | 20.00 | Rmt | 180.00 | Rupees One Hundred Eighty Only | Per Runing metre | 3600.00 |
| 6 | Backfilling behind abutment, wing wall and return wall complete as per drawings and technical specification clause 1204.3.8 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Granular material. | 8.60 | Cum | 1050.00 | Rupees One Thousand Fifty Only | Per Cubic Metre | 9030.00 |
| | | | | | Total | | 480900.00 |

D/M R. No. 462 of 3-11-25 118 No 14 582-83 Amt 495327

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.

Executive Engineer,
Shimla Division No.I,
HP PWD Shimla-3.


SCHEDULE OF QUANTITY

| Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3. | | | | | | Estimated Cost:- 96,827.00 | |
|--|---|------------|------|----------------|--|----------------------------|----------|
| Name of Work :- A/R & M/O various Type - I TO Type - VI GAD Residential qtrs at Kasumpti Shimla - 9 (SH:- Providing and fixing door and window shutters Type - III-132,131,57 and 68,42 under kasumpti sub division) | | | | | | Earnest Money :- 2,000.00 | |
| | | | | | | Time:- One Month. | |
| Sr. No | Description of Work / Item (S) | No.of Qty. | | Estimated Rate | | Unit | Amount |
| | | | | In figures | In words | | |
| 1 | Dismantling doors, windows and clerestory windows (steel or wood) shutter including chowkhats, architrave, holdfasts etc. complete and stacking within 50 metres including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (i) Of area 3 sq. metres and below | 10.00 | Nos | 300.00 | Rupees Three Hundred Only | Each | 3000.00 |
| 2 | Providing and fixing panelled glazed or panelled and glazed shutters for doors windows and clerestory windows. Including black enamelled iron butt hinges with necessary screws including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) 40mm thick (i) 2nd class deodar wood. | 10.96 | Sqm | 4500.00 | Rupees Four Thousand Five Hundred Only | Per Square Meter | 49320.00 |
| 3 | Providing and fixing wire gauge shutters using galvanised M.S. wire gauge of I.S. gauge designation 85 G. with wire of dia 0.56 mm for doors windows and clerestorey windows including bright finished black enamelled iron hinges with necessary screws including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (i) 40mm thick 2nd class deodar wood | 4.88 | Sqm | 4200.00 | Rupees Four Thousand Two Hundred Only | Per Square Meter | 20496.00 |
| 4 | Providing and fixing aluminium tower bolts, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour or shade, with necessary screws etc including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. 150x10mm | 14.00 | Nos. | 80.00 | Rupees Eighty Only | Each | 1120.00 |
| (ii) | 200x10 mm | 10.00 | Nos. | 120.00 | Rupees One Hundred Twenty Only | Each | 1200.00 |
| 5 | Providing and fixing aluminium handles, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour or shade, with necessary screws etc. including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (i) 125 mm | 20.00 | Nos. | 80.00 | Rupees Eighty Only | Each | 1600.00 |
| 6 | Providing and fixing bright finished brass hard drawn hooks and eyes including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (i) 200 mm | 16.00 | Nos. | 60.00 | Rupees Sixty Only | Each | 960.00 |
| 7 | Providing wood work in frames of doors, windows, clerestory, windows and other frames wrought, framed and fixed in position including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (i) 2nd class deodar wood | 0.061 | Cum | 100000 | Rupees One Lakh Only | Per Cubic Metre | 6100.00 |
| 8 | Providing and fixing wire gauge in shutters using galvanised M.S. wire gauge of I.S. gauge designation 85 G. with wire of dia 0.56 mm for doors windows and clerestorey windows including bright finished black enamelled iron hinges with necessary screws. including carriage of materials in all leads as per directions of the Engineer-in-Charge. | 2.00 | Sqm | 300.00 | Rupees Three Hundred Only | Per Square Meter | 600.00 |

| | | | | | | | |
|----|--|-------|------|---------|---------------------------------|------------------|-----------------|
| 9 | Renewing glass panes. with putty and nails wherever necessary including racking out the old putty (i) Float glass panes of nominal thickness 4 mm including carriage of materials in all leads as per directions of the Engineer-in-Charge. (weight not less than 10kg/sqm) | 2.00 | Sqm | 850.00 | Rupees Eight Hundred Fifty Only | Per Square Meter | 1700.00 |
| ii | Frosted glass 4 mm thick | 1.00 | Sqm | 1050.00 | Rupees One Thousand Fifty Only | Per Square Meter | 1050.00 |
| 10 | Repair to plaster in patches of 2.50 square meter under and upto 10 to 15mm thick including cutting the patch in proper shape and re-plastering the surface of wall including disposal to the dumping ground with a lead of 20 metres with including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (i) Cement Mortar 1:5(One cement: Five sand). | 6.75 | Sqm | 270.00 | Rupees Two Hundred Seventy Only | Per Square Meter | 1823.00 |
| 11 | Providing and fixing chicken mesh in wall with wood screws and nails including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. | 6.75 | Sqm | 250.00 | Rupees Two Hundred Fifty Only | Per Square metre | 1688.00 |
| 12 | Providing Dubbing out an old irregular walls average 10mm thick with including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (i) cement mortar 1:5 (One cement: Five sand). | 6.75 | Sqm. | 280.00 | Rupees Two Hundred Eighty Only | Per Square metre | 1890.00 |
| 13 | Applying priming coat over new wood and wood based surfaces after and including prepering the surface by thoroughly cleaning oil,grease,dirt and other foreign matter) sand papering and knotting including carriage of materials in all leads as per directions of the Engineer-in-Charge. | 38.91 | Sqm | 40.00 | Rupees Forty Only | Per Square metre | 1556.00 |
| 14 | Painting two coats(excluding coat) on new wood and wood based surface with enamel paint to give an even shade including cleaning the surface of dirt,dust and other foreign matter,sand papering & stoping including carriage of materials in all leads as per directions of the Engineer-in-Charge.(i) With white enemal paint. | 38.91 | Sqm | 70.00 | Rupees Seventy Only | Per Square metre | 2724.00 |
| | | | | | | Total | 96827.00 |
| | Quated rates Percentage in figures | | | | | | |
| | Quoted rates Percentage in words | | | | | | |
| | | | | | | G.Total | |

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.


 Executive Engineer,
 Shimla Division No.I,
 HP PWD Shimla-3.

656

DRAFT SCHEDULE OF QUANTITY

| Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3. | | | | | | Estimated Cost:- 4,79,925.00 | |
|--|--|-------------|-----|----------------|---|------------------------------|-----------|
| Name of Work :- Restoration of Rain Damages on Baldeyan to Dhar road in Km. 0/00 to 2/500. (SH:- Construction of Retaining wall at RD 0/360 to 0/380). | | | | | | Earnest Money :- 9,400.00 | |
| | | | | | | Time:- One Month. | |
| Sr. No | Description of Work / Item (S) | No. of Qty. | | Estimated Rate | | Unit | Amount |
| | | | | In figures | In words | | |
| 1 | Cutting and disposal of earth work in by mechanical in all heights and depths in all kinds of soils, including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site., according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in -charge through all modes of transportation including head load ,animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required). All the surplus excavated earth to be dumped at dumping site(dumping sites will be arranged by the contractor on his own cost). Any loss to the public and private propriety, human being, machinery during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges. | 37.00 | Cum | 325.00 | Rupees Three Hundred Twenty Five Only | Per Cubic Metre | 12025.00 |
| 2 | Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required).All useful material such as stones, shingles aggregate and slates shall be properly stacked at site to the maximum possible extent in all leads and lifts through all modes of transportation the usefull stones as per the direction of the Engineer-in-Charge. Any loss to the public and private propriety during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges. | 11.00 | Cum | 400.00 | Rupees Four Hundred Only | Per Cubic Metre | 4400.00 |
| 3 | Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Cement Mortar 1:6:12(One cement: six sand: twelve graded stone agg.40mm nominal size). | 11.00 | Cum | 3400.00 | Rupees Three Thousand Four Hundred Only | Per Cubic Metre | 37400.00 |
| 4 | Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a) Cement Mortar 1:4:8(One cement:Four sand:Eight graded stone aggregate20 mm(Twenty milimetre) nominal size). | 88.00 | Cum | 4600.00 | Rupees Four Thousand Six Hundred Only | Per Cubic Metre | 404800.00 |

| | | | | | | | |
|---|--|-------|-----|---------|--------------------------------|-------------------|------------------|
| 5 | Providing weapholes in brick masonry / stone masonry /plain reinforced concrete abutment, wing wall, return wall with 100 mm(One hundred milimetre) dia PVC pipe extending through the full with of the structures with slop of 1(v):20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge. | 60.00 | Rmt | 180.00 | Rupees One Hundred Eighty Only | Per Running meter | 10800.00 |
| 6 | Backfilling behind abutment, wing wall and return wall complete as per drawings and technical specification clause 1204.3.8 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Granular material. | 10.00 | Cum | 1050.00 | Rupees One Thousand Fifty Only | Per Cubic Metre | 10500.00 |
| | | | | | | Total | 479925.00 |
| | Quated rates Percentage in figures | | | | | | |
| | Quoted rates Percentage in words | | | | | | |
| | | | | | | G.Total | |

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.

DNIT approved for Rs. 4,79,925/- Only (Rupees Four lac Seventy nine Thousand Nine Hundred Twenrty five only) vide DNIT Register
Sr.No. 656 the financial year 2025-26

Ant to Rs 4,94,323/-

Executive Engineer,
Shimla Division No.1,
HP PWD Shimla-3.

DRAFT SCHEDULE OF QUANTITY

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.

Estimated Cost:- 2,70,450.00

Name of Work :- Restoration of Rain Damages on Baldeyan to Dhar road in Km. 0/00 to 2/500. (SH:- Construction of Retaining wall at RD 0/440 to 0/455).

Earnest Money :- 5,400.00

Time:- One Month.

| Sr. No | Description of Work / Item (S) | No. of Qty. | | Estimated Rate | | Unit | Amount |
|--------|--|-------------|-----|----------------|---|-----------------|----------|
| | | | | In figures | In words | | |
| 1 | Cutting and disposal of earth work in by mechanical in all heights and depths in all kinds of soils, including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site., according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in -charge through all modes of transportation including head load ,animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required). All the surplus excavated earth to be dumped at dumping site(dumping sites will be arranged by the contractor on his own cost). Any loss to the public and private propriety. human being, machinery during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges. | 24.00 | Cum | 325.00 | Rupees Three Hundred Twenty Five Only | Per Cubic Metre | 7800.00 |
| 2 | Earth work in. excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through; all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required).All useful material such as stones, shingles aggregate and slates shall be properly stacked at site to the maximum possible extent in all leads and lifts through all modes of transportation the usefull stones as per the direction of the Engineer-in-Charge. Any loss to the public and private propriety during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges. | 7.00 | Cum | 400.00 | Rupees Four Hundred Only | Per Cubic Metre | 2800.00 |
| 3 | Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Cement Mortar 1:6:12(one cement: six sand: twelve graded stone agg.40mm nominal size). | 7.00 | Cum | 3400.00 | Rupees Three Thousand Four Hundred Only | Per Cubic Metre | 23800.00 |

| | | | | | | | |
|---|--|-------|-----|---------|---------------------------------------|-------------------|------------------|
| 4 | Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a) Cement Mortar 1:4:8(One cement:Four sand:Eight graded stone aggregate20 mm(Twenty milimetre) nominal size). | 49.00 | Cum | 4600.00 | Rupees Four Thousand Six Hundred Only | Per Cubic Metre | 225400.00 |
| 5 | Providing weapholes in brick masonry / stone masonry /plain reinforced concrete abutment, wing wall, return wall with 100 mm(One hundred milimetre) dia PVC pipe extending through the full with of the structures with slop of 1(v):20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge. | 30.00 | Rmt | 180.00 | Rupees One Hundred Eighty Only | Per Running meter | 5400.00 |
| 6 | Backfilling behind abutment, wing wall and return wall complete as per drawings and technical specification clause 1204.3.8 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Granular material. | 5.00 | Cum | 1050.00 | Rupees One Thousand Fifty Only | Per Cubic Metre | 5250.00 |
| | | | | | | Total | 270450.00 |
| | Quated rates Percentage in figures | | | | | | |
| | Quoted rates Percentage in words | | | | | | |
| | | | | | | G.Total | |

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.

DNIT approved for Rs. 2,70,450- Only (Rupees Two lac Seventy Thousand Four Hundred Fifty only) vide DNIT Register Sr.No. 6.57 the financial year 2025-26 (T/S No. 14670-71) Dated 11-11-25... Amount to Rs. 2,78,563/-

Executive Engineer,
Shimla Division No.1,
HP PWD Shimla-3.

SCHEDULE OF QUANTITY

| Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-1, H.P.P.W.D., SHIMLA-3. | | | | | | Estimated Cost:- 4,04,455.00 | |
|--|--|------------|-----|----------------|--|------------------------------|----------|
| Name of Work:--Restoration of Rain damages on Bharari to Bhout road tra. 0/00 to 4/00. (SH:- | | | | | | Earnest Money:- 8,100.00 | |
| Construction of retaining wall at Rd. km. 2/930 to 2/940) | | | | | | Time:- One Month. | |
| Sr. No | Description of Work / Item (S) | No of Qty. | | Estimated Rate | | Unit | Amount |
| | | | | In figures | In words | | |
| 1 | Cutting and disposal of earth work in by mechanical in all heights and depths in all kinds of soils, including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in -charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required). All the surplus excavated earth to be dumped at dumping site, dumping sites will be arranged by the contractor on his own cost). Any loss to the public and private propriety, human being, machinery during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges. | 46.20 | Cum | 325.00 | Rupees Three Hundred Twenty Five Only | Per Cubic Metre | 15015.00 |
| 2 | Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Rock blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the-work by mechanical means and labour (if required). All useful material such as stones, shingles aggregate and slates shall be properly stacked at site to the maximum possible extent in all leads and lifts through all modes of transportation the usefull stones as per the direction of the Engineer-in-Charge. Any loss to the public and private propriety during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges. | 5.10 | Cum | 400.00 | Rupees Four Hundred Only | Per Cubic Metre | 2040.00 |
| 3 | Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 302.803.1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. a) Cement Mortar 1:5:10(One cement: five sand: ten graded stone agg.40mm nominal size). | 5.10 | Cum | 3800.00 | Rupees Three Thousand Eight Hundred Only | Per Cubic Metre | 19380.00 |

| | | | | | | | |
|---|---|-------|-----|---------|---------------------------------------|-------------------|-----------|
| 4 | Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802, 803, 1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Cement Mortar 1:4:8 (One cement: Four sand: Eight graded stone aggregate 20 mm (Twenty millimetre) nominal size) | 78.40 | Cum | 4600.00 | Rupees Four Thousand Six Hundred Only | Per Cubic Metre | 360640.00 |
| 5 | Backfilling behind abutment, wing wall and return wall complete as per drawings and technical specification clause 1204.3.8 including carriage of material in all leads and lifts as per directions of the Engineer-in-Charge. (a) Granular material. | 3.60 | Cum | 1050.00 | Rupees One Thousand Fifty Only | Per Cubic Metre | 3780.00 |
| 6 | Providing weepholes in brick masonry / stone masonry / plain reinforced concrete abutment, wing wall, return wall, with 100 mm (One hundred millimetre) dia PVC pipe extending through the full width of the structures with slope of 1% (20:1) towards drawing area complete as per drawing and technical specification clauses 614, 709, 1204.3.7 including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge. | 20.00 | Rm | 180.00 | Rupees One Hundred Eighty Only | Per Running meter | 3600.00 |
| | | | | | | Total | 404455.00 |
| | Quantity - Percentage in figures | | | | | | |
| | Quantity - Percentage in words | | | | | | |
| | | | | | | G.Total | |

CONDITIONS:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance. The material to be used on work and any or all of the material which is available as per Indian standard in the market should conform to bureau of Indian standards.

T/S No. 14826 dated 11-11-25 amounting to Rs. 4,16,589/-

Executive Engineer,
Shimla Division No.1,
HP PWID Shimla-5.

| SCHEDULE OF QUANTITY | | | | | | | |
|---|---|------------|-----|----------------|---|---------------------------|----------|
| Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3. | | | | | | Estimated Cost:- 98786.00 | |
| Name of Work :- A/R & M/O various residentail Qtrs Type-to Type-VI of GAD at Kasumpti Shimla-9 (SH:- Wall tile in Type-IV Set no 48 under Kasumpti Section) | | | | | | Earnest Money :- 2000.00 | |
| | | | | | | Time:- One Month. | |
| Sr. No | Description of Work / Item (S) | No.of Qty. | | Estimated Rate | | Unit | Amount |
| | | | | In figures | In words | | |
| 1 | Providing and laying vitrified floor tiles in different sizes (thickness to be specified by the manufacturer) with water absorption less than 0.08% and conforming to IS: 15622, of approved make, in all colours and shades, laid on 20mm (twenty milimetre) thick cement mortar 1:4 (One cement : four coarse sand), jointing with grey cement slurry @ 3.3 kg/ sqm including grouting the joints with white cement and matching pigments etc., complete including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(i) Size of tile 600x1200mm | 53.91 | Sqm | 1550.00 | Rupees One Thousand Five Hundred Fifty Only | Per Square Metre | 83561.00 |
| 2 | Providing and laying vitrified tiles in different sizes Size 600x1200mm (thickness to be specified by the manufacturer) with water absorption less than 0.08% and conforming to IS: 15622, of approved make, in all colours and shades, laid on 12mm (Twelve milimetre) thick cement mortar 1:3 (One cement : three coarse sand), jointing with grey cement slurry @ 3.3 kg/ sqm including grouting the joints with white cement and matching pigments etc., complete including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. | 10.500 | Sqm | 1450.00 | Rupees One Thousand Four Hundred Fifty Only | Per Square Metre | 15225.00 |
| | | | | | Total | | 98786.00 |

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.

DINR No 667 TISM No 14832-3304 11-11-25

Rev to Rs 101750/-

Executive Engineer,
Shimla Division No.I,
HP PWD Shimla-3.

| SCHEDULE OF QUANTITY | | | | | | | |
|---|---|------------|-----|----------------|---------------------------|---------------------------|-----------|
| Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3. | | | | | | Estimated Cost:-244950.00 | |
| Name of Work :- Restoration of rain damages on various roads under Junga Sub Division (SH:- | | | | | | Earnest Money :- 5000.00 | |
| Removal of slips on 1 Shoghi Mehli Junga Sadhupul road,2 Koti Junga road). | | | | | | Time:- One Month. | |
| Sr. No | Description of Work / Item (S) | No.of Qty. | | Estimated Rate | | Unit | Amount |
| | | | | In figures | In words | | |
| 1 | Removal of landslides/slip clearance .Removal of land slide in hilly area in ordinary rock not requiring blasting by mechanical means including cutting and trimming of slopes and disposal of cut material with in a lift upto 1.5 metre and land upto 1000 meter as per technical specification 302.3.5 and 1611. | 816.50 | Cum | 300.00 | Rupees Three Hundred Only | Per Cubic Metre | 244950.00 |
| | | | | | Total | | 244950.00 |

DIPR. No. 664 TISM 014838-39 04-11-25

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.

Ant. to Rs 252298/-

Executive Engineer,
Shimla Division No.I,
HP PWD Shimla-3.

| SCHEDULE OF QUANTITY | | | | | | | |
|--|---|------------|-----|----------------|---------------------------|---------------------------|----------|
| Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3. | | | | | | Estimated Cost:- 99000.00 | |
| Name of Work :- Restoration of rain damages on Dubloo lakhoti road Km 0/000 to 5/760 (SH:- | | | | | | Earnest Money :- 2000.00 | |
| Removal of slips between Km 0/00 to 3/00) | | | | | | Time:- One Month. | |
| Sr. No | Description of Work / Item (S) | No.of Qty. | | Estimated Rate | | Unit | Amount |
| | | | | In figures | In words | | |
| 1 | Hiring of JCB excavator -Cum-Loader and tipper for removal of slips Debris and dressing of berms including coat of fuel oil lubricants wages of operational staffs any repair package during operation will be carried out at his risk and costly at required location actual working will be accounted for payment and proper disposal slips/debris by the contractor will be insured and dumping site will be arranged by the contractor at this own cost of tipper or carriage out as per instructions/directions of the Engineer-in-Charge. | 330.00 | Cum | 300.00 | Rupees Three Hundred Only | Per Cubic Metre | 99000.00 |
| | | | | | Total | | 99000.00 |

DINA NO 665 TISHA. 14840-41 dt 11-11-25

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.

And to Rs 101970/-

Executive Engineer,
Shimla Division No.I,
HP PWD Shimla-3.


| SCHEDULE OF QUANTITY | | | | | | | |
|--|---|------------|--------|----------------|---|---------------|----------|
| Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3. | | | | | Estimated Cost:- 98685.00 | | |
| Name of Work :- A/R and M/O to various Residential Qtrs. Under Kasumpti Sub Division Shimla-9. (SH:- | | | | | Earnest Money :- 2000.00 | | |
| Supplying of material to Sub division no. VIII Mehli Section Shimla-9). | | | | | Time:- One Month. | | |
| Sr. No | Description of Work / Item (S) | No.of Qty. | | Estimated Rate | | Unit | Amount |
| | | | | In figures | In words | | |
| 1 | Supplying of Black Nails size 20mm complete including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. | 4.00 | Kgs. | 280.00 | Rupees Two Hundred Eighty Only | Per Kilo-gram | 1120.00 |
| 2 | Nails 20m | 5.00 | Kgs. | 220.00 | Rupees Two Hundred Twenty Only | Per Kilo-gram | 1100.00 |
| 3 | Nails 25m | 5.00 | Kgs. | 220.00 | Rupees Two Hundred Twenty Only | Per Kilo-gram | 1100.00 |
| 4 | Nails 40mm to 100mm | 5.00 | Kgs. | 115.00 | Rupees One Hundred Fifteen Only | Per Kilo-gram | 575.00 |
| 5 | Screw 20,25,30,35mm | 12.00 | Packet | 70.00 | Rupees Seventy Only | Per Packet | 840.00 |
| 6 | C.P. iron sliding door bolt 200x16mm | 12.00 | Nos | 330.00 | Rupees Three Hundred Thirty Only | Each | 3960.00 |
| 7 | C.P iron sliding door bolt 250x 16mm | 10.00 | Nos | 380.00 | Rupees Three Hundred Eighty Only | Each | 3800.00 |
| 8 | C.P. iron sliding door bolt 300x 16mm | 8.00 | Nos | 450.00 | Rupees Four Hundred Fifty Only | Each | 3600.00 |
| 9 | Iron door spring | 8.00 | Nos | 395.00 | Rupees Three Hundred Ninety Five Only | Each | 3160.00 |
| 10 | Hydraulic door closer (Heavy) | 12.00 | Nos | 1250.00 | Rupees One Thousand Two Hundred Fifty Only | Each | 15000.00 |
| 11 | Drawer lock (Godrej) | 12.00 | Nos | 270.00 | Rupees Two Hundred Seventy Only | Each | 3240.00 |
| 12 | C.P.Tel Mixer Benson Gold. | 5.00 | Nos | 4490.00 | Rupees Four Thousand Four Hundred Ninety Only | Each | 22450.00 |
| 13 | PVC Seat Cover for EVOC. | 4.00 | Nos | 897.00 | Rupees Eight Hundred Ninety Seven Only | Each | 3588.00 |
| 14 | PVC Seat Cover for Anglo Indian with Hinges. | 4.00 | Nos | 650.00 | Rupees Six Hundred Fifty Only | Each | 2600.00 |
| 15 | S.S. Grating 110mm (Heavy) with frame. | 4.00 | Nos | 158.00 | Rupees One Hundred Fifty Eight Only | Each | 632.00 |
| 16 | Gate Valve 20mm (Heavy). | 4.00 | Nos | 650.00 | Rupees Six Hundred Fifty Only | Each | 2600.00 |
| 17 | Glass Corner Shelf for Tuffon Glass with S.S. Railing & Brackets. | 8.00 | Nos | 1890.00 | Rupees One Thousand Eight Hundred Ninety Only | Each | 15120.00 |
| 18 | S.S Curton Rod 12" Long S.S. 304 Grade. | 12.00 | Nos | 925.00 | Rupees Nine Hundred Twenty Five Only | Each | 11100.00 |

| | | | | | | | |
|----|------------------------------------|-------|-----|--------|----------------------------------|----------------|-----------------|
| 19 | CP/ Gyser connection pipe 19" | 10.00 | Nos | 310.00 | Rupees Three Hundred Ten Only | Each | 3100.00 |
| | Quated rates Percentage in figures | | | | | | |
| | Quoted rates Percentage in words | | | | | | |
| | | | | | | G.Total | 98685.00 |

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.

T/s No. 14844-45 dated 11-11-25 Amounting to Rs. 101645/-


Executive Engineer,
Shimla Division No.I,
HP PWD Shimla-3.

| SCHEDULE OF QUANTITY | | | | | | | |
|---|-------------------------------------|------------|------|----------------|---|-----------------|----------|
| Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3. | | | | | Estimated Cost:-98674.00 | | |
| Name of Work :-A/R and M/O to various Residential Qtrs. Under Kasumpti Sub Division Shimla-9. (SH:- Supplying of material to Sub division no. VIII Mehli Section Shimla-9). | | | | | Earnest Money :-2000=00 | | |
| | | | | | Time:- One Month. | | |
| Sr. No | Description of Work / Item (S) | No.of Qty. | | Estimated Rate | Unit | Unit | Amount |
| | | | | In figures | | | |
| 1 | Gate Hook 150mm (Heavy) | 6.00 | Nos | 171.00 | Rupees One Hundred Seventy One Only | Each | 1026.00 |
| 2 | Sink mixer Heavy duty | 2.00 | Nos | 3800.00 | Rupees Three Thousand Eight Hundred Only | Each | 7600.00 |
| 3 | C.P Bib Cock Seeko Delux long body. | 5.00 | Nos | 1050.00 | Rupees One Thousand Fifty Only | Each | 5250.00 |
| 4 | China Screw / Gypsem Srew | 1000.00 | Nos | 2.00 | Rupees Two Only | Each | 2000.00 |
| 5 | CPVC female elbow | 12.00 | Nos | 129.00 | Rupees One Hundred Twenty Nine Only | Each | 1548.00 |
| 6 | CPVC Solution large pack | 8.00 | Nos | 450.00 | Rupees Four Hundred Fifty Only | Each | 3600.00 |
| 7 | Teflon Tape roll | 15.00 | Nos | 40.00 | Rupees Forty Only | Each | 600.00 |
| 8 | Measuring Tape 5 mtr | 1.00 | Nos | 200.00 | Rupees Two Hundred Only | Each | 200.00 |
| 9 | Black Cement PPC | 25.00 | Bag | 650.00 | Rupees Six Hundred Fifty Only | Per bag | 16250.00 |
| 10 | wire mesh | 150.00 | Sqft | 55.00 | Rupees Fifty Five Only | per square feet | 8250.00 |
| 11 | CP/ Gyser connection pipe 18" | 20.00 | Nos | 290.00 | Rupees Two Hundred Ninety Only | Each | 5800.00 |
| 12 | CP/ Gyser connection pipe 19" | 20.00 | Nos | 310.00 | Rupees Three Hundred Ten Only | Each | 6200.00 |
| 13 | White cement per kg | 20.00 | kg | 45.00 | Rupees Forty Five Only | Per kilo gramme | 900.00 |
| 14 | Sliding door bolt 250mm | 11.00 | Nos | 1950.00 | Rupees One Thousand Nine Hundred Fifty Only | Each | 21450.00 |

| | | | | | | | |
|----|-------------------------|--------|------|--------|-----------------------------------|-----------------|----------|
| 15 | Plain forseted 4mm size | 150.00 | Sqft | 120.00 | Rupees One Hundred Twenty Only | per square feet | 18000.00 |
| | | | | | | | |
| | Total | | | | | Total | 98674.00 |

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance

T/s No. 1484647 dated 11-11-25 Amounting to Rs. 101634/-

Executive Engineer,
Shimla Division No.I,
HP PWD Shimla-3.

SCHEDULE OF QUANTITY

| Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3. | | | | | | Estimated Cost:- 456630.00 | |
|---|--|------------|-----|----------------|---|----------------------------|----------|
| Name of Work :- Restoration of rain damages on Mashobra to Bhakelty road Km 0/00 to 18/300. | | | | | | Earnest Money :- 9200.00 | |
| (SH:- C/O R/Wall at Rd 17/705 to 17/717). (under PDNA) | | | | | | Time:- One Month. | |
| Sr. No | Description of Work / Item (S) | No.of Qty. | | Estimated Rate | | Unit | Amount |
| | | | | In figures | In words | | |
| 1 | Cutting and disposal of earth work in by mechanical in all heights and depths in all kinds of soils, including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site., according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in -charge through all modes of transportation including head load ,animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required). All the surplus excavated earth to be dumped at dumping site(dumping sites will be arranged by the contractor on his own cost). Any loss to the public and private propriety, human being, machinery during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges. | 40.00 | Sqm | 325.00 | Rupees Three Hundred Twenty Five Only | Per Square Metre | 13000.00 |
| 2 | Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required).All useful material such as stones, shingles aggregate and slates shall be properly stacked at site to the maximum possible extent in all leads and lifts through all modes of transportation the usefull stones as per the direction of the Engineer-in-Charge. Any loss to the public and private propriety during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges. | 9.00 | Sqm | 400.00 | Rupees Four Hundred Only | Per Square Metre | 3600.00 |
| 3 | Providing and laying cement concrete 1:6 :12 (1 cement :6 sand :12 graded stone aggregate .40 mm nominal size) and carring complete. | 9.00 | Sqm | 3400.00 | Rupees Three Thousand Four Hundred Only | Per Square Metre | 30600.00 |

| | | | | | | | |
|---|--|-------|-----|---------|---------------------------------------|------------------|-----------|
| 4 | Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) CC 1:4:8). | 86.00 | Sqm | 4600.00 | Rupees Four Thousand Six Hundred Only | Per Square Metre | 395600.00 |
| 5 | Backfilling behind abutment, wing wall and return wall complete as per drawings and technical specification clause 1204.3.8 HPSR 2009 Item No 12.14 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. | 7.00 | Sqm | 1050.00 | Rupees One Thousand Fifty Only | Per Square Metre | 7350.00 |
| 6 | Providing weapholes in brick masonry / stone masonry /plain reinforced concrete abutment, wing wall, return wall with 100 mm(One hundred milimetre) dia PVC pipe extending through the full with of the structures with slop of 1(v):20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge. | 36.00 | Sqm | 180.00 | Rupees One Hundred Eighty Only | Per Square Metre | 6480.00 |
| | | | | | Total | | 456630.00 |

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.

SHMR No 671 TIS No 15013-14 dt 11-11-25

Ant to Rs 4,70,328/-

Executive Engineer,
Shimla Division No.I,
HP PWD Shimla-3.

| SCHEDULE OF QUANTITY | | | | | | | |
|---|--|-------------|-----|----------------|---|----------------------------|----------|
| Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3. | | | | | | Estimated Cost:- 465830.00 | |
| Name of Work :- Restoration of rain damages on Mashobra to Bhakelty road Km 0/00 to 18/300. | | | | | | Earnest Money :- 9400.00 | |
| (SH:- C/O R/Wall at Rd 15/900 to 15/912). (under PDNA) | | | | | | Time:- One Month. | |
| Sr. No | Description of Work / Item (S) | No. of Qty. | | Estimated Rate | | Unit | Amount |
| | | | | In figures | In words | | |
| 1 | Cutting and disposal of earth work in by mechanical in all heights and depths in all kinds of soils, including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site., according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in -charge through all modes of transportation including head load ,animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required). All the surplus excavated earth to be dumped at dumping site(dumping sites will be arranged by the contractor on his own cost). Any loss to the public and private propriety, human being, machinery during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges. | 40.00 | Sqm | 325.00 | Rupees Three Hundred Twenty Five Only | Per Square Metre | 13000.00 |
| 2 | Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required).All useful material such as stones, shingles aggregate and slates shall be properly stacked at site to the maximum possible extent in all leads and lifts through all modes of transportation the usefull stones as per the direction of the Engineer-in-Charge. Any loss to the public and private propriety during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges. | 9.00 | Sqm | 400.00 | Rupees Four Hundred Only | Per Square Metre | 3600.00 |
| 3 | Providing and laying cement concrete 1:6 :12 (1 cement :6 sand :12 graded stone aggregate 40 mm nominal size) and cauring complete. | 9.00 | Sqm | 3400.00 | Rupees Three Thousand Four Hundred Only | Per Square Metre | 30600.00 |

| | | | | | | | |
|---|--|-------|-----|---------|---------------------------------------|------------------|-----------|
| 4 | Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) CC 1:4:8). | 88.00 | Sqm | 4600.00 | Rupees Four Thousand Six Hundred Only | Per Square Metre | 404800.00 |
| 5 | Backfilling behind abutment, wing wall and return wall complete as per drawings and technical specification clause 1204.3.8 HPSR 2009 Item No 12.14 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. | 7.00 | Sqm | 1050.00 | Rupees One Thousand Fifty Only | Per Square Metre | 7350.00 |
| 6 | Providing weapholes in brick masonry / stone masonry /plain reinforced concrete abutment, wing-wall, return wall with 100 mm(One hundred milimetre) dia PVC pipe extending through the full with of the structures with slop of 1(v):20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge. | 36.00 | Sqm | 180.00 | Rupees One Hundred Eighty Only | Per Square Metre | 6480.00 |
| | | | | | Total | | 465830.00 |

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.

Executive Engineer,
Shimla Division No.I,
HP PWD Shimla-3.

01/11/2015 No 672 T/S No 15015-16 dt 11-11-25

Rs 4,79,804/-

| SCHEDULE OF QUANTITY | | | | | | | |
|--|---|------------|-----|----------------|------------------------------------|----------------------------|------------------|
| Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA | | | | | | Estimated Cost:- 300000.00 | |
| Name of Work :- Restoration of Rain Damages on Shimla Mandi road in Km 6/00 to 22/000 | | | | | | Earnest Money :- 6,000.00 | |
| (SH:- Hiring of Excavator cum loader for removal of slips and carriage of Muck,debris/Slips in | | | | | | Time:- One Month | |
| Sr. No | Description of Work / Item (S) | No.of Qty. | | Estimated Rate | | Unit | Amount |
| | | | | In figures | In words | | |
| 1 | Hiring of JCB excavator-cum-loader and Tipper for removal of slips Debris and drsssing of Berms including coat of fuel oil lubricants wages of operational staffs any repair package during operation will be carried out at his risk and cost at required location actual working will be accounted for payment and proper disposal slips / debris by the contractor will be insured and dumping site will be arranged by the contractor at his own cost of tipper or carriage out as per instructions/ direction of the Engineer-in-Charge. | 1000.00 | Cum | 300.00 | Rupees Three Hundred Only | Per Cubic metre | 300000.00 |
| | | | | | | Total | 300000.00 |

CONDITION:

1. All the P.O.L. Charges shall be borne by the contractor.
2. All the repair /maintenance of machineries shall be borne by the contractor.
3. For any minor /Major repair or any accident /damaged shall be the whole responsibility of contractor.

D/No. 673 TISND. 15017-18 dt 11-11-25

Ant to Rs 3,9000/-

Signature
Shimla Division No-I
H.P.P.W.D. Shimla
17/11/25

SCHEDULE OF QUANTITY

| Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3. | | | | | | Estimated Cost:-496442.00 | |
|---|---|------------|-----|----------------|---|---------------------------|-----------|
| Name of Work :-Restoration of rain damages on Shimla to Mandi road Km 6/000 to 22/000 (SH:- | | | | | | Earnest Money :-9200.00 | |
| C/O B/Wall at RD 9/418 to 9/437.20) (Under PDNA) | | | | | | Time:- One Month. | |
| Sr. No | Description of Work / Item (S) | No.of Qty. | | Estimated Rate | | Unit | Amount |
| | | | | In figures | In words | | |
| 1 | Cutting in earth work in all depths and heights in all kinds of soils, including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site., according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in -charge through all modes of transportation including head load ,animal load or mechanical means along with its leveling fine dressing and carriage of all labour , machinery , materials tools, equipments and safety measures and other incidental necessary to completes the work by mechanical means and /or labor (if any required the cost of all useful materials such as stones shingles aggregate and stats shall be slotedout and stacking along road side 13.09 cum stone will be recovered @ 300 /- Cum Which shall be blasting work which shall be proportionately increase decreases as the quantity of the earth work increase decrease in all cases recovered from the contractor at the rate of per cubic meter shall be effected any loss to the public and private property during the curse of execution shall be the absolute responsibility | 63.36 | Cum | 325.00 | Rupees Three Hundred Twenty Five Only | Per Cubic Metre | 20592.00 |
| 2 | Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical | 8.45 | Cum | 400.00 | Rupees Four Hundred Only | Per Cubic Metre | 3380.00 |
| 3 | Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Cement Mortar 1:6:12(One cement: six sand: twelve graded stone agg.40mm nominal size). | 8.45 | Cum | 3400.00 | Rupees Three Thousand Four Hundred Only | Per Cubic Metre | 28730.00 |
| 4 | Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a) Cement Mortar 1:4:8(One cement:Four sand:Eight graded stone aggregate 40 mm(Forty milimetre) nominal size). | 94.900 | Cum | 4600.00 | Rupees Four Thousand Six Hundred Only | Per Cubic Metre | 436540.00 |

| | | | | | | | |
|---|---|-------|-----|--------|--------------------------------|-------------------|-----------|
| 6 | Providing weapholes in brick masonry / stone masonry /plain reinforced concrete abutment, wing wall, return wall with 100 mm(One hundred milimetre) dia PVC pipe extending through the full with of the structures with slop of 1(v):20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 including hauling of materials in all leads and lifts as per the same satisfaction and directions of the Engineer-in-Charge. | 40.00 | Rmt | 180.00 | Rupees One Hundred Eighty Only | Per Running Meter | 7200.00 |
| | | | | | Total | | 496442.00 |

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts. Including head load
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.

DIR. No 674 TISM 15014-2004 11-11-25

Ant to Rs 5,11,335/-

Executive Engineer,
Shimla Division No.I,
HP PWD Shimla-3.

SCHEDULE OF QUANTITY

| Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3. | | | | | Estimated Cost:-495700.00 | | |
|---|---|------------|-----|----------------|---|-----------------|-----------|
| Name of Work :-Restoration of rain damages on Shimla to Mandi road Km 6/000 to 22/000 (SH:-C/O B/Wall at RD 20/600 to 20/611) (Under PDNA) | | | | | Earnest Money :-9900.00 | | |
| | | | | | Time:- One Month. | | |
| Sr. No | Description of Work / Item (S) | No.of Qty. | | Estimated Rate | | Unit | Amount |
| | | | | In figures | In words | | |
| 1 | Cutting in earth work in all depths and heights in all kinds of soils, including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site., according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in -charge through all modes of transportation including head load ,animal load or mechanical means along with its leveling fine dressing and carriage of all labour , machinery , materials tools, equipments and safety measures and other incidental necessary to completes the work by mechanical means and /or labor (if any required the cost of all useful materials such as stones shingles aggregate and stats shall be slotedout and stacking along road side cum stone will be recovered @ 300 /- Cum Which shall be blasting work which shall be proportionately increase decreases as the quantity of the earth work increase decrease in all cases recovered from the contractor at the rate of per cubic meter shall be effected any loss to the public and private property during the curse of execution shall be the absolute responsibility | 44.00 | Cum | 325.00 | Rupees Three Hundred Twenty Five Only | Per Cubic Metre | 14300.00 |
| 2 | Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical | 4.00 | Cum | 400.00 | Rupees Four Hundred Only | Per Cubic Metre | 1600.00 |
| 3 | Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Cement Mortar 1:6:12(One cement: six sand: twelve graded stone agg.40mm nominal size). | 4.00 | Cum | 3400.00 | Rupees Three Thousand Four Hundred Only | Per Cubic Metre | 13600.00 |
| 4 | Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a) Cement Mortar 1:4:8(One cement:Four sand:Eight graded stone aggregate 40 mm(Forty milimetre) nominal size). | 99.000 | Cum | 4600.00 | Rupees Four Thousand Six Hundred Only | Per Cubic Metre | 455400.00 |

| | | | | | | | |
|---|---|-------|-----|--------|--------------------------------|-------------------|-----------|
| 5 | Providing weapholes in brick masonry / stone masonry /plain reinforced concrete abutment, wing wall, return wall with 100 mm(One hundred milimetre) dia PVC pipe extending through the full with of the structures with slop of 1(v):20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 including hauling of materials in all leads and lifts as per the same satisfaction and directions of the Engineer-in-Charge. | 60.00 | Rmt | 180.00 | Rupees One Hundred Eighty Only | Per Running Meter | 10800.00 |
| | | | | | Total | | 495700.00 |

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts. Including head load
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.

DIV R. No 675 TIS No 15021-22 of 11-11-25

Ant to Rs 5,10,571/-

Executive Engineer,
Shimla Division No.I,
HP PWD Shimla-3.

SCHEDULE OF QUANTITY

| Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3. | | | | | | Estimated Cost:-499342.00 | |
|---|---|-------------|-----|----------------|---|---------------------------|-----------|
| Name of Work :-Restoration of rain damages on Jablanda to Kiarkoti road Km 0/000 to 8/200 (SH: C/O R/Wall at RD 0/855 to 0/864.45 (Under PDNA) | | | | | | Earnest Money :-10000.00 | |
| | | | | | | Time:- One Month. | |
| Sr. No | Description of Work / Item (S) | No. of Qty. | | Estimated Rate | | Unit | Amount |
| | | | | In figures | In words | | |
| 1 | Cutting in earth work in all depths and heights in all kinds of soils, including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site., according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in -charge through all modes of transportation including head load ,animal load or mechanical means along with its leveling fine dressing and carriage of all labour , machinery , materials tools, equipments and safety measures and other incidental necessary to completes the work by mechanical means and /or labor (if any required the cost of all useful materials such as stones shingles aggregate and stats shall be slotedout and stacking along road side cum stone will be recovered @ 300 /- Cum Which shall be blasting work which shall be proportionately increase decreases as the quantity of the earth work increase decrease in all cases recovered from the contractor at the rate of Rs. 300/- per cubic meter shall be effected and shall be deducted from the estimate amount during the course of execution. | 78.91 | Cum | 325.00 | Rupees Three Hundred Twenty Five Only | Per Cubic Metre | 25646.00 |
| 2 | Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical | 5.95 | Cum | 400.00 | Rupees Four Hundred Only | Per Cubic Metre | 2380.00 |
| 3 | Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Cement Mortar 1:6:12(One cement: six sand: twelve graded stone agg.40mm nominal size). | 5.95 | Cum | 3400.00 | Rupees Three Thousand Four Hundred Only | Per Cubic Metre | 20230.00 |
| 4 | Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a) Cement Mortar 1:4:8(One cement:Four sand:Eight graded stone aggregate 20 mm(Twenty milimetre) nominal size). | 96.000 | Cum | 4600.00 | Rupees Four Thousand Six Hundred Only | Per Cubic Metre | 441600.00 |
| 5 | Backfilling behind abutment, wing wall and return wall complete as per drawings and technical specification clause 1204.3.8 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Granular material. | 1.32 | Cum | 1050.00 | Rupees One Thousand Fifty Only | Per Cubic Metre | 1386.00 |

| | | | | | | | |
|---|---|-------|-----|--------|--------------------------------|-------------------|-----------|
| 6 | Providing weapholes in brick masonry / stone masonry /plain reinforced concrete abutment, wing wall, return wall with 100 mm(One hundred milimetre) dia PVC pipe extending through the full with of the structures with slop of 1(v):20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 including hauling of materials in all leads and lifts as per the same satisfaction and directions of the Engineer-in-Charge. | 45.00 | Rmt | 180.00 | Rupees One Hundred Eighty Only | Per Running Meter | 8100.00 |
| | | | | | Total | | 499342.00 |

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts. Including head load
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.

D/M R No 676 T18 Mo 15023-24 dt 11-11-25

amt to Rs 5,14,392/-

Executive Engineer,
Shimla Division No.I,
HP PWD Shimla-3.

SCHEDULE OF QUANTITY

| Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3. | | | | | | | Estimated Cost:-495160.00 | |
|---|---|------------|-----|----------------|---|-----------------|---------------------------|--|
| Name of Work :-Restoration of rain damages on Shimla to Mandi road Km 6/000 to 22/000 (SH:- | | | | | | | Earnest Money :-9900.00 | |
| C/O B/Wall at RD 20/615 to 20/626) (Under PDNA) | | | | | | | Time:- One Month. | |
| Sr. No | Description of Work / Item (S) | No.of Qty. | | Estimated Rate | | Unit | Amount | |
| | | | | In figures | In words | | | |
| 1 | Cutting in earth work in all depths and heights in all kinds of soils, including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site., according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in -charge through all modes of transportation including head load ,animal load or mechanical means along with its leveling fine dressing and carriage of all labour , machinery , materials tools, equipments and safety measures and other incidental necessary to completes the work by mechanical means and /or labor (if any required the cost of all useful materials such as stones shingles aggregate and stats shall be slotedout and stacking along road side cum stone will be recovered @ 300 /- Cum Which shall be blasting work which shall be proportionately increase decreases as the quantity of the earth work increase decrease in all cases recovered from the contractor at the rate of one cubic meter shall be offered towards the public and private works during the course of construction. | 44.00 | Cum | 325.00 | Rupees Three Hundred Twenty Five Only | Per Cubic Metre | 14300.00 | |
| 2 | Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical | 4.00 | Cum | 400.00 | Rupees Four Hundred Only | Per Cubic Metre | 1600.00 | |
| 3 | Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Cement Mortar 1:6:12(One cement: six sand: twelve graded stone agg.40mm nominal size). | 4.00 | Cum | 3400.00 | Rupees Three Thousand Four Hundred Only | Per Cubic Metre | 13600.00 | |
| 4 | Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a) Cement Mortar 1:4:8(One cement:Four sand:Eight graded stone aggregate 40 mm(Forty milimetre) nominal size). | 99.000 | Cum | 4600.00 | Rupees Four Thousand Six Hundred Only | Per Cubic Metre | 455400.00 | |

| | | | | | | | |
|---|---|-------|-----|--------|--------------------------------|-------------------|-----------|
| 5 | Providing weapholes in brick masonry / stone masonry /plain reinforced concrete abutment, wing wall, return wall with 100 mm(One hundred milimetre) dia PVC pipe extending through the full with of the structures with slop of 1(v):20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 including hauling of materials in all leads and lifts as per the same satisfaction and directions of the Engineer-in-Charge. | 57.00 | Rmt | 180.00 | Rupees One Hundred Eighty Only | Per Running Meter | 10260.00 |
| | | | | | Total | | 495160.00 |

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts. Including head load
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.

D/MR-NO 677/S.M. 15027-28 dt/11-11-25

Ant to Rs 510015

Executive Engineer,
Shimla Division No.I,
HP PWD Shimla-3.

SCHEDULE OF QUANTITY

| Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3. | | | | | | Estimated Cost:-499958.00 | |
|---|---|------------|-----|----------------|---|---------------------------|-----------|
| Name of Work :-Restoration of rain damages on Shimla to Mandi road Km 6/000 to 22000 (SH:-C/O R/Wall at RD 16/540 to 16/546 (Under PDNA) | | | | | | Earnest Money :-10000.00 | |
| | | | | | | Time:- One Month. | |
| Sr. No | Description of Work / Item (S) | No.of Qty. | | Estimated Rate | | Unit | Amount |
| | | | | In figures | In words | | |
| 1 | Cutting in earth work in all depths and heights in all kinds of soils, including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site., according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in -charge through all modes of transportation including head load ,animal load or mechanical means along with its leveling fine dressing and carriage of all labour , machinery , materials tools, equipments and safety measures and other incidental necessary to completes the work by mechanical means and /or labor (if any required the cost of all useful materials such as stones shingles aggregate and stats shall be slotedout and stacking along road side cum stone will be recovered @ 300 /- Cum Which shall be blasting work which shall be proportionately increase decreases as the quantity of the earth work increase decrease in all cases recovered from the contractor at the rate of per cubic meter shall be effected any loss to the public and private property during the curse of execution shall be the absolute responsibility | 82.24 | Cum | 325.00 | Rupees Three Hundred Twenty Five Only | Per Cubic Metre | 26728.00 |
| 2 | Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical | 4.95 | Cum | 400.00 | Rupees Four Hundred Only | Per Cubic Metre | 1980.00 |
| 3 | Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a).Cement Mortar 1:6:12(One cement: six sand: twelve graded stone agg.40mm nominal size). | 4.95 | Cum | 3400.00 | Rupees Three Thousand Four Hundred Only | Per Cubic Metre | 16830.00 |
| 4 | Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a) Cement Mortar 1:4:8(One cement:Four sand:Eight graded stone aggregate 20 mm(Twenty milimetre) nominal size). | 97.090 | Cum | 4600.00 | Rupees Four Thousand Six Hundred Only | Per Cubic Metre | 446614.00 |

| | | | | | | | |
|---|---|-------|-----|---------|--------------------------------|-------------------|-----------|
| 5 | Backfilling behind abutment, wing wall and return wall complete as per drawings and technical specification clause 1204.3.8 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Granular material. | 0.92 | Cum | 1050.00 | Rupees One Thousand Fifty Only | Per Cubic Metre | 966.00 |
| 6 | Providing weapholes in brick masonry / stone masonry /plain reinforced concrete abutment, wing wall, return wall with 100 mm(One hundred milimetre) dia PVC pipe extending through the full with of the structures with slop of 1(v):20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 including hauling of materials in all leads and lifts as per the same satisfaction and directions of the Engineer-in-Charge. | 38.00 | Rmt | 180.00 | Rupees One Hundred Eighty Only | Per Running Meter | 6840.00 |
| | | | | | Total | | 499958.00 |

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts. Including head load
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.

D/M R. No 678 T/S No 15025-26 dt 11-11-25

amt to Rs 5,14,957/-

Executive Engineer,
Shimla Division No.I,
HP PWD Shimla-3.

SCHEDULE OF QUANTITY

| Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3. | | | | | | Estimated Cost:-410005.00 | |
|---|---|------------|-----|----------------|---|---------------------------|-----------|
| Name of Work :-Restoration of rain damages on Shimla to Mandi road Km 6/000 to 22/000 (SH:-C/O B/Wall at RD 21/230 to 21/250) (Under PDNA) | | | | | | Earnest Money :-8200.00 | |
| | | | | | | Time:- One Month. | |
| Sr. No | Description of Work / Item (S) | No.of Qty. | | Estimated Rate | | Unit | Amount |
| | | | | In figures | In words | | |
| 1 | Cutting in earth work in all depths and heights in all kinds of soils, including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site., according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in -charge through all modes of transportation including head load ,animal load or mechanical means along with its leveling fine dressing and carriage of all labour , machinery , materials tools, equipments and safety measures and other incidental necessary to completes the work by mechanical means and /or labor (if any required the cost of all useful materials such as stones shingles aggregate and stats shall be slotedout and stacking along road side cum stone will be recovered @ 300 /- Cum Which shall be blasting work which shall be proportionately increase decreases as the quantity of the earth work increase decrease in all cases recovered from the contractor at the rate of per cubic meter shall be effected any loss to the public and private property during the curse of execution shall be the absolute responsibility | 49.00 | Cum | 325.00 | Rupees Three Hundred Twenty Five Only | Per Cubic Metre | 15925.00 |
| 2 | Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical | 10.00 | Cum | 400.00 | Rupees Four Hundred Only | Per Cubic Metre | 4000.00 |
| 3 | Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Cement Mortar 1:6:12(One cement: six sand: twelve graded stone agg.40mm nominal size). | 10.00 | Cum | 3400.00 | Rupees Three Thousand Four Hundred Only | Per Cubic Metre | 34000.00 |
| 4 | Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a) Cement Mortar 1:4:8(One cement:Four sand:Eight graded stone aggregate 40 mm(Forty milimetre) nominal size). | 76.000 | Cum | 4600.00 | Rupees Four Thousand Six Hundred Only | Per Cubic Metre | 349600.00 |

| | | | | | | | |
|---|---|-------|-----|--------|--------------------------------|-------------------|-----------|
| 5 | Providing weapholes in brick masonry / stone masonry /plain reinforced concrete abutment, wing wall, return wall with 100 mm(One hundred milimetre) dia PVC pipe extending through the full with of the structures with slop of 1(v):20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 including hauling of materials in all leads and lifts as per the same satisfaction and directions of the Engineer-in-Charge. | 36.00 | Rmt | 180.00 | Rupees One Hundred Eighty Only | Per Running Meter | 6480.00 |
| | | | | | Total | | 410005.00 |

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts. Including head load
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.

DMR No 679 TIS No 15029-30 9+11-1-25

And to Rs 4,22,305/-

Executive Engineer,
Shimla Division No.I,
HP PWD Shimla-3.

SCHEDULE OF QUANTITY

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.

Estimated Cost:- 481220.00

Name of Work :- Restoration of rain damages on Mashobra to Bhakelty road Km 0/00 to 18/300.

Earnest Money :- 9500.00

(SH:- C/O R/Wall at Rd 11/495 to 11/511). (under PDNA)

Time:- One Month.

| Sr. No | Description of Work / Item (S) | No. of Qty. | | Estimated Rate | | Unit | Amount |
|-----------|---|-------------|-----|----------------|---|------------------|----------|
| | | | | In figures | In words | | |
| 1 | Cutting and disposal of earth work in by mechanical in all heights and depths in all kinds of soils, including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site., according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in -charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required). All the surplus excavated earth to be dumped at dumping site(dumping sites will be arranged by the contractor on his own cost). Any loss to the public and private propriety, human being, machinery during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges. | 36.00 | Sqm | 325.00 | Rupees Three Hundred Twenty Five Only | Per Square Metre | 11700.00 |
| 2 | Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required). All useful material such as stones, shingles aggregate and slates shall be properly stacked at site to the maximum possible extent in all leads and lifts through all modes of transportation the usefull stones as per the direction of the Engineer-in-Charge. Any loss to the public and private propriety during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges. | 10.00 | Sqm | 400.00 | Rupees Four Hundred Only | Per Square Metre | 4000.00 |
| 3 | Providing and laying cement concrete 1:6 :12 (1 cement :6 sand :12 graded stone aggregate 40 mm nominal size) and cauring complete. | 10.00 | Sqm | 3400.00 | Rupees Three Thousand Four Hundred Only | Per Square Metre | 34000.00 |

| | | | | | | | |
|----|--|-------|-----|---------|---------------------------------------|------------------|-----------|
| 4. | Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) CC 1:4:8). | 90.00 | Sqm | 4600.00 | Rupees Four Thousand Six Hundred Only | Per Square Metre | 414000.00 |
| 5. | Backfilling behind abutment, wing wall and return wall complete as per drawings and technical specification clause 1204.3.8 HPSR 2009 Item No 12.14 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. | 10.00 | Sqm | 1050.00 | Rupees One Thousand Fifty Only | Per Square Metre | 10500.00 |
| 6. | Providing weapholes in brick masonry / stone masonry /plain reinforced concrete abutment, wing wall, return wall with 100 mm(One hundred milimetre) dia PVC pipe extending through the full with of the structures with slop of 1(v):20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge. | 39.00 | Sqm | 180.00 | Rupees One Hundred Eighty Only | Per Square Metre | 7020.00 |
| | | | | | Total | | 481220.00 |

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.

2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.

D/MR. No 681 T/SH No 15033-34 dt 11-11-25

And to No ~~15033-34~~ / 495656/

Executive Engineer,
Shimla Division No.I,
HP PWD Shimla-3.

SCHEDULE OF QUANTITY

| Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3. | | | | | | Estimated Cost:- 472020.00 | |
|---|--|-------------|-----|----------------|---|----------------------------|----------|
| Name of Work :- Restoration of rain damages on Mashobra to Bhakelty road Km 0/00 to 18/300. | | | | | | Earnest Money :- 9500.00 | |
| (SH:- C/O R/Wall at Rd 6/450 to 6/466). (under PDNA) | | | | | | Time:- One Month. | |
| Sr. No | Description of Work / Item (S) | No. of Qty. | | Estimated Rate | | Unit | Amount |
| | | | | In figures | In words | | |
| 1 | Cutting and disposal of earth work in by mechanical in all heights and depths in all kinds of soils, including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site., according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in -charge through all modes of transportation including head load ,animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required). All the surplus excavated earth to be dumped at dumping site(dumping sites will be arranged by the contractor on his own cost). Any loss to the public and private propriety, human being, machinery during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges. | 36.00 | Sqm | 325.00 | Rupees Three Hundred Twenty Five Only | Per Square Metre | 11700.00 |
| 2 | Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required).All useful material such as stones, shingles aggregate and slates shall be properly stacked at site to the maximum possible extent in all leads and lifts through all modes of transportation the usefull stones as per the direction of the Engineer-in-Charge. Any loss to the public and private propriety during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges. | 10.00 | Sqm | 400.00 | Rupees Four Hundred Only | Per Square Metre | 4000.00 |
| 3 | Providing and laying cement concrete 1:6 :12 (1 cement :6 sand :12 graded stone aggregate 40 mm nominal size) and carring complete. | 10.00 | Sqm | 3400.00 | Rupees Three Thousand Four Hundred Only | Per Square Metre | 34000.00 |

| | | | | | | | |
|---|--|-------|-----|---------|--|------------------|-----------|
| 4 | Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) CC 1:4:8. | 88.00 | Sqm | 4600.00 | Rupees Four Thousand Six Hundred Only. | Per Square Metre | 404800.00 |
| 5 | Backfilling behind abutment, wing wall and return wall complete as per drawings and technical specification clause 1204.3.8 HPSR/2009 Item No 12.14 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. | 10.00 | Sqm | 1050.00 | Rupees One Thousand Fifty Only | Per Square Metre | 10500.00 |
| 6 | Providing weapholes in brick masonry / stone masonry /plain reinforced concrete abutment, wing wall, return wall with 100 mm(One hundred milimetre) dia PVC pipe extending through the full with of the structures with slop of 1(v):20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge. | 39.00 | Sqm | 180.00 | Rupees One Hundred Eighty Only | Per Square Metre | 7020.00 |
| | | | | | Total | | 472020.00 |

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.

DINR No 682 TIS No 15035-36 C/11-11-25

And to Rs 4,86,180/-

Executive Engineer,
Shimla Division No.I,
HP PWD Shimla-3.

| SCHEDULE OF QUANTITY | | | | | | | |
|--|--|------------|-----|----------------|---|----------------------------|----------|
| Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3. | | | | | | Estimated Cost:- 487300.00 | |
| Name of Work :- Restoration of rain damages on Purani Koti to Ghorna road Km 0/00 to 16/000. | | | | | | Earnest Money :- 9800.00 | |
| (SH:- C/O R/Wall at Rd 12/810 to 2/823). (under PDNA) | | | | | | Time:- One Month. | |
| Sr. No | Description of Work / Item (S) | No.of Qty. | | Estimated Rate | | Unit | Amount |
| | | | | In figures | In words | | |
| 1 | Cutting and disposal of earth work in by mechanical in all heights and depths in all kinds of soils, including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site., according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in -charge through all modes of transportation including head load ,animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required). All the surplus excavated earth to be dumped at dumping site(dumping sites will be arranged by the contractor on his own cost). Any loss to the public and private propriety, human being, machinery during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges. | 44.00 | Sqm | 325.00 | Rupees Three Hundred Twenty Five Only | Per Square Metre | 14300.00 |
| 2 | Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required).All useful material such as stones, shingles aggregate and slates shall be properly stacked at site to the maximum possible extent in all leads and lifts through all modes of transportation the usefull stones as per the direction of the Engineer-in-Charge. Any loss to the public and private propriety during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges. | 9.00 | Sqm | 400.00 | Rupees Four Hundred Only | Per Square Metre | 3600.00 |
| 3 | Providing and laying cement concrete 1:6 :12 (1 cement :6 sand :12 graded stone aggregate 40 mm normal size) and cauring complete. | 9.00 | Sqm | 3400.00 | Rupees Three Thousand Four Hundred Only | Per Square Metre | 30600.00 |

| | | | | | | | |
|----|--|-------|-----|---------|---------------------------------------|------------------|-----------|
| 4. | Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) CC 1:4:8). | 92.00 | Sqm | 4600.00 | Rupees Four Thousand Six Hundred Only | Per Square Metre | 423200.00 |
| 5. | Backfilling behind abutment, wing wall and return wall complete as per drawings and technical specification clause 1204.3.8. HPSR 2009 Item No 12.14 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. | 8.00 | Sqm | 1050.00 | Rupees One Thousand Fifty Only | Per Square Metre | 8400.00 |
| 6. | Providing weapholes in brick masonry / stone masonry /plain reinforced concrete abutment, wing wall, return wall with 100 mm(One hundred milimetre) dia PVC pipe extending through the full with of the structures with slop of I(v):20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge. | 40.00 | Sqm | 180.00 | Rupees One Hundred Eighty Only | Per Square Metre | 7200.00 |
| | | | | | Total | | 487300.00 |

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.

DWR-No 686 TIS No 15043-44 dt 11-11-25

Ant to no 5019/19 -

Executive Engineer,
Shimla Division No.I,
HP PWD Shimla-3.

SCHEDULE OF QUANTITY

| Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3. | | | | | | Estimated Cost:- 465830.00 | |
|---|--|------------|-----|----------------|---|----------------------------|----------|
| Name of Work :- Restoration of rain damages on Mashobra to Bhakelty road Km 0/00 to 18/300. | | | | | | Earnest Money :- 9400.00 | |
| (SH:- C/O R/Wall at Rd 10/990 to 11/002). (under PDNA) | | | | | | Time:- One Month. | |
| Sr. No | Description of Work / Item (S) | No.of Qty. | | Estimated Rate | | Unit | Amount |
| | | | | In figures | In words | | |
| 1 | Cutting and disposal of earth work in by mechanical in all heights and depths in all kinds of soils, including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site., according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in -charge through all modes of transportation including head load ,animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required). All the surplus excavated earth to be dumped at dumping site(dumping sites will be arranged by the contractor on his own cost). Any loss to the public and private propriety, human being, machinery during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges. | 40.00 | Sqm | 325.00 | Rupees Three Hundred Twenty Five Only | Per Square Metre | 13000.00 |
| 2 | Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required).All useful material such as stones, shingles aggregate and slates shall be properly stacked at site to the maximum possible extent in all leads and lifts through all modes of transportation the usefull stones as per the direction of the Engineer-in-Charge. Any loss to the public and private propriety during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges. | 9.00 | Sqm | 400.00 | Rupees Four Hundred Only | Per Square Metre | 3600.00 |
| 3 | Providing and laying cement concrete 1:6 :12 (1 cement :6 sand :12 graded stone aggregate. 40 mm nominal size) and cauring complete. | 9.00 | Sqm | 3400.00 | Rupees Three Thousand Four Hundred Only | Per Square Metre | 30600.00 |

| | | | | | | | |
|---|--|-------|-----|---------|---------------------------------------|------------------|-----------|
| 4 | Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) CC 1:4:8). | 88.00 | Sqm | 4600.00 | Rupees Four Thousand Six Hundred Only | Per Square Metre | 404800.00 |
| 5 | Backfilling behind abutment, wing wall and return wall complete as per drawings and technical specification clause 1204.3.8: HPSR/2009 Item No 12.14 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. | 7.00 | Sqm | 1050.00 | Rupees One Thousand Fifty Only | Per Square Metre | 7350.00 |
| 6 | Providing weapholes in brick masonry / stone masonry /plain reinforced concrete abutment, wing wall, return wall with 100 mm(One hundred milimetre) dia PVC pipe extending through the full with of the structures with slop of 1(v):20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge. | 36.00 | Sqm | 180.00 | Rupees One Hundred Eighty Only | Per Square Metre | 6480.00 |
| | | | | | Total | | 465830.00 |

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.

DIV R No. 685 TIS No 15041-42.07 11-11-25

Ant to Rs 40 479804/-

Executive Engineer,
Shimla Division No.I,
HP PWD Shimla-3.

SCHEDULE OF QUANTITY


| Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3. | | | | | | Estimated Cost:- 472965.00 | |
|---|--|------------|-----|----------------|---------------------------------------|----------------------------|---------|
| Name of Work :- Restoration of rain damages on Koti to Satlai road Km 0/000 to 15/000 (SH:- C/O P.C.C | | | | | | Earnest Money :- 9500.00 | |
| 1:4:8 Retaining wall between RD 5/281 to 5/287.) | | | | | | Time:- One Month. | |
| Sr. No | Description of Work / Item (S) | No.of Qty. | | Estimated Rate | | Unit | Amount |
| | | | | In figures | In words | | |
| 1 | Cutting and disposal of earth work-in by mechanical in all heights and depths in all kinds of soils, including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site., according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in-charge through all modes of transportation including head load ,animal load or mechanical means along with its leveling fine dressing and with all kinds of labour; machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required). All the surplus excavated earth to be dumped at dumping site(dumping sites will be arranged by the contractor on his own cost). Any loss to the public and private propriety, human being, machinery during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges. | 25.56 | Cum | 325.00 | Rupees Three Hundred Twenty Five Only | Per Cubic Metre | 8307.00 |

| | | | | | | | |
|---|--|-------|-----|---------|--|-----------------|-----------|
| 2 | Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required). All useful material such as stones, shingles aggregate and slates shall be properly stacked at site to the maximum possible extent in all leads and lifts through all modes of transportation the usefull stones as per the direction of the Engineer-in-Charge. Any loss to the public and private propriety during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges. | 31.92 | Cum | 400.00 | Rupees Four Hundred Only | Per Cubic Metre | 12768.00 |
| 3 | Providing concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Cement Mortar 1:5:10 (One cement: Five sand: Ten graded stone agg.40mm nominal size). | 2.58 | Cum | 3800.00 | Rupees Three Thousand Eight Hundred Only | Per Cubic Metre | 9804.00 |
| 4 | Providing concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Cement Mortar 1:4:8 | 92.94 | Cum | 4600.00 | Rupees Four Thousand Six Hundred Only | Per Cubic Metre | 427524.00 |

| | | | | | | | |
|---|--|-------|-----|--------------|--------------------------------|-------------------|------------------|
| 5 | Providing weapholes in brick masonry / stone masonry /plain reinforced concrete abutment, wing wall, return wall with 100 mm(One hundred milimetre) dia PVC pipe extending through the full with of the structures with slop of 1(v):20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge. | 20.00 | Rmt | 180.00 | Rupees One Hundred Eighty Only | Per Running Meter | 3600.00 |
| 6 | Backfilling behind abutment, wing wall and return wall complete as per drawings and technical specification clause 1204.3.8 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Granular material. | 10.44 | Cum | 1050.00 | Rupees One Thousand Fifty Only | Per Square Metre | 10962.00 |
| | | | | Total | | | 472965.00 |

DIR No. 683 TIS No 15037-38 dt 11-11-25

Amt to Rs 487154/-


 Executive Engineer,
 Shimla Division No.I,
 HP PWD Shimla-3.

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.

SCHEDULE OF QUANTITY

| Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-1, H.P.P.W.D., SHIMLA-3. | | | | | | Estimated Cost:- 488320.00 | |
|---|--|-------------|-----|----------------|---|----------------------------|----------|
| Name of Work :- Restoration of rain damages on Mashobra to Bhakelty road Km 0/00 to 18/300. | | | | | | Earnest Money :- 9800.00 | |
| (SH:- C/O R/Wall at Rd 10/825 to 10/833). (under PDNA) | | | | | | Time:- One Month. | |
| Sr. No | Description of Work / Item (S) | No. of Qty. | | Estimated Rate | | Unit | Amount |
| | | | | In figures | In words | | |
| 1 | Cutting and disposal of earth work in by mechanical in all heights and depths in all kinds of soils, including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site., according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in -charge through all modes of transportation including head load ,animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required). All the surplus excavated earth to be dumped at dumping site(dumping sites will be arranged by the contractor on his own cost). Any loss to the public and private propriety, human being, machinery during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges. | 36.00 | Sqm | 325.00 | Rupees Three Hundred Twenty Five Only | Per Square Metre | 11700.00 |
| 2 | Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required).All useful material such as stones, shingles aggregate and slates shall be properly stacked at site to the maximum possible extent in all leads and lifts through all modes of transportation the usefull stones as per the direction of the Engineer-in-Charge. Any loss to the public and private propriety during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges. | 10.00 | Sqm | 400.00 | Rupees Four Hundred Only | Per Square Metre | 4000.00 |
| 3 | Providing and laying cement concrete 1:6 :12 (1 cement :6 sand :12 graded stone aggregate 40 mm nominal size) and cauring complete. | 10.00 | Sqm | 3400.00 | Rupees Three Thousand Four Hundred Only | Per Square Metre | 34000.00 |

| | | | | | | | |
|---|--|-------|-----|---------|---------------------------------------|------------------|-----------|
| 4 | Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802, 803, 1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) CC 1:4:8). | 92.00 | Sqm | 4600.00 | Rupees Four Thousand Six Hundred Only | Per Square Metre | 423200.00 |
| 5 | Backfilling behind abutment, wing wall and return wall complete as per drawings and technical specification clause 1204.3.8. HPSR 2009 Item No 12.14 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. | 8.00 | Sqm | 1050.00 | Rupees One Thousand Fifty Only | Per Square Metre | 8400.00 |
| 6 | Providing weapholes in brick masonry / stone masonry / plain reinforced concrete abutment, wing wall, return wall with 100 mm (One hundred milimetre) dia PVC pipe extending through the full with of the structures with slop of 1(v):20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge. | 39.00 | Sqm | 180.00 | Rupees One Hundred Eighty Only | Per Square Metre | 7020.00 |
| | | | | | Total | | 488320.00 |

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in

DINR. NO. 684 TISNO 15039-40 1-11-25

Amtd to Rs 502969/-

Executive Engineer,
Shimla Division No.I,
HP PWD Shimla-3.